

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 147:

5
GGCAGAGCCT CAAGCTGACT TGGATTATGT GGTCCCTCAA ATCTACCGAC ACATGCAGGA 60
GGAGTTCCGG GGCCGGTTAG AGAGGACCAA ATCTCAGGGT CCCCTGACTG TGGCTGCTTA 120
10 TCAKWWYGGG AGTGTCTACT CAGCTGCTAT GGTACACAGCC CTCACCCTGT TGGCCTTCCC 180
ACTTCTGCTG TTGCATGCGG AGCGCATCAG CCTTGTGTTC CTGCTTCTGT TTCTGCAGAG 240
CTTCCTTCTC CTACATCTGC TTGCTGCTGG GATACCCGTC ACCACCCCTG GTCCTTTTAC 300
15 TGTGCCATGG CAGGCAGTCT CGGCTTGGGC CCTCATGGCC ACACAGACCT TCTACTCCAC 360
AGGCCACCAG CCTGTCTTTC CAGCCATCCA TTGGCATGCA GCCTTCGTGG GATTCCCAGA 420
20 GGGTCATGGC TCCTGTACTT GGCTGCCTGC TTTGCTAGTG GGAGCCAACA CCTTTGCCTC 480
CCACCTCCTC TTTGCAGTAG GTTGCCCACT GCTCCTGCTC TGGCCTTTCC TGTGTGAGAG 540
TCAAGGGCTG CGGAAGAGAC AGCAGCCCCC AGGGAATGAA GCTGATGCCA GAGTCAGACC 600
25 CGAGGAGGAA GAGGAGCCAC TGATGGAGAT GCGGCTCCGG GATGCGCCTC AGCACTTCTA 660
TGCAGCACTG CTGCAGCTGG GCCTCAAGTA CCTCTTTATC CTTGGTATTC AGATTCTGGC 720
30 CTGTGCCTTG GCAGCCTCCA TCCTTCGCAG GCATCTCATG GTCTGGAAAG TGTTTGCCCC 780
TAAGTTCATA TTTGAGGCTG TGGGCTTCAT TGTGAGCAGC GTGGGACTTC TCCTGGGCAT 840
AGCTTTGGTG ATGAGAGTGG ATGGTGCTGT GAGCTCCTGG TTCAGGCAGC TATTTCTGGC 900
35 CCAGCAGAGG TAGCCTAGTC TGTGATTACT GGCCTTGGC TACAGAGAGT GCTGGAGAAC 960
AGTGTAGCCT GGCCTGTACA GGTACTGGAT GATCTGCAAG ACAGGCTCAG CCATACTCTT 1020
40 ACTATCATGC AGCCAGGGGC CGCTGACATC TANGACTTCA TTATTCWATR ATTCAGGACC 1080
ACAGTGGAGT ATGATCCCTA ACTCCTGATT TGGATGCATC TGAGGGACAA GGGGKCGGT 1140
STCCGAAGTG GAATAAAATA GCGGGCGGTG GTGACTTGCA CCT 1183
45

(2) INFORMATION FOR SEQ ID NO: 148:

50

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 734 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

55

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 148:

60 GAATTCGGCA GAGTGAAGCA TTAGAATGAT TCCAACACTG CTCTTCTGCA CCATGAGACC 60

	AACCCAGGGC AAGATCCCAT CCCATCACAT CAGCCTACCT CCCTCCTGGC TGCTGGCCAK	120
	GATGTCGCCA GCATTACCTT CCACTGCCTT TCTCCCTGGG AAGCAGCACA GCTGAGACTG	180
5	GGCACCAGGC CACCTCTGTT GGGACCCACA GGAAAGAGTG TGGCAGCAAC TGCMTGGCTG	240
	ACCTTTCTAT CTTCTCTAGG CTCAGGTACT GCTCCTCCAT GCCCATGGYT GGGCCGTGGG	300
	GAGAAGAAGC TCTCATACGC CTTCCCACTC CCTCTGGTTT ATAGGACTTC ACTCCCTAGC	360
10	CAACAGGAGA GGAGGCCTCC TGGGGTTTCC CCRRGGCAGT AGGTCAAACG ACCTCATCAC	420
	AGTCTTCCTT CCTCTTCAAG CGTTTCATGT TGAACACAGC TCTCTCCRCT CCCTTGTGAT	480
15	TTCTGAGGGT CACCACTGCC ARCCTCAGGC AACATAGAGA GCCTCCTGTT CTTTCTATGC	540
	TTGGTCTGAC TGAGCCTAAA GTTGAGAAAA TGGGTGCCAA GGCCAGTGCC AGTGCTTGG	600
	GGCCCCTTTG GCTCTCCCTC ACTCTCTGAG GCTCCAGCTG GTCCTGGGAC ATGCAGCCAG	660
20	GACTGTGAGT CTGGGCASGT CCAAGGCCTG CACCTTCAAG AAGTGAATA AATGTGGCCT	720
	TTGCTTCTAT TTAA	734
25		

(2) INFORMATION FOR SEQ ID NO: 149:

- 30 (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1405 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: double
 - (D) TOPOLOGY: linear

35 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 149:

	GGCACAGTGG ACCCCAGACT CCCTCTCCGC CTTTCTCTGC CTGGGAGAC CCACTGTGTG	60
40	CATGGCATCA CTGACTCCCA TACCTCTGGC TATCAAAGT TTCTGCCATG GCCACCCTGG	120
	AAGSAAACCA GAGGGAGGTA GACAGGGAGA TCAGGTCCCT TCTACTCTGG TTCTGTCTCT	180
	GTGAAATTGT CTCAGGCTGG CTGTGTCCAG ARGGTCCCTG GTTCTCTCAR GGATGCCAAA	240
45	TCTACAAGAA TCTCTCTCT TCCAGTTCCCT ATAACCTCTC CTTCCCTTTG TCTCTTTAGA	300
	CCTTGGAGTA GTAGCAGCCA GGTCTTTTCT ATCTCTGGGT TAGTGCAITA TCTCTGGTGG	360
50	CTCCCTTACC CAGGACTTTG GGAATGGTCT TTTTGTAAATA CATTCTCCTC AAATAATTCA	420
	ATTTTGTAGTG TTCTGTATGT ATCCTGCTGG GAGGTGTGTA TATACAAATC ACTGTGCCCG	480
	TTTAGCAGAG AAGGAGACTG AAGCTCAGGG AGGTTAAGTG TCTTTCTCTA GGTGCTATTG	540
55	TGGAGAAAGT GGCTGACTGG GGAATTGAAT GAGGTCCCTA GTTTCATGCT CGGAGGGCAA	600
	AGANGAATGT CCAATTGGCC TGAGATAAGC CTCTGGTAAA ATGTACTGTA CATAATAGGT	660
60	AATCAATAAA TGTGGGCTGA TGACAAACAT GTTTTCTTTG TTCATTAGTT ATAGTGATTA	720

TGTTCCTAAAT AACTCCMACA AGGAARTCAG CACATTTGGA ATATCAWTAT CTTTCCATGA 780
 TAATATCTTT CCMYGGAAAG AWAATGATAT TCCMAACTGG GAGTGTCCCN AGCARATCTG 840
 5 ANTCTGTGTA TTGGCCCTGG GGTGGGCCAG CCCCTTAGAC TCTATGGTCT CATTCTCTTT 900
 GTTTACAAAA TTGAGATAAG GCCTTATTCT CTCCCCACCC CACCCATCCA TATTGTTTGG 960
 10 AGAATAAAAT GAGAGGATGT GTGTCAAGGG TGTATTTTGG CAATAGTCTC TGAGCCATTT 1020
 TCTGAGCACC TCCATACTGT TGACACTCAA GTAATATTTC ATCAGCATTC CATTGAGGNT 1080
 CCTCCCTTAA TGAGGTGTGC GATGTACAAG AGTYGTGAGG TGGCAAAGGA TGGGCTCCTG 1140
 15 AGGAAACACT TAGGAAACTG GGCTTTCTGC CATTAAGA GACAAACCTT TGTGGTGACC 1200
 TAATTAAAGT TTTTAAAT CAATTGGAA AGTTAGCAAG CTAGCTCCTK TCCAGGWAAA 1260
 20 ATAAGGAGTC AGTGCATGAC CTAACGGTC CCGGGCTGCT TGCCATTCCA AACAACTGCA 1320
 GTAAGTTTAT CACNTCTTT CAGGGACTGA GGTTCACAG CACAGACTTG GATAAGGAAG 1380
 GATGTCCTAT GGGGTCACAT TGATG 1405
 25

(2) INFORMATION FOR SEQ ID NO: 150:

30

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 2890 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

35

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 150:

TTATATGCTA CAGCTACAGT AATTTCTTCT CCAAGCACAG AGGANCTTTC CCAGGATCAG 60
 40 GGGGATCGCG CGTCACTTGA TGCTGCTGAC AGTGGTCGTG GGAGCTGGAC GTCATGCTCA 120
 AGTGGCTCCC ATGATAATAT ACAGACGATC CAGCACCAGA GAAGCTGGGA GACTCTTCCA 180
 45 TTCGGGCATA CTCACCTTGA TTATTCAGGG GATCCTGCAG GTTTATGGGC ATCAAGCAGC 240
 CATATGGACC AAATTATGTT TTCTGATCAT AGCACAAAGT ATAACAGGCA AAATCAAAGT 300
 AGAGAGAGCC TTGAACAAGC CCAGTCCCGA GCAAGCTGGG CGTCTTCCAC AGGTTACTGG 360
 50 GGAGAAGACT CAGAAGGTGA CACAGGCACA ATAAAGCGGA GGGGTGGAAA GGATGTTTCC 420
 ATTGAAGCCG AAAGCAGTAG CCTAACGTCT GTGACTACGG AAGAAACCAA GCCTGTCCCC 480
 55 ATGCCTGCCC ACATAGCTGT GGCATCAAGT ACTACAAAGG GGCTCATTCG ACGAAAGGAG 540
 GGCAGGTATC GAGAGCCCCC GCCCACCCTT CCCGGCTACA TTGGAATTCC CATTACTGAC 600
 TTTCCAGAAG GGCACCTCCA TCCAGCCAGG AAACCGCCGG ACTACAACGT GGCCCTTCAG 660
 60

	AGATCGCGGA TGGTCGCACG ATCCTCCGAC ACAGCTGGGC CTTTCATCCGT ACAGCAGCCA	720
	CATGGGCATC CCACCAGCAG CAGGCCTGTG AACAAACCTC AGTGGCATAA AYCGAACGAG	780
5	TCTGACCCGC GCCTCGCCCC YTATCAGTCC CAAGGGTTTT CCACCGAGGA GGATGAAGAT	840
	GAACAAGTTT CTGCTGTTTG AGGCACAGAC TTTTCTGGAA GCAGAGCGAG CCACCTGAAA	900
	GGAGAGCACA AGAAGACGTC CTGAGCATTG GAGCCTTGGA ACTCACATTC TGAGGACGGT	960
10	GGACCAGTTT GCCTCCTTCC CTGCCTTAAA AGCAGCATGG GGSTTCTTCT CCCCTTCTTC	1020
	CTTTCCCTTT TGCATGTGAA ATACTGTGAA GAAATTGCCC TGGCACTTTT CAGACTTTGT	1080
15	TGCTTGAAAT GCACAGTGCA GCAATCTTCG AGCTCCCACT GTTGCTGCCT GCCACATCAC	1140
	ACAGTATCAT TCCAAATTCC AAGATCATCA CAACAAGATG ATTCACTCTG GCTGCACTTC	1200
	TCAATGCCTG GAAGGATTTT TTTTAATCTT CCTTTTAGAT TTCAATCCAG TCCTAGCACT	1260
20	TGATCTCATT GGGATAATGA GAAAAGCTAG CCATTGAACT ACTTGGGGCC TTTAACCCAC	1320
	CAAGGAAGAC AAAGAAAAAC AATGAAATCC TTTGAGTACA GTGCTTGTCCT ACTTGTTTAC	1380
25	AATGTCCTCC TTTTAAAAAA AAAAAAATGA GTTTAAAGAT TTTGTTTACA GAGTAAATAT	1440
	ATATCCATTT AATGATTACA GTATTATTTT AAACCTTAAG TAGGGTTGCC AGCCTGGTTT	1500
	CTGAAAAACC AAATATGCCG GACAGGGTGT GGCCACACCA AGAAGACGGG AAGACCTGGC	1560
30	TTGTGACCCT GGCTTCCCAT GTCTTCTGCG TCTCACCCTG GAAGTGCCCT ATCCTGGAAG	1620
	TATGAAATGT TAGCCAATTA ATACCAAGAC ACCTCATCTG CTCCTTCCCC AGTGGATGGG	1680
35	GTTCTTCTGT AAAACTGTTT GCACATGGCC AGGGGAGGGA ACTAGGACCC TTGTGTCCTG	1740
	TCTGAGCCTT ATGGAGGCAG GACGGTGTCA TTGGCGGATG TGTCTGCTC CATTGAGATG	1800
	GATGGCAAAC CCCATTTTTA AGTTATATTT CTTTGATTTT TGTTAATTTA GAGGTGTAGG	1860
40	TTTTGTTTTT TGTTTTTTTG TTTTTTTTTA AGAGAAACAT TTATACTGG ATAGCATTGC	1920
	AGTGAAAGCA GCTTGGGATG TTGGAGCTAA TGCCAGCTGT TTATACTGCT CTTTCAAGAC	1980
45	AGCCTCCCTT TATTGAATTG GCATTAGGGA ATAAACAAGC CTTTAAACGT GATAAAAGAT	2040
	CAAAAACCTG GTTAGACATG CCAGCCTTTG CAAGGCAGGT TAGTCACCAA AGACTAACCT	2100
	CCAAGTGGCT TTATGGACGC TGCATATAGA GAAGGCCTAA GTGTAGCAAC CATCTGCTCA	2160
50	CAGCTGCTAT TAACCCTATA ATGACTGAAA TGACCCCTCC ACTCTATTTT TGTGTTGTTT	2220
	TGCACAGACT CCGGAAAAGT GAAGGCTGCC AATCTGAGTA GTACTCAAAT GTGAGGAACT	2280
55	GCTGGTCTTG GATTTTTTTT CCATTAAATT CAGCTGATCA TATTGATCAG TAGATAAAGC	2340
	TAAATAGCTT CAAATTTTAA AAGTGGAATT GCAGTGTTTT TTAAGTGAT CAAACAATGT	2400
60	CAGTGCTTTA TTTAATAATT CTCCTCTGTA TCATGGCATT TGTCTACTTG CTTATTACAT	2460

TGCAATTAT GCATTTGTAA TTTTACATGT AATATGCATT ATTTGCCAGT TTTATTATAT 2520
 AGGCTATGGA CCTCATGTGC ATATAGAAAG ACAGAAATCT AGCTCTACCA CAAGTTGCAC 2580
 5 AAATGTTATC TAAGCATTAAG GTAATTGTAG AACATAGGAC TGCTAATCTC AGTTCGCTCT 2640
 GTGATGTCAA GTGCAGAATG TACAATTAAC TGGTGATTTC CTCATACTTT TGATACTACT 2700
 TGTACCTGTA TGTCTTTTAG AAAGACATTG GTGGAGTCTG TATCCCTTTT GTATTTTAA 2760
 10 TACAATAATT GTACATATTG GTTATATTTT TGTGAAGAT GGTAGAAATG TACTATGTTT 2820
 ATGCTTCTAC ATCCAGTTTG TACAAGCTGG AAAATAAATA AATATAACAT AAAAAAAAAA 2880
 15 AAAAAAAAAA 2890

20 (2) INFORMATION FOR SEQ ID NO: 151:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 2399 base pairs
 (B) TYPE: nucleic acid
 25 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 151:

30 GAACTTTTCC ATCTGGCAA CCGGAACTC CATCCCCATT AAACCAACTC CCCCTTTTGG 60
 TTTCCCCCCC AGNGGAATAG AATTGGACN CCCATATAAA TCCAGGAAAC CACCTAAATT 120
 CTTTAGTNGT TTGTGTTTGC AAGATCTAAG GTCATGGTAA ACATTAAGTT CTTAAATTTT 180
 35 TTGGGAGGGA CCAGTGCACC TCTCCCTCTG AATTGTTTNC CAATTTAAAA TTGGAGTAAG 240
 GTTTTAAAT GTCTNATTCC ATTGGAAGGG TGTGTTATTT CATTTTGAGC CCAGAGGGGA 300
 40 GAGGCACATT TTAAATATCA GAATTAGATT AGCTTTGAGT TTGTACAATT GGAACATAA 360
 TAGATTTTCA TAAATATGTT GTGCTTGTG GGAAGTGTCA ACTGTCTTTA TGTCTGCTTG 420
 TAAAAGTTTC AAAATATGTT TTCCCTCAA AAGGCAACGT TACTTCATTT GCTTGAATAT 480
 45 TATGATAGGA ATGCTTACTG ATATTACTTG ATAGTCATAT ATAGCCTAGG AAATTTAACA 540
 TATATATAAC TATAGCAGTA TTAATAATGA TAGTTGTACT TCTTTAAAAC ATTAAATTTG 600
 50 AGGAACTTTT AATGCTGTCT CGTGACATT GCTTTACTAC AGTGAGGGGG AATATCCTTT 660
 AGATTGAGCC TCAATTTACT GGTAGTAGT ATGTGAATC TGGTATAAAA ACGTAACTA 720
 GACAGTAGAG CCGATGAATT AAAATTGTAA ATTGCTACAT TGGCATTTC TACCTCCTTT 780
 55 TCTGTCAGAG TATTACTTTT TCCAGCATTT ATTCTTATTT GTGAGTAAAG AGGAAATGGG 840
 AACCTGAGGT TAAAATTGAC ATTTTGTGTT CATTGAGAAT TTAAGCAGTA GGTACAGGAG 900
 60 AAGTGACTTG TCACATTAAT TTGGTGCCTA AATCTGTAAC TACAAGTTGT GATCGACATG 960

	TACAAATGT CTAAGAAAGG TCATATGCTG AATATTTTAC TTTTCCTGTA TAGTCTGCAT	1020
	GATTTGTTTC ATAAACCCAG CTTATTTCCT CCAAAAAGCA AAATGGTCCT GTAATTTTTA	1080
5	AAGTAAATA AACGTGCCAT TTTGTCTGCA ATCTATAATT TCAGGAAGTT ATTGRAAGTT	1140
	CTGACTCAGG GCTTTTAAAC AGTTCAAGCA ATTGTCAGTT ATATTTTGGA AACTCCATCT	1200
10	GTGTAATTCT CCAGTGCCTT GAAAGAATTA TTAAC TTGGC AACACTATTA AAAC TTATA	1260
	AAAGATGGTC TTTAGTGCAC GTGTATCATT ATATACACGT TTAAAGTCA TATTGCTTAG	1320
	CTTGTTAATA ATGATTCTGC ATGTGTGCTG GGT TTGGTA ATTCTTTAAA GGAAGTTTTC	1380
15	TAGATTTGCA CTTGATGTTT GTTTTTTAAA AACTGATTAT TTATGGCCGT GACACTGTTA	1440
	CCAGAAAAGT AATCTAATT AAGTATTAT GCAAAGTCAT CTATAAGTAG CATCTGGGAA	1500
20	GAGGATSG AGGCCACAGT TTGCTATTTT AGTATGAAAG GAGGATCTGT TTGGGAAACA	1560
	TAGATTGTCT TCCCTCAAA TGAGGGGAAA AAAAAAGACC CTTGTTCOA ATGGATTCTG	1620
	TTGTAAAAA TTATTTTAA AGGAAATCAC AAATTGTATG TCATTCTTAA TGCTAGTCTT	1680
25	ATAGAATAAA TCCATAAAAT TGT TTTATG TTCAGTATGT TTATGTCATT CTAAATGCAG	1740
	CAAATTCAAT GATAGCAGTT CAATTGACTC ATAGCAGTGT TTTGTATTTT TTCTAATTCT	1800
30	TTAGCTTTCA ATATTGGATT AAAGTCTTGT TTGTGAATAT AGTTTCCGTA TGGCAAATGA	1860
	TTTCTTGCTT ATTAGCTTTT GTTAAAGAAT GCTTAGTAAG AGCTAAGCTT TTAAAAGTAA	1920
	TGCAACATT TATCGTTAAT AAAACCTATG GTGTAATATC ATATAATGCT TTTCTTTGAT	1980
35	CTTTGGAGAA TTATCTTTT ATAGTAGTAT ACATGAATTT TGATTTTAA AGCATTTAAA	2040
	AACAAATCTC AATACATTAA AAAACCTGTT ATTGTTAAAA RGGAAATTAC CATGCCTTTA	2100
40	AGAAACAAGG ATGTACATCT TCAATTCAGC ATRAGTGTC ACATCTAGAA GGCTCTCATT	2160
	GCAGTTGTTT ACAGTTAAGG TACCTCTATC TAAAGGGCCA AAGAAGCATT TCATAYTTTA	2220
	ACACCTCACA TTCTTTCAGG ATTAAGACAT ATGAAAATAG TCTGAATAGG ATAAATTTGG	2280
45	ATAGGAAGTA ACTTAACCAG TCTGGGAAGA TTCAGGCTTT TTCTATKAAA AAGCTTATTC	2340
	CTCTTCACAA CTCNGGTGGT AGGNTTTCAT TTTTCAAGAG GGTAGATATT TTAAAGCCA	2399

50

(2) INFORMATION FOR SEQ ID NO: 152:

55

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 802 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

60

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 152:

CGTGCCTGTA GTAAGCTCAT CCCTGCCTTT GAGATGGTGA TCGTGCCAA GGACAATGTT 60
 5 TACCACCTGG ACTGCTTTGC ATGTCAGCTT TGTAAATCAGA GATTNTGTGT TGGAGACAAA 120
 TTTTTCCTAA AGAATAACWT GAYCCTTTGC CARACGGACT ACGAGGAAGG TTAAATGAAA 180
 GAAGGTTATG CACCCCMGGT TCGCTGATCT ATCAACATCA CCCCATTAAG AATACAAAGC 240
 10 ACTACATTCT TTTATCTTTT TTGCTCCACA TGTACATAAG AATTGACACA GGAACCTACT 300
 GAATAGCGTA GATATAGGAA GGCAGGATGG TTATATGGAA TAAAAGGCGG ACTGCATCTG 360
 15 TATGTAGTGA AATTGCCCCA GTTCAGAGTT GAATGTTTAT TATTAAAGAA AAAAGTAATG 420
 TACATATGGC TGGATTMTTT TGCTTGCTAT TCGTTTTTGT GTCACCTGGC ATGAGATGTT 480
 TATTTTGGAC TATTGTATAT AATGTATTGT AATATTTGAA GCACAAATGT AATACAGTTT 540
 20 TATTGTGTTA CCATTGTGT TCCATTGCT YCTTTGTATT GTTGCAATTA GTACAATCAG 600
 TGTTTAAACT TACTGTATAT TTATGCTTTC TGTATTTACC AGCTATTTTA AATGAGCTGT 660
 25 AACTTTCTAG TAAAGAATTG AAAAGCAAAT CCTCACTAAA GGATACACAG GATAGGATAA 720
 AGCCAAGTCN CATCAACATT AAAAAATACT AAAANANAAA ACACAAAAAA AAAAAANCCC 780
 GGGGGGGGCC CGGAACCCAT TC 802
 30

(2) INFORMATION FOR SEQ ID NO: 153:

35

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH:-461 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

40

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 153:

CTAGGAGCAC CGAGCAGCTT GGCTAAAAGT AAGGGTGTCTG TGCTGATGGC CCTGTGCGCA 60
 45 CTGACCCCGG CTCGTCNCTC TCTGAACCTG GCGCCCCCGA CCGTCGCCGC CCCTGCCCCG 120
 AGTCTGTTCC CCGCCGCCCA GATGATGAAC AATGGCCTCC TCCAACAGCC CTCTGCCTTG 180
 50 ATGTTGCTCC CCTGCCGCCC AGTTCTTACT TCTGTGGCCC TTAATGCCAA CTTTGTGTCC 240
 TGGAAGAGTC GTACCAAGTA CACCATTACA CCAGTGAAGA TGAGGAAGTC TGGGGGCCGA 300
 GACCACACAG GTGGGAACAA GGACAGGGGG ATTTAAGCAG TCAAAAGGAA AAACATGTTA 360
 55 AGACCCTAGA CTTGTATATT GACACACTTG TACCTTGTA GGCAGAGGAA TGTAAATAAA 420
 AAGCACTTAT TTGGCWNAAA AAAAAAAAAA AAAAAAAAAA C 461

60

(2) INFORMATION FOR SEQ ID NO: 154:

- 5 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 2388 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

10

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 154:

GCCCACGCGT CCGAAAGCGG AGAACGCTGG TGGGCCCTGTT GTGGAGTACG CTTTGACTG 60
 15 AGAAGCATCG AGGCTATAGG ACGCAGCTGT TGCCATGACG GCCCAGGGGG GCTGGTGGCT 120
 AACCGAGGCC GCGCCTTCAA GTGGGCCATT GAGCTAAGCG GGCCTGGAGG AGGCAGCAGG 180
 20 GGTGGAAGTG ACCGGGGCAG TGGCCAGGGA GACTCGCTCT ACCCAGTCGG TTACTTGGAC 240
 AAGCAAGTGC CTGATACCAG CGTGCAAGAG ACAGACCGGA TCCTGGTGA GAAGCGCTGC 300
 TGGGACATCG CCTTGGGTCC CCTCAAACAG ATTCCCATGA ATCTCTTCAT CATGTACATG 360
 25 GCAGGCAATA CTATCTCCAT CTTCCCTACT ATGATGGTGT GTATGATGGC CTGGCGACCC 420
 ATTCAGGCAC TTATGGCCAT TTCAGCCACT TTCAAGATGT TAGAAAGTTC AAGCCAGAAG 480
 TTTCTTCAGG GTTTGGTCTA TCTCATTTGG AACCTGATGG GTTTGGCATT GGCTGTTTAC 540
 30 AAGTGCCAGT CCATGGGACT GTTACCTACA CATGCATCGG ATTGGTTAGC CTTCATTTAG 600
 CCCCCTGAGA GAATGGAGTT CAGTGGTGA GGAAGCTTT TGTGAACATG AGAAAGCAGC 660
 35 GCCTGGTCCC TATGTATTTG GGTCTTATTT ACATCCTTCT TTAAGCCCAG TGGCTCCTCA 720
 GCATACTCTT AAATAATCA CTATGTTAA AAAGAACCAA AAGACTCTTT TCTCCATGGT 780
 GGGGTGACAG GTCCTAGAAG GACAATGTGC ATATTACGAC AAACACAAAG AAATAATACC 840
 40 ATAACCCAAG GCTGAAAATA ATGTAGAAAA CTTTATTTTT GTTTCCAGTA CAGAGCAAAA 900
 CAACAACAAA AAAACATAAC TATGTAAACA AGAGAATAAC TGCTGCTAAA TCAAGAACTG 960
 45 TTGCAGCATC TCCTTTCAAT AAATTAAATG GTTGAGAACA ATGCATAAAA AAAGTTGCAC 1020
 AAGTTCCTTA TTTTCCTTAA TATTTCACTT CTATTTAATA CAAGCTGGGA CATAAAAATT 1080
 CTGTTGGGGA TACCTGGGGG AAGATGTGAG AAATAATGC TGAATTCAGC TTATACATGA 1140
 50 TGAAAAGAAA AACCAGACAA AAGGAGCACA TAAATATGCA TACAGTGTA CTGTTATTAT 1200
 TTTAATACCC ACGATAAGGG ATTTTGTGTA GCATGTTTAG GGGGAACGAG GATTGGTGGG 1260
 55 ATCCTTGGGG CCACAGGAAT CTGAGGCAAC GGAAGATATA TAGAGTGATC GTCCCCCTGC 1320
 CGAAGGAACC TGGCAYCTGT CAAGCAGATG CTGCAGTTCA AACTTCAGCT TTTAAGATAG 1380
 ATAGCTATTG AAGGCAGAGG GTCAGCAGGA GGATGTGTAT TTCTAATCTA CCCTGGTAAA 1440
 60

GTCATAGGTA AGACTCAAAA GCGGGATCTT ATTCAAAAGG CAGGTATTTT CTTTGTTTTC 1500
TGTCTTGAAA TAGCCCCTTC CCCTAAGGTG CATCTCTCA AGTTTTTCAGT ATTGCTTTAT 1560
5 TGCAGTGAT TAAAAGAGAT GAGAGACTTT GGAGACAGAC AACGTAAGCA ACACATACAC 1620
ACATGAAATA CTCTAGACAG AGATGAATAT AAATCTGGCC TAATAACCAG TTTTCCATGT 1680
AACAGTGATT TTGTGTTTCG GGCTGAAGCA GTGGTTATAT TAAAAGCCAC TAATCCCTT 1740
10 ATCCCTTTAA AAGATTTTTA CAATTCTCCA ACCACAAACA GCACTTCTAA AACTAACTTT 1800
ACTTTCTGCC CATAATTGT TCTACATGGA AAAAAAAT ATTACTTTGG CCAGGGGTGT 1860
15 GTGTAAATGT GGCAGAATTC CTAGGCAGGC TGACCTTTAC AGTATGGGCC TTTAAGATAC 1920
TGGATCCTGG TTGGGCAACA AGTGTACGC CTGAAGTTTC TGAAAACAAA TTAGAAGACT 1980
GTTGGCTTGG CTAATCTCGT AGTTCAGGC CAAGTTTCTG TAGTCAGAAT GAAGAATAAA 2040
20 ATTGAAAGAA AAAGGGGGAA ATGCTTATAC TTGGCATTAA GTTGAATGCC TCAAGTCTTA 2100
ACTATGGCTT TGTAGATGAG GCAAAGATT TCTTAGTGGT AAAATTTCTT CAACAGGTCA 2160
25 ATGCCAATCT GTATGCCATT TTAGTAAAGT AGGTAAGGAG AGTAGCCGCT CAGTAACTTT 2220
GGCACTAAAG AAAGAGTGTG GCTCTAGAAC TTCCAATCCC ATTGCTAGAT GTGCCCTTTA 2280
AAAGATGGTC CAGTGCTTTC AGGGAAGGAT GTTAGCCAG TTTTCTAGT ATTTGTTCCT 2340
30 TAAGATTTTT TGACCTGTGC TTAATAAGAC GGACGCGTGG GTCGACCC 2388

35

(2) INFORMATION FOR SEQ ID NO: 155:

(i) SEQUENCE CHARACTERISTICS:

40

- (A) LENGTH: 642 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 155:

45

AAAACAGACC ATTTAAAAAC TCAGACAAGA TTATATTAA TATATTAATT ACTAAAAAGG 60

CACAAGATTA CACTGAACAT ATTAGCTACT AAAAAGGCAC TGCTAAGACA TTCAAGCAAA 120

50 TAGCTATTAC ACACTACTGC AGATTTTACA GGTTCCTAAT TCTAACATAT GTTTGAAAAA 180

TCCGTGAGTA TTCCAAAATA TATTTAATAA TGGAAATATCT GCATTAATAT ACCATCCATG 240

TGTTTTTACC ATTTGCCTTA ATATTGAATA TACTGTTTAC CTCACACTAA AAAGAAAACC 300

55

AGAAGCCTTA TTTGTGATTT TGGGAGTGGG AGCTTCCATT TTTGTGTCAA AAATGAATCC 360

TGATTCCTAT GGAAATCTCT GTTATTAAGA TATTTCAAGA TGAGACAACA CTGAAGATCA 420

60

AATTGTGTTT AGTATCACTA TCTTCTCTCC TCGTTTCTCT CTTACTCCTC ATCCTCCCAG 480

AATCTACCAG TTTATGGTAG AAAGATGGGA ACCTTATTTG AATGTGTTTT TTTTTTCCA 540
 TGATGTCCAA TTTTGTGTG GGAAAGGATT TGGATAAAAT TTTTGTTTAA ATTTTGGTAG 600
 ATTTTTATCT ATACAAATTT AAATAAAATT ATGTTTTGTA AG 642

10

(2) INFORMATION FOR SEQ ID NO: 156:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1251 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

20

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 156:

GCCGCTGCCC CTCCACGGAG TTGCTGATCA TCTGGGCTGT GATCCACAAA CCCGGTTCTT 60
 TGTCCCTCCT AATATCAAAC AGTGGATTGC CTTGCTGCAG AGGGGAACT GCACGTTTAA 120
 25 AGAGAAAATA TCACGGGCCG CTTTCCACAA TGCAGTTGCT GTAGTCATCT ACAATAATAA 180
 ATCCAAAGAG GAGCCAGTTA CCATGACTCA TCCAGGCACT GAGCATATTA TTGCTGTCAT 240
 GATAACAGAA TTGAGGGGTA AGGATATTTT GAGTTATCTG GAGAAAAACA TCTCTGTACA 300
 30 AATGACAATA GCTGTGGAA CTCGAATGCC ACCGAAGAAC TTCAGCCGTG GCTCTCTAGT 360
 CTTCTGTGCA ATATCCTTTA TTGTTTTGAT GATTATTTCT TCAGCATGGC TCATATTCTA 420
 35 CTTCAATCAG AAGATCAGGT ACACAAATGC ACGCGACAGG AACCAGCGTC GTCTCGGAGA 480
 TGCAGCCAAG AAAGCCATCA GTAAATTGAC AACCAGGACA GTAAAGAAGG GTGACAAGGA 540
 AACTGACCCA GACTTTGATC ATTGTGCAGT CTGCATAGAG AGCTATAAGC AGAATGATGT 600
 40 CGTCCGAATT CTCCCTGCA AGCATGTTTT CCACAAATCC TCGGTGGATC CCTGGCTTAG 660
 TGAACATTGT ACCTGTCTTA TGTGCAAACT TAATATATTG AAGGCCCTGG GAATTGTGCC 720
 45 GAATTTGCCA TGTAAGTATA ACGTAGCATT CGATATGGAA AGGCTCACCA GAACCCAAGC 780
 TGTTAACCGA AGATCAGCCC TCGGCGACCT CGCCGGCGAC AACTCCCTTG GCCTTGAGCC 840
 ACTTCGAACT TCGGGGATCT CACCTCTTCC TCAGGATGGG GAGCTCACTC CGAGAACAGG 900
 50 AGAAATCAAC ATTGCAGTAA CAAAAGAATG GTTTATTATT GCCAGTTTTG GCCTCCTCAG 960
 TGCCCTCACA CTCTGCTACA TGATCATCAG AGCCACAGCT AGCTTGAATG CTAATGAGGT 1020
 55 AGAATGGTTT TGAAGAAGAA AAAACCTGCT TTCTGACTGA TTTTGCCTTG AAGGAAAAAA 1080
 GAACCTATTT TTGTGCATCA TTTACCAATC ATGCCACACA AGCATTTATT TTTAGTACAT 1140
 TTTATTTTTT CATAAAATTG CTAATGCCAA AGCTTTGTAT TAAAAGAAAT AAATAATAAA 1200
 60

ATAAAAAAAAA AAAAACCCCG GGGGGGGCCC GGTCCCAAT TGGCCCTATG G

1251

5

(2) INFORMATION FOR SEQ ID NO: 157:

(i) SEQUENCE CHARACTERISTICS:

10

- (A) LENGTH: 2127 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 157:

15

CCGGCGGGAG AGGGAAGCTG CAGCGAGAGG CGCGGATCTC AGCGCGGGAG CACTGCTTCT 60

GCGGCAGGCC CCTGAGGGAG GGAGCTGTCA GCCAGGGAAA ACCGAGAACA CCATCACCAT 120

20

GACAACCACT CACCAGCCTC AGGACAGATA CAAAGCTGTC TGGCTTATCT TCTTCATGCT 180

GGGTCTGGGA ACGCTGCTCC CGTGAATTTT TTTTCATGACG GCCACTCAGT ATTTCACAAA 240

CCGCCTGGAC ATGTCCGAGA ATGTGTCCTT GGTCACTGCT GAACTGAGCA AGGACGCCCA 300

25

GGCGTCAGCG CNCCCTGCAG CACCCTTGCC TGAGCGGAAC TCTCTCAGTG CCATCTTCAA 360

CAATGTCATG ACCCTATGTG CCATGCTGCC CCGTCTGTTA TTCACCTACC TCAACTCCTT 420

30

CCTGCATCAG AGGATCCCCC AGTCCGTACG GATCCTGGGC AGCCTGGTGG CCATCCTGCT 480

GGTGTCTCTG ATCACTGCCA TCCTGGTGAA GGTGCAGCTG GATGCTCTGC CCTTCTTTGT 540

CATCACCATG ATCAAGATCG TGCTCATTAA TTCATTTGGT GCCATCCTGC AGGGCAGCCT 600

35

GTTTGGTCTG GCTGGCCTTC TGCCTGCCAG CTRACACGGC CCCCATCATG AGTGGCCAGG 660

GCCTAGCAGG CTTCTTTGCC TCCGTGGCCA TGATCTGCGC TATTGCCAGT GGCTCGGAGC 720

40

TATCAGAAAG TGCCTTCGGC TACTTTATCA CAGCCTGTGC TGTKATCATT TTGACCATCA 780

TCTGTTACCT GGGCCTGCCC CGCCTGGAAT TCTACCGCTA CTACCAGCAG CTCAAGCTTG 840

AAGGACCCGG GGAGCAGGAG ACCAAGTTGG ACCTCATTAG CAAAGGAGAG GAGCCAAGAG 900

45

CAGGCAAAGA GGAATCTGGA GTTTCAGTCT CCAACTCTCA GCCCACCAT GAAAGCCACT 960

CTATCAAAGC CATCCTGAAA AATATCTCAG TCCTGGCTTT CTCTGTCTGC TTCATCTTCA 1020

50

CTATCACCAT TGGGATGTTT CCAGCCGTGA CTGTTGAGGT CAAGTCCAGC ATCGCAGGCA 1080

GCAGCACCTG GGAACGTTAC TTCATTCTCT TGTCCTGTTT CTTGACTTTC AATATCTTTG 1140

55

ACTGGTTGGG CCGGAGCCTC ACAGCTGTAT TCATGTGGCC TGGGAAGGAC AGCCGCTGGC 1200

TGCCAAGCTG GNTGCTGGCC CGGCTGGTGT TTGTGCCACT GCTGCTGCTG TGCAACATTA 1260

AGCCCCGCCG CTACCTGACT GTGGTCTTCG AGCAGCATGC CTGGTTCATC TTCTTCATGG 1320

60

CTGCCTTTGC CTTCTCCAAC GGCTACCTCG CCAGCCTCTG CATGTGCTTC GGGCCCAAGA 1380

AAGTGAAGCC AGCTGAGGCA GAGACCGCAG AGCCATCATG GCCTTCTTCC TGTGTCTGGG 1440
 TCTGGCACTG GGGGCTGTTT TCTCCTTCCT GTTCCGGGCA ATTGTGTGAC AAAGGATGGA 1500
 5 CAGAAGGACT GCCTGCCTCC CTCCTGTCTT GCCTCCTGCC CCTTCCTTCT GCCAGGGGTG 1560
 ATCCTGAGTG GTCTGGCGGT TTTTCTTCTT AACTGACTTC TGCTTTCCAC GGCCTGTGCT 1620
 10 GGGCCCGGAT CTCCAGGCCC TGGGGAGGGA GCCTCTGGAC GGACAGTGGG GACATTGTGG 1680
 GTTGGGGCT CAGAGTCGAG GGACGGGGTG TAGCCTCGGC ATTTGCTTGA GTTCTCCAC 1740
 TCTGGCTCT GACTGATCCC TGCTTGTGCA GGCCAGTGA GGCTCTTGGG CTTGGAGAAC 1800
 15 ACGTGTGTCT CTGTGTATGT GTCTGTGTGT CTGCGTCCGT GTCTGTCAGA CTGTCTGCCT 1860
 GTCCTGGGT GGCTAGGAGC TGGGTCTGAC CGTTGTATGG TTTGACCTGA TATACTCCAT 1920
 20 TCTCCCCTGC GCCTCCTCCT CTGTGTTCTC TCCATGTCCC CCTCCCAACT CCCCATGCCC 1980
 AGTTCTTACC CATCATGCAC CCTGTACAGT TGCCACGTTA CTGCCTTTTT TAAAAATATA 2040
 TTTGACAGAA ACCAGGTGCC TTCAGAGGCT CTCTGATTTA AATAAACCTT TCTTGTTTTT 2100
 25 TTCTCCATGG AAAAAAAAAA AAAAAA 2127

30

(2) INFORMATION FOR SEQ ID NO: 158:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1625 base pairs
 35 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

40

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 158:

CAAAAGATCT ATAATCAGGA CATTGTTTAT GTAAGTTGGA CAANAAAAAT TCTTCCCCTT 60
 TATGTCCACC CTTCTATGA TTGCAAGACA AAATTTCCCT CTTTACCTC ATCCCTATAA 120
 45 CATGGGAGGC TGAGAAAAAT GAGGGGAGAT GGAACCAGAT ACAAGGAGAT CCAATAAGAG 180
 AAGCTTATTT AAATATTGTG AAATAAAGGA AGAMCCAAAG CATTTTTTTA AGTGGGGAAT 240
 CCTTTTGAAC AGTTATTATT TATCCATATT ATTAAYAACA TCTTTTCTGA CAAATCCAT 300
 50 CAGATGAAGT GTAAATGGAT AATCTTTTAA TGGATCTAAA CCTAGAAAGT TTCACTTACT 360
 GTTCATGTCC GTGTTCCAGA ATTGTGAAAT GGTGTGTGGT TTTGCTTTCC AAGTTCTTCT 420
 55 CTGCCTCCTC TTAATTCTCT AATCCATGT CTTACAGAAG AATGAGAAAT TTCTTTCTTA 480
 CITGAGTATC ATGCTCTAAA AAACCTGGCT TCAGTCACAG AAACGCTGGC TCTCCTGTGC 540
 60 TTATATTGAA GCCAACTGCC TTTAATTCTT GGGCCCTCTT ATATTTTTTA GGTGCAAAAT 600

	TTGAAGTCTC AGTCACCAGA CACAGGTTCT ATACAATTAA TGATGAGCTG GAGAAGTAAT	660
	ATGTAGCTAA TTTTTCAAAA GCATTGAATA TACTTTCCGG AAAGAAAACA GAAATTAAAT	720
5	ATTGCCACAT CTTGCCAGAA TCCCATCTGA CACCTTAACT TTGTCAGGTT TCCTACAACT	780
	TGCTAATCAA GTTTTATACA TTCTAAATCT CCCAGTTTC TTTGGGGCTG GAAGATGCAA	840
	CTTCATTTA ATAGAACTT TGAAATCTTG GGGTAAGGGA GCAGTGGGG GACTAGGGAG	900
10	AAGGATAAGA AATAGAATTA TTGAAAAGCC CCCACCAGG ACCTTCCTGG CCAGAATATG	960
	CAGAGTAATT CCTGCTGGCT TCACCTTTGA AAGTCCCTCG AACTATGCA GATGAACTG	1020
15	AGTCTGTTTT TGATATTGTC AGATGTATTC TACCTTGGA GTCCCNACAC CTAACTGGA	1080
	ATTCTTGAT TTACATCTCC TCCACTGTCC CCCACACCAC CCCTCAATTC CTGCTGCCCC	1140
	TGCTAATGTT AAGCATTTTT CTCTTGTTAT CATCAGGTT ACATTAAAAM CAGTACTTA	1200
20	CAAACTGACT TGAAGCACAG ATACTTTTAC GAATGTGATA AAATATTTTC TTAAGAAAAG	1260
	GAAAGAGGAT GTGGGTCAA TAAACACCG CATGGATGTT GATTGGTGAA TACTGGTGTA	1320
25	AGAAAAGGGA GCTCAGGAAT TTTTATTACT GTATTTGTAA ATGAGTTTGA AGGAATTTGT	1380
	AAATGCCACT GGTACATTTT TAAGGTGACA CATTTGCTCC TTATAAAGTT ATTAAAAAT	1440
	ACAGGGTAAG CTTAAATGAC GTTGCCAGT AGTTTTACTT TATATAATCA ATATTGATAT	1500
30	TGTTGCTGAA CTAATGTAAT TTATGATGCA TTTTTCAGTC CCTTTTCAGA GCAAATGCTT	1560
	TTGCAATGGT AGTAATGTTT AGTTTAAAT GACTTAATAA ATTMTTACCT GAGCAAAAAA	1620
35	AAAAA	1625

40 (2) INFORMATION FOR SEQ ID NO: 159:

(i) SEQUENCE CHARACTERISTICS:

- 45 (A) LENGTH: 1687 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 159:

50	CGGGGTCACC AGTTATTAGA GGAAGTAACA CAAGGGGATA TGAGTGCAGC AGACACATTT	60
	CTGTCCGATC TGCCAAGGGA TGATATCTAT GTGTCAGATG TTGAGGACGA CGGTGATGAC	120
	ACATCTCTGG ATAGTGACCT GGATCCAGAG GAGCTGGCAG GAGTCAGGGG ACATCAGGGT	180
55	CTAAGGGACC AAAAGCGTAT GCGACTTACT GAAGTGCAAG ATGATAAAGA GGAGGAGGAG	240
	GAGGAGAATC CACTGCTGGT ACCACTGGAG GAAAAGGCAG TACTGCAGGA AGAACAAGCC	300
60	AACCTGTGGT TCTCAAAGG CAGCTTTGCT GGGNATCGAG GACGATGCCG ATGAAGGCCC	360

	TGGAGATCAG TCAGGCCAG CTGTTATTG AGAACCGYG GAAGGGACGG CAGCAGCAGC	420
5	AGAAGCAGCA GCTGCCACAG ACACCCCTT CCTGTTTGAA GACTGAGATA ATGTCTCCCC	480
	TGTACCAAGA TGAAGCCCT AAGGNAACAG AGGCTTCTTC GGGGACAGAA GCTGCCACTG	540
	GCCTTGAAGG GGAAGAAAAG GATGGCATCT CAGACAGTGA TAGCAGTACT AGCAKTGAGG	600
10	AAGAAGAGAG CTGGGAACCC TCCGTGGTAA GAAGCGAASC GTGGGCCTAA AGTCAGATGA	660
	TGACGGGTTT GAGATAGTGC CTATTGAGGA CCCAGCGAAA CATCGGATAC TGGACCCCGA	720
15	AGGCCTTGCT CTAGGTGCTG TTATTGCCTC TTCCAAAAAG GCCAAGAGAG ACCTCATAGA	780
	TAACCTCTTC AACCGGTACA CATTTAATGA GGATGAGGGG GAGCTTCCGG AGTGGTTTGT	840
	GCAAGAGGAA AAGCAGCACC GGATACGACA GTTGCCTGTT GGTAAGAAGG AGGTGGAGCA	900
20	TTACCGGAAA CGCTGGCGGG AAATCAATGC ACGTCCCATC AAGAAGGTGG CTGAGGCTAA	960
	GGCTAGAAAG AAAAGGAGGA TGCTGAAGAG GCTGGAGCAG ACCAGGAAGA AGGCAGAAGC	1020
25	CGTGGTGAAC ACAGTGGACA TCTNCAGAAC GAGAGAAAGT GGCACAGCTG CGAAGTCTCT	1080
	ACAAGAAGGC TGGCTTGCC AAGGAGAAAC GCCATGTCAC CTACGTTGTA GCCAAAAAAG	1140
	GTGTGGGCCG CAAAGTGCCG CGGCCAGCTG GAGTCAGAGG TCATTTCAAG GTGGTGGACT	1200
30	CAAGGATGAA GAAGGACCAA AGAGCACAGC AACGTAAGGA ACAAAGAAA AAACACAAAC	1260
	GGAAGTAAGC AGAGCTGCCA GGCTCCAGG AGAGCATGGG GACTAGGAGG AAGGGTGTGG	1320
35	CATGGCTCAG TCTGGCCCCC TTGATTACCG GCCTAGCCCC TGCTCACATC ACAGCTGTCT	1380
	GAAGAACAGT GAGGTGGAGT GCCTAGAACT CCCGTGGTGG TCCTGAGCAG AGAGGAGGAT	1440
	GTCTCTCTGC CTGCCTGAAG GTCTCCCATG AAAACACTGC TGAAGTGTGT TGACACTCAT	1500
40	GACCCTTTTT TTAAACCGTT AAAGGGAAGT TCGGTGTTGG AGCGATACTC AATGTAGTCA	1560
	GTCTACACCT GGAGCTGTGG GCCACTTAAG CCTCCCCAC CCCCATCCTA TTCCTRAATA	1620
45	AAACCAGGAT AATGGAARAA AAAAAAAAAA AAAAAAAG GGGGGGCCN TAAAGGNCC	1680
	CANNITT	1687

50

(2) INFORMATION FOR SEQ ID NO: 160:

55

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1842 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

60

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 160:

	GGATGACAGA TTGCGACANA GATTTGTGAC CCTTCCTGCT GAACTTCAGA GGGAGCTGAA	60
	ANCAGCGTAT GATCAAAGAC AAAGGCAGGG OGAGAACAGC ACTCACCAGC AGTCAGCCAG	120
5	CGCATCTGTG CCCCAGAGAAT CCTTTACTTC ATCTAAAGGC AGCAGTGAAA GAAAAGAAAA	180
	GAAACAAGAA GAAAAAACC ATTGGTTCAC CAAAAAGGAT TCAGAGTCCT TTGAATAACA	240
10	AGCTGCTTAA CAGTCCTGCA AAAACTCTGC CAGGGCCCTG TGGCAGTCCC CAGAAGTTAA	300
	TTGATGGGTT TCTAAAACAT GAAGGACCTC CTGCAGAGAA ACCCCTGGAA GAACTCTCTG	360
	CTTCTACTTC AGGTGTGCCA GGCCTTTCTA GTTTGCAGTC TGACCCAGCT GGCTGTGTGA	420
15	GACCTCCAGC ACCCAATCTA GCTGGAGCTG TTGAATTCAA TGATGTGAAG ACCTTGCTCA	480
	GAGAATGGAT AACTACAATT TCAGATCCAA TGGAAGAAGA CATTCTCCAA GTTGTGAAAT	540
20	ACTGTACTGA TCTAATAGAA GAAAAAGATT TGGAAAACT GGATCTAGTT ATAAAATACA	600
	TGAAAGGCT GATGCAGCAA TCGGTGGAAT CGGTTTGGAA TATGGCATT TACTTTATTC	660
	TTGACAATGT CCAGGTGGTT TTACAACAAA CTTATGGAAG CACATTAAAA GTTACATAAA	720
25	TATTACCAGA GAGCCTGATG CTCTCTGATA GCTGTGCCAT AAGTGCTTGT GAGGTATTTG	780
	CAAAGTGCAT GATAGTAATG CTCGGAGTTT TTATAATTTT AAATTTCTTT TAAAGCAAGT	840
30	GTTTGTGACA TTCTTTTCA AAAAGTGCCA AATTTGTCAG TATTGCATGT AAATAATTGT	900
	GTTAATTATT TTACTGTAGC ATAGATTCTA TTACAAAAT GTTTGTTTAT AAAGTTTAT	960
	GGATTTTTAC AGTGAAGTGT TTACAGTGT TTAATAAAGA ACTGTATGTA TATTGGTAC	1020
35	RGGCTCCTTT TKGTAAYCC TTAAAACTC AACTCTAGGA RGCAACTACT GTTTATTATA	1080
	CTAAARGGCT GAAAAMCCTC CAGGCCAGAC TGCTAAGCTC TGAAATYCCT GAGAGGTCTC	1140
40	AGACCGGGAT TCTACTTGT CCAAGAAAGG GTAAAGCTTC TAAACCATCT TATTCTTGTC	1200
	TCCAAGCATG AACACAGGAG CATGTYAAGA AAATCTTTAC TACTTTCTYC CATGCGGAGA	1260
	AATCTACATA TTTTGAATTA GAAACACCCT CACACCCACT TGAAGATTTT TTTCTGGGA	1320
45	ACATTATGTC CCGTAGATCA GAGGTGGTGT TGTCTTTTGT CTTCTACTGG CCAATGAGAA	1380
	ACTTTGATGA TAAAAAGAA CGGTATAGAT TTTTCAAACG TATATAAAT ATTTTATGT	1440
50	TATATGTTAT GCCATAACTT TAAAAATAAA ATAGTTTAAA ATTCTATGCT AGTGGATATT	1500
	TGGAACTTTT TCCTCAAACA AACACCCAC ACTGACTTCA GCAAAACCCT AAAACTAGCT	1560
	ACAGATTACT ACTACGAATG AATCATYAAG TTTTGTGTCT GCAACAATTT AGAAGCACTA	1620
55	AGCCCAAATA TCAGGAAATG TGTGTATGAT GGAATTTTCT AGGACAAAAC AGATCAAGAT	1680
	TAAAACAGGA TCAAGGATTA ATGGTATATA AATGGTCTAC TAAAACAGGA TCAAGGATTA	1740
60	AAACAGGATC AAGGATTAAT GGTATAAAAA TCTCTACTGG TTACCGGGTG GCNNGGCCAT	1800

ACAGGGTAGT GGTGGATGGA TAGTTTAGTT TGGNAAGGGT AA

1842

5

(2) INFORMATION FOR SEQ ID NO: 161:

(i) SEQUENCE CHARACTERISTICS:

10

(A) LENGTH: 770 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

15

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 161:

GGCACCAGCC CTATGCTGTT CTTGTGATAA TGAGTGAGTC TCACAAGATC TGGTGGTGT 60

ATAGGCATCT GGCATTTCCC CTGCTGACGC TCATTCTCTA TCCTGCCACC CTGGGAAGAA 120

20 GTGTCTTCTG TCATGATTGT AAGTTTCCTG AGGCCTCCCC AGCTATGTAG AACTGTGAGC 180

CAATTAAACC TCTTTTCTCT ATAAATTATC CAGTCTTATA TATTTCTTCA TAGCAGTGTG 240

25 AGAACAGATA ATACCGTAAA TTGGTATCAC AGAGAGTGGG GTGTTGCTAT AAACACATCT 300

GAAAATGTTA AAGCAAATTT GGAAGTGGGT AACAGGCAAA GGCTGGAACA GTTKGAAGAA 360

CAGTTAAGAA GAAGACAGGA AAATATGAGA AATCTTGAAA CTCCTAGAG TCTTAAAGGT 420

30 CTCAGAAGAC ATGAAGATGT GGAAGCTTT GGAAGTTCCT AGAGACTTGT TTGAATGGCT 480

TTGACCAAAA TGCTGATAGT GATATGGACA ATGAAGTCCA GGCTGAGCTT ATCCAGACAG 540

35 ACATAAGAAG CTCGCTGGGA ACTTGAGTAA AGATCACTCT TGCTAGGCAA AGAGACTGGT 600

GGCCTTTTTT CCTCTGCCCT AGAGATCTGT GGAAATCTGA ACCTGAGAGA GATGATTTAG 660

GGTATCTGGC AGAAGAAATA TCTAAGCGGC AAAACCTTCM AGAGGAAGCA GAGCATAAAC 720

40 GTTTGAAAAA TTGCAGCCT GACNATGGGA GACCAAAGTT AAACCCAATT 770

45

(2) INFORMATION FOR SEQ ID NO: 162:

(i) SEQUENCE CHARACTERISTICS:

50

(A) LENGTH: 519 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 162:

55 GAATTCGGCA CGAGCTGAGA GGCACAGGAG CAACAGCCAG TGCCCCCTGC AGAGGACCAC 60

TGGGGTCACA GACTTCARAC CTGATGACCT GGGCTCAGAT CCCAGCTCTG CACCTACCAG 120

60 CCGTGTGACA AGGTGTCCTC TCTGAGCCTC AGTCACACAC TGCCTTAACG GTTGGGCCTC 180

ATGGAGCTGT TTGTGAAGGT TAAATGGGAA GACATAAAGC ACTTAGCCCA GAGCCAAGGA 240
CATGCTGAAT AGGATAATGG TGGCCTCCTT TGGCGCTGTG CTGGTGCAAG TGTGCCGAGG 300
5 AAYTGGGCAG GGGTGACAGA TACCTCTTCT AACCTAGTTC CTTTCCAAGA ACCTAATTGG 360
TGTCTCTCCC TCCCCCAGGC AATGTGAAGG AGGAGGCTGG GCCCCAGCCC CAGAATACGG 420
GAGGTTTCTC ACCGTGGTAG GGAAATTGCT GGGTTGGGGG TGTGGGCAAC CACAGTGATC 480
10 GTCTCTCTGC AGGACGGATG AGGCTTTGCT GACAGAGGC 519

15

(2) INFORMATION FOR SEQ ID NO: 163:

(i) SEQUENCE CHARACTERISTICS:

20

- (A) LENGTH: 753 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 163:

25

GGCAGCAGCG GCACGAGCAG CCAGTTGCTG ACTGGCACAT GGCCTCCAGC GTCCCGGCTG 60
GTGGGCACAC TAGAGCCGGA GGGATCTTCT TAAITGGTAA ATTGGATCTT GAAGCTTCAC 120
30 TGTTTAAATC TTTTCAGTGG CTTCCCTTTG TACTTAGAAA AAAATGCAAC TTCTTCTGCT 180
GGGACTCATC CGCTCACAGC CTTCCCTCC ACCCTCTCTC TGCCTCATGC TCTGCCCTG 240
CCTGCCATGC CTCCGATACT CACCTTTTGT ACCCCAGCAC CCGTGCCCTC TGCCCTCGA 300
35 TCTTTGCCTG GCTGGTTGCT CCTCACTCAG TGTTCAGGAC AAATGCTCCT GGCCCTACCC 360
CATCTAGCCA GTCTAGCCCG GTCTTCCCTG TCTTCCCTGT TTCATTCATG GCTCTTATTG 420
40 TTTGTTWACT TGTGTGCTGT TGACTTTTAA CTCTCTCAGT CCCCCTGGA ATGCAAGCGA 480
TCTCCCAAGC TCCTAGAATT GTTCTGCTCT CTTACAGGC CCTTACGCTG TGTGTGCTCG 540
TGCCGAATTC GGCACGAGG TATGTGCACT TGCTGGTATG TATGTAGGTG TTTGCTAACA 600
45 CATACGTGCA CACGCAGAAT GCTTCCAGGG GACTGCACAG CCTCTAGTTC GCAGCCCCCA 660
CCCCCTCCCT TGSCCTGCA CTCTCCCTC TCTGAGCTGC ATTGCGATGA AAGGTGCAN 720
50 GGTTCCTGAN CCCGCNAGCG NCACCTCCTG GGA 753

55

(2) INFORMATION FOR SEQ ID NO: 164:

(i) SEQUENCE CHARACTERISTICS:

60

- (A) LENGTH: 1400 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 164:

5	GGCACAGTTT ATTAATACCT ATTATGGGAA AGTCACTTTG GTTGGCATTG AAAATTACAT	60
	CATCTTTTAAA GCAGTATTTG TCCCCAGATG GACTCATCAC TAGCAAAGAC TAGGTTTCATT	120
	GGAAGGCATA GGGTGAGAGA ATGGGAAGAT GRAGTGGAGG CGGGTTGTTA AAGTGCTGTC	180
10	AGTGAGTGAT TTTGTCTACT TGAATAATGG TCCATGTTTG GGGGCATATT GTGTTTCATA	240
	AGAAGTGAAA GGTATTTGCA AAGTAAGCTA CAAATGACCC ATAAATCTGT TAACAACAGT	300
15	CCTTAATATG CAAAGATGAA AAACAGCAT TACTGCTACC CAAAGGGAAC TGGTGCTTGG	360
	TGATGTGCAG ATGGGGCTGT TGGTTAAGAG AGCTATTACA GGTTTTCTCT CTTAGGTTTC	420
	ATAGGAGGTA GTTACTGAGA TGAGATTGTT TTATCTTTT GAATACAGAT CTCTTGCTTT	480
20	GAGTTAGTTC TGAGGATGGG AGTAATAAAG GAGTTTTTTG TTTTTTTGTT TGTGTTTGG	540
	TTTTGGCTCC TTAGTAATAC TCCCTGACA TTTATTTCTA TTATCTTCA AAGAAAGGAA	600
25	ACCAACTGAA ATGTTTGCTT TAACAAACAT TTTAATAAGT TCTCTGGGT TTTTTTCCC	660
	CTTTTAAAAA AATTAGCATA TACCATAGCA ATAAAAGAAC TAATGTTAAC TATTGTATGC	720
	TACAACTTAA GTGATTTTTT TAAAGAAGCA CAATGTCATT GRAAGTATTA TTGAAAAGGA	780
30	TCATAGTCAC ATTGAATTTG TGAAGGCCAA AGAAATTGAA GGGAGTGATA TTTTCATTTT	840
	ATGATATTCA CATATTTAGT AAATTTTGTG TACAAGAATA CCAGGCAGAG TGTTTTACCC	900
35	ATGGAAACAG GTTTCAGATT ACTTTGTTTT TACTGTTAGA GTCTCAAGTT TAGAAATGCT	960
	AACACTTAAA TCAGTTTTTT TCTCACTATA CTTGAAGATT GPTAATATTT TGATATCTTC	1020
	CTAGCTTGAT GGAATTTAAA CATATCTTCA GATCTGTGAC AGTGACAGCC AATAGGACTG	1080
40	ATAATATTAG CTTCAAACCA ATAATATCCA GGGTTAAAT AAAAATCATA GTGAAAGTAC	1140
	GATTGTAAAA TTATGCTATA TTAATTTTAA AGTCTGTAAT AACTTGACAT CAAAATGTTA	1200
45	TGTAATTACC ATAAATAATG GCTAGCGAGA ACATCTTTGG AAATTCTCAA ATTACCTTTC	1260
	TTACTACACT GTTTCAGAA TGAATGTAGA AATGATCCTG TTAGCTTTCT GAATGTTCTG	1320
	TGGTTGAATG TGTTTTTGCT TAAATAAAGC TTTTGGTATT TGTTTAAATW ACAAAAAAAA	1380
50	AAAAAAAAAA AAAAACTCGA	1400

55

(2) INFORMATION FOR SEQ ID NO: 165:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 2153 base pairs

(B) TYPE: nucleic acid

60

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 165:

5	CAGGCCTCAG GGCCTCTGGT GGCTCTGGCC CAGACAGTAT TTGCAGTTCT TGTGCTATGG	60
	GTGGGAGTCT TCTTCCTCAA GTTTCGGCAG CTGTGCTGTG NCTGGATGGG CTGCTCCTCC	120
10	CAGGGCTCAA GGGCTGTGGT CCGCTCAGGG TCTCATTTCC CCAGGCCAAG TTCAAGGCAG	180
	CAGCCCTTTG TGAGGCGCTC TTGGCCCTGG GCTGGAGGGA GAACTTTAAG CTTTTTGGCT	240
	CACAGGGACG TGGTATGGGC CCTGGGTGCA GGTGCCCACA TTCTGCTAAT GAGAGCTTTG	300
15	TCTGATCAGT CCTGGGTCCA TCAGTTTGTC CATGTGTCCG GCTGCCAGCC CGTCCCTTGG	360
	GATCCTTCCC CTGGGGTGTA GCCTTGTTCA TTAGTATATA CTCATTCCTT CATGCTTTCC	420
20	TCAGCAGAAC ACTTCCACTT CTGAGGTGAG CTTTGTGCCC RTGCCCTTCC TCCACAGGTG	480
	TTGCCCTTTT ATAAAGACCT GATAGCAGAA TAAATTGGTG TTTCCCTGTT GACCCAGCAC	540
	CATTTCTGTG GGCCTAGAAT ATGGCCCTCA ACCCTTAGAG TGGGGCAGTG AGGGCTTGAG	600
25	GAGTGACCCT TCCTTTCTCA TGGTTTGTAGT CATTTTGGCT GCCAGCCCTT AATGGCACAG	660
	ATCTGCTGCT TCTAACAGAT GGCCAGGAGG TGACACCGAT TTCAGCCATT GCCAAGGTTA	720
30	GCACCCTCTC CTTTGAGCCT AGGGCCACAC TGTTTCATTGT CACTTTAGGC AAGTGCCTGT	780
	TTGGCTTTAA AGGTAAGCCT GCCAGCTGTG AGAAGCCTTG GTAAGTATG GACTCATTTT	840
	CTGGTCCCTA AAGATGCAGC CTCTTAAGGG CTCCTTGATG GATGCCATCT CTCCTAGCCC	900
35	CCAGCCCTGG TGCCACTGGT GGGCAGGTTT CCATTTCTTG GGGCTGGGAG GGACAGCTTG	960
	CCTGTTTCTG GTCACAAATT ACAGTCTTCT CTCCTGTACC ATTCTGTGGC TTCAGCATGG	1020
40	GGGCAGTAGC CTTTCATTAG TGTAGATAGT CATTCCTTGG TAGGGTGGAG GGTAAAGCAT	1080
	AGGGTCTGGA ACTGTTTGGG ACCTTTTGGG GATGTCTGT GCCTCCAGA TTCCTMGATT	1140
	CTGGGAGGAG AGGCTGCCGC ATTCTGCTGC TCCTCACAGC GAGCAAAGCT GCACCCACTT	1200
45	ACATTCAGTA TTTTCTGGC ACTACAAAGA GTGGGAAGGC CTGGGATTTG CTGCTGCTCC	1260
	CTTAGAGCAG GGGCCCTYTT TTCAGCACTT TGGACACCTG GAGACCCAGC CCTGTTATTT	1320
50	AATGGTAGTG GGCAAGTGTG TGTGCATACT GTCTGCCACT GCTTTCTCCC TGCCCCATGC	1380
	CAGAGAGCCC TGTCCTGCC AGGCCAGCC TTCTTAGCCC CAACTTGGGA ACAAGTGCA	1440
	ACATGGGATC ATGGGTGGG GTGCTCAGGT GAGCCCTCTC TATAGTGCTT CCCTGGGCCA	1500
55	AGCTGACACC AGCCCTGAG GGTGGGGTGG GACGGGTGGT GCTTAAAGA GGAAGGGGAC	1560
	CAGTGTAGCA ACTTGCCAGG GACCCACCC CTCCTCTCT GGGCCTGTGC AGTGAGCATG	1620
60	GGGATTCCCA TCAAGGGGCC TGGCACCTGT GCTAGTTACG TAGCCGCTGN TCACGCGCTC	1680

ACTCCTGACC ACATGCACGT TCCCTAGATG CAGACTGCTT TGAAC TTAA AGCTGTACAA 1740
 5 TTTGGTTATG TTTGTGCTGA CTTAAATAT ATTTTAATGA GGAAAAATA ATGGAGAACC 1800
 CTGGGAAGGA CCTGGTTCTT TTGCTTCTCG GGGAACTGTA AGCCCTCGCG TTCTGGGAAT 1860
 CGCTCTCTGC TGCTCTTTCC TGAAGCTAA GCCTGTCTCC ACCGCCGAG GCCTGCGCCG 1920
 10 GTGCTCCCGC CGCAGTTGCG TTTGCTTTGG ACCTTGCGTG CGGGGAGGG GTGCTCGGT 1980
 CCGAGCCCGC TCCTTTCTGT ACACCTAGCG CTGCCGCC CGCTGTGTC TGAGTCTGTG 2040
 15 TATGTCAAAA ATAAAGCCGC TAGAAACGGA AAAAAAAAAA AAAAAAAAAA AAAAAAAAAA 2100
 AAACGAGAGG GGGGGCCGT ACCCAATTAA CCCNVTATGA TCTATAAAGC GTC 2153

20

(2) INFORMATION FOR SEQ ID NO: 166:

(i) SEQUENCE CHARACTERISTICS:

25

- (A) LENGTH: 1251 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 166:

30

GCCCACGCGT CCGCCACGC GTCCGCGGT GCGGAGTATG GGGCGTGAT GGCCATGGAG 60
 GGCTACTGGC GCTTCTGGC GCTGCTGGG TCGGCACTGC TCGTCGGCTT CCTGTCGGTG 120
 35 ATCTTCGCCC TCGTCTGGT CCTCCACTAC CGAGAGGGGC TTGGCTGGGA TGGGAGCGCA 180
 CTAGAGTTA ACTGGCACC AGTGCTCATG GTCACCGGT TCGTCTTCAT CCAGGGCATC 240
 40 GCCATCATCG TCTACAGACT GCCGTGGACC TGGAAATGCA GCAAGCTCCT GATGAAATCC 300
 ATCCATGCAG GGTAAATGC AGTTGCTGCC ATTCTTGCAA TTATCTCTGT GGTGGCCGTG 360
 TTTGAGAACC ACAATGTTAA CAATATAGCC AATATGTACA GTCTGCACAG CTGGGTGGA 420
 45 CTGATAGCTG TCATATGCTA TTTGTTACAG CTTCTTTCAG GTTTTTCAGT CTTTCTGCTT 480
 CCATGGGCTC CGCTTCTCT CCGAGCATTT CTCATGCCA TACATGTTA TTCTGGAATT 540
 50 GTCATCTTTG GAACAGTGAT TGCAACAGCA CTTATGGGAT TGACAGAGAA ACTGATTTT 600
 TCCCTGAGAG ATCTGCATA CAGTACATC CCGCCAGAAG GTGTTTTCGT AAATACGCTT 660
 GGCCTTCTGA TCCTGGTGT CCGGGCCCTC ATTTTGTGA TAGTCACCAG ACCGCAATGG 720
 55 AAACGTCCTA AGGAGCCAAA TTCTACCAIT CTTATCCAA ATGGAGGCAC TGAACAGGGA 780
 GCAAGAGGTT CCATGCCAGC CTA CTCTGGC AACACATGG ACAAATCAGA TTCAGAGTTA 840
 AACAGTGAAG TAGCAGCAAG GAAAAGAAAC TTAGCTCTGG ATGAGGCTGG GCAGAGATCT 900

60

ACCATGTAAA ATGTTGTAGA GATAGAGCCA TATAACGTCA CGTTTCAAAA CTAGCTCTAC 960
 AGTTTGTGCTT CTCCTATTAG CCATATGATA ATTGGGCTAT GTAGTATCAA TATTTACTTT 1020
 5 AATCACAAAG GATGGTTTCT TGAAATAATT TGTATTGATT GAGGCCTATG AACTGACCTG 1080
 AATTGGAAAG GATGTGATTA ATATAAATAA TAGCAGATAT AAATTGTGGT TATGTTACCT 1140
 TTATCTTGTT GAGGACCACA ACATTAGCAC GGTGCCTTGT GCAKAATAGA TACTCAATAT 1200
 10 GTGAATATGT GTCTACTAGT AGTTAATTGG ATAAACTGGC AGCATCCCTG A 1251

15

(2) INFORMATION FOR SEQ ID NO: 167:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 882 base pairs
 20 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 167:
 25

GACSMCTAG AACTATGGTC CCCCGGACT GCAGGAATTC GGCACAGCGG CTGCGGGCGC 60
 GAGGTGAGGG GCGCGAGGTT CCCAGCAGGA TGCCCCGGCT CTGCAGGAAG CTGAAGTGAG 120
 30 AGGCCCCGAG AGGGCCCAGC CCGCCCGGG CAGGATGACC AAGGCCCGGC TGTTCGGCT 180
 GTGGCTGGTG CTGGGGTCGG TGTTCATGAT CCTGCTGATC ATCGTGACT GGGACAGCGC 240
 AGGCGCCGCG CACTTCTACT TGCACACGTC CTTCTCTAGG CCGCACACGG GGCCGCCGCT 300
 35 GCCACGCCC GGGCCGACA GGGACAGGGA GCTCACGGCC GAYTCCGATG TCGACGAKTT 360
 TCTGGACAAK TTTCTCAGTG CTGGCGTGAA GCAGAGTGAC YTTCCAGAA AGGAGACGGA 420
 40 GCAGCCGCCT GCGCCGGGA GCATGGAGGA GAGCGTGAGA RGCTACGACT GGTCCCCGCG 480
 CGAMGCCCCG CGCACCCAGA CCAGGGCCGG CAGCARGCGG ANCGGAGGAR CGTGCTGCGG 540
 GGCTTCTGCG CCAAYTCCAG CCTGGCCTTC CCCACCAAGG AGCGCGCATT CRACGACATC 600
 45 CCCAACTCGG AGCTGAGCCA CCTGATCGTG GACGACCGGC ACGGGGCCAT CTA CTGCTAC 660
 GTGCCCAAGG TGGCCTGCAC CAACTGGAAG CGCGTRATGA TCGTGCTGAG CGGAAGCTGT 720
 50 GCACCGCGTG CGCTACCGC GACCCGYTGC GNTCCCGCGC GAGCACGTGC ACAACGCCAG 780
 CGGCACTGA CTCAACAAT TCTGGCGCCG CTACGGGAAG TCTCCCCAC CTCATGAAGT 840
 CAAGCTCAAG AATACACCAA TTCTTTCTGC GCGACCCTTC TG 882
 55

(2) INFORMATION FOR SEQ ID NO: 168:
 60.

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1208 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 168:

GGGAAACTCA AAAGGATGAT GGAATGGTTG ATGGAGCCAG AGCCTAGAAG TRAAGGGATA 60
 CAGACTGAAG ATAGAGGTAT TTACGTATAT TTWAATATTA GCTTTGGAAT TACGTAGGGA 120
 TTCTTAAGAA AAGATCATGA CAGGACAGCC ACATTTGGTA AAATGTCAGG GCAGCCAGTG 180
 CATGGTCCTC CTGGGGCTCC TCAGTTGACG GGTTTAAATC ATTTCTGAT CCCCCTGCCC 240
 TGGTTTGAGG AATGCATACA GTACGTGAAA TGCCTGTGGT ATGAGTTGCA ATGGGCAATC 300
 AACCTGGGTA AATCCAAGAT TAATGATTAG TTCTAAAGAT CCAGTTGAAG TTCTAGAGTG 360
 GGAATTTTCC GTCAAGCARG TCAGCACAGC TTTATGCCTG TTCCTCTAAT AACGATAGGT 420
 AACAAATAGC TGTGKTIWCA CAGCTAGGAR GATAACCAA TCTAGAGTTC TTGARTCTCA 480
 TTTAATAAAT AAKTATTATG AGTACCAACT GCATATTTCA GGCAGTGCAT TTGACTCTGT 540
 TAAATACTGA TYCCTTAKGA CMSCCACWTC AGAWAACMTT AATCTGTCTG ATCAATAAAC 600
 AGCTTGACTT AGAGRGGTAA AATAGCTTGC CACAGGTWAC CCAATTAGTA GGTAACAGCG 660
 ACAGAATAAC AGTGCAGTTA AAATCTTAGA CTGGAGACTA ATTGCATAAG TTTGAATTTT 720
 AGTTCTGCTA TGTAAATTG GGTGAGTACC TTAATTYACC TGAGTCTCGG TCTTTATATC 780
 TGTAGAATGG AGCTAATGAT ATTACTTAAT TTGCTTTATG TGAGATTAAA TGTACTAATA 840
 TATGTAAATC ACTTACAACA GCATTTGACA TATTTGACAT ACTTAATATA TTTGCTACTA 900
 ATACTATTAG CAACAGCATT CTGATTTTCC AAGTTGAAAT TCAGTGTITT CTTTTTTACT 960
 TTGCCATAAT TTACAATGTT GTGCTCTGTA AACCATAAAT TTCCCTGAGG TGTGTCAGG 1020
 TTAAAAAATA ATCACTATGG CCCCCARNMA CTTGGAAAAT AGAAATGAGA CCAGCTTCAT 1080
 CTATATTCTT TACTGCAAAT AACTTAGAAT TGTAATAGGC TAATATGTAC TGGGACTTCC 1140
 AATTTGGGAA TATGACAAAA ATAATACTAT TTAGCTAAAA CATATACAGA ACTTATTTT 1200
 CCTCTGAA 1208

(2) INFORMATION FOR SEQ ID NO: 169:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1307 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 169:

5 GGCACGAGAG AAAAGAGGTT GAGAATGTTT TCTAGCAGGC AGAATGTGCA TACATGTTTT 60
 CATGARTGTC CTTTGGGTGC TGTTCCTTTT AAATCCTCTG TGCACAGGGC TCTGGCCTTT 120
 ARTAACTGT TTTTCTGTCT TACGTCATGC TGA CTGGGTG CTAGGGGCTG ATTACAAAGG 180
 10 GGAAGAGTTG AACAGACATC AGGGGCCGAT GAAACCAAAG GACTAGGAGT CAGGAGAACA 240
 AGTCAGGGAT TAGGAGACAG CGGTTTGGTT TATTGTTATC CAGCTGGAGG ACTCCTAGGG 300
 GCAGCAGCAG GAGGAATACC AGGGCCACGG AGGGGCAGGA GTCTCACAGT GGAGGGCAGA 360
 15 CTCTAACAGA TGCCAGCTGA ACGCTCGCTG GCCCTGGATG TCATACGAGT TGGGGACCAG 420
 AAATCTGGGC TCAGAGAACC CGTCCAGGGA GATTTGAAGC CATGGGTTAT CTTCTAGAGT 480
 20 TGATACTGAT AATATATTTT AATTTTATT GATGTTTAAAT ACCTTCTGAA ACAGGAGGGT 540
 AAGATCAGAT GGAAGCCCY TCTGTTGAAG GATCTGGGA ACCTTGGTGG TTTTMTTTTT 600
 TTGGTTTTTT TTTTTTTGAT CGAGCTGTGG ACATCCTTCT TAATTCGATT NTGAGGATTT 660
 25 GTTAACTAA AAAGTTCCCA AACACAGAAA GGGCCTCCCC ACCTGCTTTG GGGAGCTGTC 720
 TGTSTGGA GTGCCAGGCA TCCSATGGA CCCATCACTG CCAGTGTCTG TGCCTCCAG 780
 30 AGGTCAGCCC TGTGTCTGCC CTGGCTCTGT CTCCTCTGTG ACAGGGCAGA GCATTTCTGG 840
 TCAGTTTCTC CATGGTGCCT CCCACCCCTT TGTAAGTGG ATGGACATGA TGAATTTCAG 900
 TTGTCTCACC CTGATAGCCT GGGTGTGAT ATTCACTTTA CCCGCACTCA GACACAGGCG 960
 35 ACCTGAAGC AGTCTCGGT GTGTAGAGTC CACGTGACAG TCCCCACAGC CTCCCCAGAT 1020
 AGCTGTGTGC CTGTGCGCTA CTGCTGTGCC ATTTTCCCAA CTNNGCGTT TCACTAAATG 1080
 40 CAGCTGATCT CTCTCTCTGT GCACTCGTGA TCCATGTTGA ACAATACATG TAGGTTCTTT 1140
 TTCCACGCAA TGTAAGAACA TGATATACTG TACGTGGAA AGCATTTACC TTATTTATAT 1200
 ACCTGAATGT TCCTACTACA CAAATAAACA TATATTAAAT WCTAAAAAAA AAAAAAAAAA 1260
 45 CTGGAGGGGG GGCCCGGTAC CCAATCGCC GGATAGTGAT CGTAAAC 1307

50

(2) INFORMATION FOR SEQ ID NO: 170:

(i) SEQUENCE CHARACTERISTICS:

55

- (A) LENGTH: 1624 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

60

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 170:

	GGCACGAGGT CGCCGCCGCG GCCGCCTGGA ATTGTGGGAG TTGTGTCTGC CACTCGGCTG	60
	CCGGAGGCGA AGGTCCCTGA CTATGGCTCC CCAGAGCCTG CCTTCATCTA GGATGGCTCC	120
5	TCTGGGCATG CTGCTTGGGC TGCTGATGGC CGCCTGCTTC ACCTTCTGCC TCAGTCATCA	180
	GAACCTGAAG GAGTTTGCCC TGACCAACCC AGAGAAGAGC AGCACCAAAG AAACRGAGAG	240
10	AAAAGAAACC AAAGCCGAGG AGGAGCTGGA TGCCGAAGTC CTGGAGGTGT TCCACCCGAC	300
	GCATGAGTGG CAGGCCCTTC AGCCAGGGCA GGCTGTCCCT GCAGGATCCC ACGTACGGCT	360
	GAATCTTCAG ACTGGGAAA GAGAGGCAA ACTCCAATAT GAGGACAAGT TCCGAAATAA	420
15	TTTGAAAGGC AAAAGGCTGG ATATCAACAC CAACACCTAC ACATCTCAGG ATCTCAAGAG	480
	TGCACTGGCA AAATTCAAGG AGGGGCGAGA GATGGAGAGT TCAAAGGAAG ACAAGGCAAG	540
20	GCAGGCTGAG GTAAAGCGGC TCTTCCGCCC CATTGAGGAA CTGAAGAAAG ACTTTGATGA	600
	GCTGAATGTT GTCATGAGA CTGACATGCA GATCATGGTA CGGCTGATCA ACAAGTTCAA	660
	TAGTTCCAGC TCCAGTTTGG AAGAGAAGAT TGCTGCGCTC TTTGATCTTG AATATTATGT	720
25	CCATCAGATG GACAATGCGC AGGACCTGCT TTCCTTTGGT GGTCTTCAAG TGGTGATCAA	780
	TGGGCTGAAC AGCACAGAGC CCCTCGTGAA GGAGTATGCT GCGTTTGTGC TGGGCGCTGC	840
30	CTTTTCCAGC AACCCCAAGG TCCAGGTGGA GGCCATCGAA GGGGAGCCC TGCAGAAGCT	900
	GCTGGTCATC CTGGCCACGG AGCAGCCGCT CACTGCAAAG AAGAAGGTCC TGTTTGCACT	960
	GTGCTCCCTG CTGCGCCACT TCCCCTATGC CCAGCGGCAG TTCCTGAAGC TCGGGGGGCT	1020
35	GCAGGTCTCTG AGGACCTTGG TGCAGGAGAA GGGCAGGAG GTGCTCGCCG TGCGCGTGGT	1080
	CACACTGCTC TACGACCTGG TCACGAGAGAA GATGTTTCGCC GAGGAGGAGG CTGAGCTGAC	1140
40	CCAGGAGATG TCCCCAGAGA AGCTGCAGCA GTATCGCCAG GTACACCTCC TGCCAGGCCT	1200
	GTGGGAACAG GGCTGGTGCG AGATCACGGC CCACCTCCTG GCGCTGCCCG AGCATGATGC	1260
	CCGTGAGAAG GTGCTGAGA CACTGGGCGT CCTCTGACC ACCTGCCGGG ACCGCTACCG	1320
45	TCAGGACCCC CAGCTCGGCA GGACACTGGC CAGCCTGCAG GCTGAGTACC AGGTGCTGGC	1380
	CAGCCTGGAG CTGCAGGATG GTGAGGACGA GGGCTACTTC CAGGAGCTGC TGGGCTCTGT	1440
50	CAACAGCTTG CTGAAGGAGC TGAGATGAGG CCCCACACCA GGA CTGGACT GGGATGCCGC	1500
	TAGTGAGGCT GAGGGGTGCC AGCGTGGGTG GGCTTCTCAG GCAGGAGGAC ATCTTGCCAG	1560
	TGCTGGCTTG GCCATTAAAT GGAACCTGA AGGCCAAAAA AAAAAAAAAA AAAAAAAAAA	1620
55	AAAA	1624

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 2003 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 171:

10	GGCACGAGCC AGCTTG CAGG AGGAATCGGT GAGGTCCTGT CCTGAGGCTG CTGTCCGGGG	60
	CCGGTGGCTG CCCTCAAGGT CCCCTCCCTA GCTGCTGCGG TTGCCATTGC TTCTTGCCCTG	120
	TTCTGGCATC AGGCACCTGG ATTGAGTTGC ACAGCTTTGC TTTATCCGGG CTGTGTGTGCA	180
15	GGGCCCCGGCT GGGCTCCCCA TCTGCACATC CTGAGGACAG AAAAAGCTGG GTCTTGCTGT	240
	GGCCTCCAG GCTTAGTGTT CCCTCCCTCA AAGACTGACA GCCATCGTTC TGCACGGGGC	300
20	TTTCTGCATG TGACGCCAGC TAAGCATAGT AAGAAGTCCA GCCTAGGAAG GGAAGGATTT	360
	TGGAGGTAGG TGGCTTTGGT GACACACTCA CTTCTTTCTC AGCCTCCAGG AACTATGGC	420
	CTGTTTAAAG AGACATCTTA TTTTCTAAA GGTGAATTCT CAGATGATAG GTGAACCTGA	480
25	GTTGCAGATA TACCAACTTC TGCTTGTTATT TCTTAAATGA CAAAGATTAC CTAGCTAAGA	540
	AACTTCCTAG GGAAGTAGGG AACCTATGTG TTCCCTCAGT GTGGTTTCCT GAAGCCAGTG	600
30	ATATGGGGGT TAGGATAGGA AGAAGTTTCT CGGTAATGAT AAGGAGAATC TCTTGTTTCC	660
	TCCCACCTGT GTTGTAAGA TAAAGTACG ATATACAGGC ACATTATGTA AACATACACA	720
	CGCAATGAAA CCGAAGCTTG GCGGCCTGGG CGTGGTCTTG CAAAATGCTT CCAAAGCCAC	780
35	CTTAGCCTGT TCTATTGAGC GGCAACCCCA AAGCACCTGT TAAGACTCCT GACCCCCAAG	840
	TGGCATGCAG CCCCCATGCC CACCGGGACC TGGTCAGCAC AGATCTTGAT GACTTCCCTT	900
40	TCTAGGGCAG ACTGGGAGGG TATCCAGGAA TCGGCCCTG CCCCACGGGC GTTTTCATGC	960
	TGTACAGTGA CCTAAAGTGT GTAAGATGTC ATAATGGACC AGTCCATGTG ATTTTCAGTAT	1020
	ATACAAGTCC ACCAGACCCC TCCAACCCAT ATAACACCCC ACCCCTGTTT GCTTCCTGTA	1080
45	TGGTGATATC ATATGTAACA TTTACTCCTG TTTCTGCTGA TTGTTTTTTT AATGTTTTGG	1140
	TTTGTTTTTG ACATCAGCTG TAATCATTCC TGTGCTGTGT TTTTATTAC CCTTGGTAGG	1200
50	TATTAGACTT GCACTTTTTT AAAAAAGGT TTCTGCATCG TGGAAGCATT TGACCCAGAG	1260
	TGGAACGCGT GGCCTATGCA GGTGGATTCC TTCAGGTCTT TCCTTTGGTT CTTTGAGCAT	1320
	CTTTGCTTTC ATTCGTCTCC CGTCTTTGGT TCTCCAGTTC AAATTATTGC AAAGTAAAGG	1380
55	ATCTTTGAGT AGGTTCCGTC TGAAAGGTGT GGCCTTTATA TTTGATCCAC ACACGTTGGT	1440
	CTTTTAACCG TGCTGAGCAG AAAACAAAAC AGGTTAAGAA GAGCCGGGTG GCAGCTGACA	1500
60	GAGGAAGCCG CTCAAATACC TTCACAATAA ATAGTGGCAA TATATATATA GTTTAAGAAG	1560

5 GCTCTCCATT TGGCATCGTT TAATTTATAT GTTATGTTCT AAGCACAGCT CTCTTCTCCT 1620
 ATTTTCATCC TGCAAGCAAC TCAAAATATT TAAAATAAAG TTTACATTGT AGTTATTTTC 1680
 AAATCTTTGC TTGATAAGTA TTAAGAAATA TTGGACTTGC TGCCGTAATT TAAAGCTCTG 1740
 TTGATTTTGT TTCCGTTTGG ATTTTGGGG GAGGGGAGCA CTGTGTTTAT GCTGGAATAT 1800
 10 GAAGTCTGAG ACCTTCCGGT GCTGGGAACA CACAAGAGTT GTTGAAAGTT GACAAGCAGA 1860
 CTGCGCATGT CTCTGATGCT TTGTATCATT CTTGAGCAAT CGCTCGGTCC GTGGACAATA 1920
 AACAGTATTA TCAAAGAGAA AAAAAAAAAA AAAAAACTCG NGGGGGGGCC CGGTACCCAA 1980
 15 TTGCCCCTAT AGTGAGCCNA TTC 2003

20

(2) INFORMATION FOR SEQ ID NO: 172:

25 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 786 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

30 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 172:

GGCACAGCGG CACGAGAAGA CTTTGGTGT TAAAGAGATTA ATGTGTTAGC CAGAACAAC 60
 CATTTCTCTA CCMGTGTGTA GTCCATTTAT CTTTAAAGAT TTTCTATTGG AATAATTTTG 120
 35 AAATTACTTT CTTAGTTTTC TTCATTAAAA ACTAAGAAAA TGCTTTGTTT ATTATGAATT 180
 GCTATTTCTC TTGATTATTA TTCTTGGAGA AAGTCTATCA GACGTAATTC TTCTGATTTG 240
 CTTCTAGGCT AGAGGAAAAT GTGAAAGATG ACAAATGAAA ATTTCAAAGG TTGTCAGTAG 300
 40 TATGACTTCT TTTATCGTTT GTCATTATCA CAAATATATC AACATAGGAC TTTTAAAAGA 360
 TATTTTGTTAC ATATTGGGCC TTAGTAGGAT TTTGCATGAA TTTTTTTTTT CTTTATGCC 420
 45 CAGAGAGAAA GAGCAAAGAA ATAACCAAGG GTGATGTACT CGTATTGAAG GTTTACCAA 480
 TAAGGACTGC TTTTATTATG AACTATAGTC TATATTCTAA GTAAATCAAT TTTTCTATTA 540
 TGTGTTTTTT GTTCCTGCAG GCAAGATCTC TGAAC TTTTAT GCAGAGGGTT CTTTTAAAA 600
 50 AACAAAGTTG AATTTTTTTA TTTCTTGGA TATTTTTTTT CATTGATTTT TCCCAAGTAG 660
 AGCAGATTCA AATCTCCTTT GTACCCTATG TCTTTTTTGT TTTGCTATTA GCTCAGTATT 720
 55 CGGTTTCTAC ATTTTCCTTT CCTAGAACCA GTCAATAAAT GACAAAAAA AAAAAAAAAA 780
 ACTCGA 786

60

(2) INFORMATION FOR SEQ ID NO: 173:

(i) SEQUENCE CHARACTERISTICS:

- 5 (A) LENGTH: 1758 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

10 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 173:

GGGACGAGCC CTGCCCACCT CCTGCAGCCT CCTGCGCCCC GCCGAGCTGG CGGATGGAGC 60
 TGCGCACGGG GAGCGTGGGC AGCCAGGCGG TGGCGCGGAG GATGGATGGG GACAGCCGAG 120
 15 ATGGCGGCGG CGGCAAGGAC GCCACCGGGT CGGAGGACTA CGAGAACCTG CCGACTAGCG 180
 CCTCCGTGTC CACCCACATG ACAGCAGGAG CGATGGCCGG GATCCTGGAG CACTCGGTCA 240
 20 TGTACCCGGT GGACTCGGTG AAGACACGAA TGCAGAGTTT GAGTCCAGAT CCCAAAGCCC 300
 AGTACACAAG TATCTACGGA GCCCTCAAGA AAATCATGCG GACCGAAGCT TCTGGAGGCC 360
 CTTGCGAGGC GTCAACGTCA TGATCATGGG TGCAGGGCCR GCCCATGCCA TGTATTTTGC 420
 25 CTGCTATGAA AACATGAAAA GGACTTTTAA TGACGTTTTT CACCACCAAG GAAACAGCCA 480
 CCTAGCCAAC GGTATTTTGA AAGCGTTTGT CTGGAGTTAG AAAGTTCTCT TCTTCAACAC 540
 30 GTCCCTCCCC AGGGTGTTC TCCCTGTGAC CCAGCCGCCT CGACTTCGGC CCGCTTGCTC 600
 ACGAATAAAG AACTCAGAGT TGTGTGTGCA ATGCACACCC AGACACACGC ACGCACACAC 660
 ACGCGCGCGC ACACACATGC TTTTCTCTGT TCCCTCCGC TTTCTGAAGC CTGGGGAGAA 720
 35 ATCAGTGACA GAGGTGTTTT GGTTTTATTG TTATGTGGGT TTTCTTTTGT ATTTTTTTTG 780
 TTTGTTTTGT TTTTAAACAT TCAAAAGCAA TTAATGATCA GACATAGGAG AAACCTGAA 840
 40 TAGAAACAAA ACTTTTGAAT GCTGGATTCA AAAAAAAAAA AAAGTTATCT GGACAGCTTC 900
 TTTGAGACTA TTTAAAAACT GGTACAACAG GTCTCTACAA CGCCAAGATC TAACTAAGCT 960
 TTAAAAGTTC AAGAAGTTTT ATGGCTGACA AAGGACTCGC GCAACGCAGA AGGCCTTTCC 1020
 45 CACCTTAAGC TTCGGGGGAT CTGGGAATTT TACCCCATTT CTCTTCTGTT TGTCTGAGTC 1080
 TCATCTCTCT GCAAGCAAGG GCTGAAATCA TTTTGTFTGG TTGTTTGTAG GGAGAGAGGC 1140
 50 GGGGTGGGGG GGTGCAAATC TGCCAGCAGC TCTTACGTAA GGCATGTTTT ATTGGGGAGG 1200
 GCTGAGCTTT TATTTTCTCC TCTCCAGTGG GGTGCGCTTT TATTGTTTCT TGTGTTGGTT 1260
 TGGAATGGAA ATATGGATAG CAGCATAAAG TACTTTTATT TTGACAAAAT TCATTTTTTT 1320
 55 CAACAATGGA GACATAGATT TGACCCACAA TAACTTCTCC CCCTCTCTTT TTA CTCTGCT 1380
 CAAAAAGCAT CTCTCCTCCC ATTACCCAAC CTTGGTCATA AGTGTGCCTG GCTGGTTTGC 1440
 60 AGATATTTGT TCTGCTTTGT AAAAATTGGC CATTAGTGCA TTTATTGAGA TGATCTCTAA 1500

AGAGCTATGC CCTGACCTAC CCCTGATTCT ATGACATTGG GGCCCTTCTT TTGCTGAAAC 1560
5 TGCCTTACGT AATGGTTTTTA CTCCTTGAAA GAGATTGAC GGAATCCATT TTATGCCAAG 1620
TGCTGCCCTG CACTGTTTCT GCAATATGTG GTGTATGCTG TGGTGATCTT GCTGGGAATG 1680
ATTATAAGTG TGTGTGTGGT GGGGGAGTGG GTATTACATG CATTGCTGAA GAGTCAAAAA 1740
10 AAAAAAAAAA AACTCGA 1758

15 (2) INFORMATION FOR SEQ ID NO: 174:

(i) SEQUENCE CHARACTERISTICS:

20 (A) LENGTH: 888 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 174:

25 CTGTTAGAAT GCCCAGTTTA CTGGATGGC AACCCAACAG TGCTCCTGCC CACCTGCCCC 60
TCAATCCTCC TAGAATTCAG CCCCCAATG CCCAGTTACC AATAAAAACT TGTACACCAG 120
30 CCCCAGGGAC AGTCTCAAAT GCAAATCCAC AGAGTGASMC ACCACCTCGG GTAGAATTTG 180
ATGACAACAA TCCCTTTAGT GAAAGTTTTC AAGAACGGGA ACGTAAGGAA CGTTTACGAG 240
AACAGCAAGA GAGACAACGG ATCCAACCTCA TGCAGGAGGT AGATAGACAA AGAGCTTTGC 300
35 AGCAGAGGAT GGAAATGGAG CAGCATGGTA TGGTGGGCTC TGAGATAAGT AGTAGTAGGA 360
CATCTGTGTC CCAGATTCCC TTCTACAGTT CCGACTTACC TTGTGATTTT ATGCAACCTC 420
TAGGACCCCT TCAGCAGTCT CCACAACACC AACAGCAAAT GGGGCAGGTT TTACAGCAGC 480
40 AGAATATACA ACAAGGATCA ATTAATTCAC CCTCCACCCA AACTTTTCATG CAGACTAATG 540
AGCGAGGCAG GTAGGCCCTC CTTCAITTTGT TCCTGATTCA CCATCAATCC CTGTTGGAAG 600
45 CCCAAATTTT TCTTCTGTGA AGCAGGGACA TGGAAATCTT TCTGGGACCA GCTTCCAGCA 660
GTCCCCAGTG AGGCCTTCTT TTACACCTGC TTTACCAGCA GCACCTCCAG TAGCTAATAG 720
50 CAGTCTCCCA TGTGGCCAAG ATTCTACTAT AACCCATGGA CACAGTTATC CGGGATCAAC 780
CCAATCGCTC ATTCAGTTGT ATTCTGATAT AATCCCAGAG GAAAAAGGGN AAAAAAARA 840
AMAARAAARA ARAAAGGAGA TGATGATGCA GAATTCCACC AAGGCTCC 888

55

(2) INFORMATION FOR SEQ ID NO: 175:

60 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 2379 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

5

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 175:

	GGCAGAGCTA GTGTGGACTC CATCCCCCTG GAGTGGGATC ACGNCTATGA CCTCAGTCGG	60
10	GACCTGGAGT CTGCAATGTC CAGAGCTCTG CCCTCTGAGG ATGAAGAAGG TCAGGATGAC	120
	AAAGATTCTT ACCTCCGGGG AGCTGTTGSC TTATCAGGGG ACCACAGTGC CCTAGAGTCA	180
	CAGATCCGAC AACTGGGCAA AGCCTGGATG ATAGCCGCTT TCAGATACAG CAAACCGAAA	240
15	ATATCATTCG CAGCAAACT CCCACGGGGC CGGAGCTAGA CACCAGCTAC AAAGGCTACA	300
	TGAAACTGCT GGGCGAATGC AGTAGCAGTA TAGACTCCGT GAAGAGACTG GAGCACAAAC	360
20	TGAAGGAGGA AGAGGAGAGC CTTCTGGCT TTGTTAACCT GCATAGTACC GAAACCCAAA	420
	CGGCTGGTGT GATTGACCGA TGGGAGCTTC TCCAGGCCCA GGCATTGAGC AAGGAGTTGA	480
	GGATGAAGCA GAACCTCCAG AAGTGGCAGC AGTTTAACTC AGACTTGAAC AGCATCTGGG	540
25	CCTGGCTGGG GGACACGGAG GAGGAGTTGG AACAGCTCCA GCGTCTGGAA CTCAGCACTG	600
	ACATCCAGAC CATCGAGCTC CAGATCAAAA AGCTCAAGGA GCTCCAGAAA GCTGTGGACC	660
30	ACCGCAAAGC CATCATCCTC TCCATCAATC TCTGCAGCCC TGAGTTCACC CAGGCTGACA	720
	GCAAGGAGAG CCGGGACCTG CAGGATCGCT TGTSGCAGAT GAATGGGCGC TGGGACCGAG	780
	TGTGCTCTCT GCTGGAGGAG TGGCGGGGCC TGCTGCAGGA TGCCCTGATG CAGTGCCAGG	840
35	GTTTCCATGA AATGAGCCAT GGTTCCTTC TTATGCTGGA GAACATTGAC AGAAGGAAAA	900
	ATGAAATGT CCCTATGAT TCTAACCTTG ATGCAGAGAT ACTTCAGGAC CATCACAAAC	960
40	AGCTTATGCA AATAAAGCAT GAGCTGTTGG AATCCCAACT CAGAGTAGCC TCTTTGCAAG	1020
	ACATGTCTTG CCAACTACTG GTGAATGCTG AAGGAACAGA CTGTTTAGAA GCCAAAGAAA	1080
	AAGTCCATGT TATTGGAAAT CGGCTCAAAC TTCTCTTGAA GGAGGTCAGT CGTCATATCA	1140
45	AGGAACTGGA GAAGTTATTA GACGTGTCAA GTAGTCAGCA GGATTGTCT TCCTGGTCTT	1200
	CTGCTGATGA ACTGGACACC TCAGGCTCTG TGAGTCCCAY ATCAGGAAGG AGCACCCCAA	1260
50	ACAGACAGAA AACGCCACGA GGCAAGTGTA GTCTCTCACA GCCTGGACCC TCTGTCAGCA	1320
	GTCCACATAG CAGGTCCACA AAAGGTGGCT CCGATTCTC CCTTTCTGAG CCARGGCCAG	1380
	GTCGGTCCGG CCGCGGCTTC CTGTTTCAGAG TCCTCCGAGC AGCTCTTCCC CTTCAGCTTC	1440
55	TCCTGCTCCT COTCATCGGG CTGCTCTGCC TTGTACCAAT GTCAGAGGAA GACTACAGCT	1500
	GTGCCCTCTC CAACAACCTT GCCCGGTCAT TCCACCCCAT GCTCAGATAC ACGAATGGCC	1560
60	CTCCTCCACT CTGAACCTAAG CAGATGCCAT CTGCAGAAGT GCTGGTAGCA TAAGGAGGAT	1620

CGGGTCATAA GCAATCCCAA ACTACCAACA AGAGGACCTT GATCTTGGCG AAAGCCMTCG 1680
 GTGTGGCAGC TTTAGCCTCC TCCAGATCAC ATGTGTGCAA ATTATGGCTT CAGAGGTGGA 1740
 5 AGATAAACAG TGACGGGGA ACAACAGAC AACAAGAAGG TTTGGAAGAA ATCTGTTTG 1800
 AGACTCTGAA CCTTAGCACT AAGGAGATTG AGTAAGGACC TCCAAAGTTC CCCGACTCA 1860
 10 TGAATTCTGG GCCCTTGGCC NATTCTGTGC ACAGCCAAGG ACTTCAGTAG ACCATCTGGG 1920
 CAGCTTTCCC ATGGTGCTGC TCCAACCATC AGATAAATGA CCTCCCAAG CACCATGTCA 1980
 GTGTCGTACA ATCTACCAAC CAACCAGTGC TGAAGAGATT TTAGAACCTT GTAACATACA 2040
 15 ATTTTTAAGA GCTTATATGG CAGCTTCCTT TTTACCTTGT TTTCTTTTGG GGCATGATGT 2100
 TTTAACCTTT GCTTTAGAAG CACAAGCTGT AAATCTAAAA GGCACCTTTT TTTAGAGGTA 2160
 20 TAAAGAAAAA CTAGATGTAA TAAATAAGAT CATGGAAGGC TTTATGTGAA AAAAGTTGAA 2220
 TGTTATAGTA AAAAAAAG ATATTTATGT ATGTACAGTT TGCTAAAGCC AAGTTTTGTT 2280
 TGTATTGATT TCTTTGCATT TATTATAGAT ATTATAAAT AAAAAAAAAA AAAAAAAAC 2340
 25 TCGAGGGGGG GCCCGGTACC CAATCGCCC TATAGTGAG 2379

30

(2) INFORMATION FOR SEQ ID NO: 176:

(i) SEQUENCE CHARACTERISTICS:

35

(A) LENGTH: 1348 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 176:

40

GGCCCTTCAC GATGCCGGCG GTCAGTGGTC CAGGTCCCTT ATTCTGCCTT CTCCTCCTGC 60

TCCTGGACCC CCACAGCCCT GAGACGGGGT GTCCTCCTCT ACGCAGGTTT GAGTACAAGC 120

45

TCAGCTTCAA AGGCCCAAGG CTGGCATTGC CTGGGGCTGG AATACCCTTC TGGAGCCATC 180

ATGGAGGTGA GGGGCAGGGG TGGGGACCGC TATGCCCAGG GTCCCTCAA GTGCTGGAGG 240

50

GGCTGTRACT TGGTGGGGAG TGGGTCTGTC ACAGCCATCC TCTGTCCAGG GTGGGGCAAG 300

GCCTGGGACA GTGCCAGGCA CCCGAGGACC CCTTCCAGGC TTGTCTCCTG CTCCACCGCC 360

TCAACACCCC CCACCCCTGC CCAAGCTGTT TCTCTCTGTC CTCTCTNNTT CCCTGCCCCA 420

55

GGACTTCTCT CTTCTCCTCT GCCTCTCCTT GGAOCCTGTC CCTTCTCTA CCTCTGACCT 480

GTGAACACAC AGACACATGC TCACACACTA AGTCCCARGC ACACMSAAAG GCAATGTGGA 540

60

CCAGCACAAA CCTCCACTCT CCCGGCTCCA TCCCARGGG CCTGTGGCTG GCCATGAAAA 600

CTGGGGGCTA CCTGGAGGGA AGCATCCTCA TCCCAGGTGA GTGGGCACCA GCCCTTCCCT 660
 STATGTGTGT TGTGGGTGGA AGCAGGCATG AGAGCATCTT AGCCCATAGG TTTGTATTCA 720
 5 GGGACTTCCA AACCCAGACC TACAAAGAGT GTGTCTTCTA CCAGATCTTG TTCAAAAAG 780
 GGTMTGTGAT GATGGAATA CACGATAGAG GGAGTGAGCA AGAACAATGA GGATTAGAGT 840
 GGAGCGTGAA ATAGTCTAGG AGCATGGCTT CCAAAACATA TGCTGTGAGG TCTGTCCACC 900
 10 TGAGAGTTGG GCCATGGATT TAATTCTGAG CCTCTTAGCA GGCAAAGCAA AGACAGAAAG 960
 CAGATCGGCT GTGGATTTCT GTCTATAAAA TGTGAGTTCT TGGCCGGGTG CGGTGGCTCA 1020
 15 CGCCTGTAAT CCCGGCGCTT TGGGAGGCCA GGGCGGATGG GTCGCGAGGT CAGGAGGTTG 1080
 GAAACCATCC TGGCCGAAT GGTGAAGCCC TGACTCTACT AGAAGTGCAA AGATTGGCTG 1140
 GGTGTGGTGG CGTGCGCCTG TGGTCCCAGC TTCTCGGGAG GCTGAGGCGG GAGAGTTGCT 1200
 20 TGGGCCTGGG AGGCCGAGGT TGCGGTGAGC TGAGATCCTG CCATTGCACT TCAGCCTGGG 1260
 CACAGAGCCA GACTCTGGCT CAAAAA AAAA AAAAAA ACTCGAGGGG GGCCCGTACC 1320
 25 CAATTCGCGG NATATGATCG TAAACAAT 1348

30 (2) INFORMATION FOR SEQ ID NO: 177:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1502 base pairs
 (B) TYPE: nucleic acid
 35 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 177:

40 CTCAAAATAA ATAAATAAAT AAAAATTTGT ATTCCATTGA TTTGGGTAGA CACCAGGAAT 60
 GTGCATTTCT AACAAGCTTT CCAGGCGATC CTATAGTAAG TCATCTGTGG ACTACTTTAA 120
 GAAACTCTTC TATAGAGAAT GGAGTTGGAT TAATAATAGG TGATTTTTTA CACTGGACTG 180
 45 ATTCACAAGA ACCTAAACAG TAGTCCATGA AGCTGCTCAT CTGTGGTAAC TATTTGGCCC 240
 CGTCTCACTC TGAAAGCAGC AGGAGATGTT GTTTACTTTG TTTCTATCCC CTTGTCTGG 300
 AGATTAATTT TGAATGAAA GTTTTTCTCT CTATGCCATT CCTGGTTCTT TTCCAAAGCC 360
 TCATACAAGA GGATTAGGTC ACAATGCATG CATTACCTTT TAAAAGAATG CGATATTGAT 420
 ACCGATGCTT ACTTTTTTTT TTTTNACTA CTTGTTTTAT TCCTTCCAGN AAAGTATAGC 480
 55 CGCCCTTCT ATAGCATAGT TCTCTTTAGG TGGAATGATT CCTATAAGAT TTCTCATTAT 540
 TAAATCATGC ATTTTTCAG ATGGAATCAA TMTTIGATT AATCTAAGCT GATATTCTCA 600
 60 TTTGTTAGAA GAACAACCTA CATGCTAGAG AGAGAGGAGG AAATATACCC ACGACCACAC 660

	AGCCAGTTAG TATCCAGTTG GTGCTGGACT CCAGCCAGGT GTCCTGCCTC ATGGTAGTTA	720
5	AATGATATAT AGAAAAGGTA AATTTTTTAAA GAAATATTTA TTAATATATT CCTATAAAAC	780
	ATTTTAAAGG TAACCACATA AAAATGGTTA ATTTTTCAT TCCAAAGTAA ATGCTAAGCA	840
	TGTTTATTAA TGAAGCAGTA CTTCTGATTA GTATATGACA TTCTGAAGTT AATTAAACTC	900
10	ATTGCACTAA ATGTGTCTTC CTTGGTATAG TGGAGGATTT GAGGATTGGA ATATAGAGTA	960
	GAGTGCTTGC TTAAGCCTGG GAGCCCATCT TTATAGCTAT TTGATGTAAG AAAAGAGACA	1020
15	TGGNCCATTT CTAAACTATA TAAGGTGAGT GTGTCTATTC CCAGCAGATA TAAAGGAAAA	1080
	AGGAAACTTT TTTGATTCCC ACCTTCCCAG CCTCACCTAG CCATCTTCCA GCCTCAAATA	1140
	TAGAGATGTT AGTGAAGGT CCTGGGCTCT AGGTGATCAT TTCATAAGTC CTTTACAGAT	1200
20	AAAGAAAAAG TAGTGTGTTGT ATGTTTGT TTAAAGTAACC CCAAAACAAA TTTATATTGT	1260
	ATTCAGCAAA ATTGGAATTC AGGTGTTTAA TTTTAGAACA TGAAGTGCCT GCTGTTTAA	1320
25	GCATTGACTT GTATAAAAAG AATTGCATGT CTCCAGTAAG CTTATGGGTT TTCTCATTTT	1380
	TAGGTATATG GCTTTTAATC ATGTAAAGTG AAACATTAGT TTTCTTGCAT TTTATTACAG	1440
	GTTCTTTGTT GCAATAAAGA TGCTGCTGAA ATTAATTGAA AAAAAAAAAA AAAAAAACTC	1500
30	GA	1502

35 (2) INFORMATION FOR SEQ ID NO: 178:

(i) SEQUENCE CHARACTERISTICS:

- 40 (A) LENGTH: 1637 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 178:

45	ATTTTCTAGC CCACAAGGAC TGAAGTTCAG ATCCAAAAGT TCACTTGCTA ATTATCTTCA	60
	CAAAAATGGA GAGACTTCTC TTAAGCCAGA AGATTTTGAT TTTACTGTAC TTTCTAAAAG	120
50	GGGTATCAAG TCAAGATATA AAGACTGCAG CATGGCAGCC CTGACATCCC ATCTACAAAA	180
	CCAAAGTAAC AATTCAAACCT GGAACCTCAG GACCCGAAGC AAGTGCAAAA AGGATGTGTT	240
	TATGCCGCCA AGTAGTAGTT CAGAGTTGCA GGAGAGCAGA GGACTCTCTA ACTTTACTTC	300
55	CACTCATTTG CTTTGAAG AAGATGAGGG TGTGATGAT GTTAACTTCA GAAAGGTTAG	360
	AAAGCCCAA GGAAGGTGA CTATTTTGAA AGGAATCCCA ATTAAGAAAA CTAAAAAGG	420
60	ATGTAGGAAG AGCTGTTTCTG GTTTGTTTCTM AAGTGATAGC AAAAGAGAAT CTGTGTGTAA	480

	TAAAGCAGAT GCTGAAAGTG AACCTGTTGC ACAAAAAAGT CAGCTTGATA GAACTGTCTG	540
	CATTCTGAT GCTGGAGCAT GTGGTGAGAC CCTCAGTGTG ACCAGTGAAG AAAACAGCCT	600
5	TGTAAAAAA AAAGAAAGAT CATTTAGTTC AGGATCAAAT TTTTGTCTG AACAAAAAC	660
	TTCTGGCATC ATAAACAAAT TTTGTTTCAGC CAAAGACTCA GAACACAACG AGAAGTATGA	720
	GGATACCTTT TTAGAATCTG AAGAAATCGG AACAAAAGTA GAAGTTGTGG AAAGGAAAGA	780
10	ACATTGTCAT ACTGACATTT TAAAACGTGG CTCTGAAATG GACAACAAC TCTACCAAC	840
	CAGGAAAGAC TTCACTGAAG ATACCATCCC ACGGAACACA GATAGAAAGA AGGAAAACAA	900
15	GCCTGTATTT TTCCAGCAA TATAACAAAG AAGCTCTTAG CCCCCACGA CGTAAAGCCT	960
	TTAAGAAATG GACACCTCCT CGGTCACCTT TTAATCTCGT TCAAGAAACA CTTTTTCATG	1020
	ATCCATGGAA GCTTCTCATC GCTACTATAT TTCTCAATCG GACCTCAGGC AAAATGGCAA	1080
20	TACCTGTGCT TTGGAAGTTT CTGGAGAAGT ATCCTTCAGC TGAGGTAGCA AGAACCGCAG	1140
	ACTGGAGAGA TGTGTCAGAA CTTCTTAAAC CTCTTGGTCT CTACGATCTT CGGGCAAAAA	1200
25	CCATTGTCAA GTTCTCAGAT GAATACCTGA CAAAGCAGTG GAAGTATCCA ATTGAGCTTC	1260
	ATGGGATTGG TGCACCCTGA AGACCACAAA TTAAATAAAT ATCATGACTG GCTTTGGGAA	1320
	AATCATGAAA AATTAAGTCT ATCTTAAACT CTGCAGCTTT CAAGCTCATC TGTATGTCAT	1380
30	AGCTTTGCAC TTCAAAAAAG CTTAATTAAAG TACAACCAAC CACCTTTCCA GCCATAGAGA	1440
	TTTTAATTAG CCCAACTAGA AGCCTAGTGT GTGTGCTTTC TTAATGTGTG TGCCAATGGT	1500
35	GGATCTTTGC TACTGAATGT GTTTGAACAT GTTTTGAGAT TTTTTTAAAA TAAATTATTA	1560
	TTTGACAACA ATCCAAAAAA AAAAAAAAAA AAAAAAAAAA AAAAAAAAAA AAAAAAAAAA	1620
40	AAAAAAAAAA AAAAAA	1637

(2) INFORMATION FOR SEQ ID NO: 179:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 2911 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 179:

55	GGTGGTTTTT GTTCTGCAAT AGGCGGCTTA GAGGGAGGGG CTTTTTCGCC TATACCTACT	60
	GTAGCTTCTC CACGTATGGA CCCTAAAGGC TACTGCTGCT ACTACGGGGC TAGACAGTTA	120
	CTGTCTCAGC TCTAGGATGT GCGTCTTCC ACTAGAAGCT CTCTGAGGG AGGTAATTAA	180
60	AAAACAGTGG AATGGAAAA CAGTGCTGTA GTCATCCTGT AATATGCTCC TTGTCAACAA	240

	TGTATACATT CCTGCTAGGT GCCATATTCA TTGCTTTAAG CTCAAGTCGC ATCTTACTAG	300
	TGAAGTATTC TGCCAATGAA GAAAACAAGT ATGATTATCT TCCAAC TACT GTGAATGTGT	360
5	GCTCAGAACT GGTGAAGCTA GTTTTCTGTG TGCTTGTGTC ATTCTGTGTT ATAAAGAAAG	420
	ATCATCAAAG TAGAAATTG AAATATGCTT CCTGGAAGGA ATTCTCTGAT TTCATGAAGT	480
10	GGTCCATTCC TGCCTTTCTT TATTTCTCTG ATAAC TTGAT TGTCTTCTAT GTCCTGTCCT	540
	ATCTTCAACC AGCCATGGCT GTTATCTTCT CAAATTTTAG CATTATAACA ACAGCTCTTC	600
	TATTCAGGAT AGTGCTGAAG ANGCGTCTAA ACTGGATCCA GTGGGCTTCC CTCCTGACTT	660
15	TATTTTTGTC TATTGTGGCC TTGACTGCCG GGACTAAAAC TTTACAGCAC AACTTGGCAG	720
	GACGTGGATT TCATCAGAT GCCTTTTTCA GCCCTTCCAA TTCCTGCCTT CTTTTCAGAA	780
20	ATGAGTGTCC CAGAAAAGAC AATGTACAG CAAAGGAATG GACTTTTCTT GAAGCTAAAT	840
	GGAACACCAC AGCCAGAGTT TTCAGTCACA TCCGTCTTGG CATGGGCCAT GTTCTTATTA	900
	TAGTCCAGTG TTTTATTTCT TCAATGGCTA ATATCTATAA TGAAAAGATA CTGAAGGAAG	960
25	GGAACCAGCT CACTGAARGC ATCTTCATAC AGAACAGCAA ACTCTATTTC TTTGGCATT	1020
	TGTTTAATGG GCTGACTCTG GGCCTTCAGA GGAGTAACCG TGATCAGATT AAGAACTGTG	1080
30	GATTTTTTTA TGGCCACAGT GCATTTTCAG TAGCCCTTAT TTTTGTAAC TGCATTCCAGG	1140
	GCCTTTCAGT GGCTTTCATT CTGAAGTTCC TGGATAACAT GTTCCATGTC TTGATGGCCC	1200
	AGGTTACCAC TGTCAATTAT ACAACAGTGT CTGTCCTGGT CTTTGACTTC AGGCCCTCCC	1260
35	TGGAATTTTT CTGGGAAGCC CCATCAGTCC TTCTCTCTAT ATTTATTTAT AATGCCAGCA	1320
	AGCCTCAAGT TCCGGAATAC GCACCTAGGC AAGAAAGGAT CCGAGATCTA AGTGGCAATC	1380
40	TTTGGGAGCG TTCCAGTGGG GATGGAGAAG AACTAGAAAG ACTTACCAA CCCAAGAGTG	1440
	ATGAGTCAGA TGAAGATACT TTCTAACTGG TACCCACATA GTTTGCAGCT CTCTGAACC	1500
	TTATTTTCAC ATTTTCAGTG TTTGTAATAT TTATCTTTTC ACTTTGATAA ACCAGAAATG	1560
45	TTTCTAAATC CTAATATTCT TTGCATATAT CTAGCTACTC CCTAAATGGT TCCATCCAAG	1620
	GCTTAGAGTA CCCAAAGGCT AAGAAATTCT AAAGAACTGA TACAGGAGTA ACAATATGAA	1680
50	GAATTCATTA ATATCTCAGT ACTTGATAAA TCAGAAAGTT ATATGTGCAG ATTATTTTCC	1740
	TTGGCCTTCA AGCTTCCAAA AAAC TTGTAA TAATCATGTT AGCTATAGCT TGTATATACA	1800
	CATAGAGATC AATTTGCCAA ATATTACAA TCATGTAGTT CTAGTTTACA TGCCAAAGTC	1860
55	TTCCCTTTTT AACATTATAA AAGCTAGGTT GTCTCTTGAA TTTTGAGGCC CTAGAGATAG	1920
	TCATTTTGCA AGTAAAGAGC AACGGGACCC TTTCTAAAAA CGTTGGTTGA AGGACCTAAA	1980
60	TACCTGGCCA TACCATAGAT TTGGGATGAT GTAGTCTGTG CTAAATATTT TGCTGAAGAA	2040

GCAGTTTCTC AGACACAACA TCTCAGAATT TTAATTTTTA GAAATTCATG GGAAATTGGA 2100
 TTTTGTAAAT AATCTTTTGA TGTTTTAAAC ATTGGTTCCC TAGTCACCAT AGTTACCACT 2160
 5 TGTATTTTAA GTCATTTTAA CAAGCCACGG TGGGGCTTTT TTCTCCTCAG TTTGAGGAGA 2220
 AAAATCTTGA TGTCAATTACT CCTGAATTAT TACATTTTGG AGAATAAGAG GGCATTTTAT 2280
 10 TTTATTAGTT ACTAATTCAA GCTGTGACTA TTGTATATCT TTCCAAGAGT TGAAATGCTG 2340
 GCTTCAGAAAT CATACCAGAT TGTCAGTGAA GCTGATGCCT AGGAACTTTT AAAGGGATCC 2400
 TTTCAAAGG ATCACTTAGC AACACATGT TGACTTTTAA CTGATGTATG AATATTAATA 2460
 15 CTCTAAAAAT AGAAAGACCA GTAATATATA AGTCACTTTA CAGTGCTACT TCACACTTAA 2520
 AAGTCATGG TATTTTTCAT GGTATTTTGC ATGCAGCCAG TTAACCTCTG TAGATAGAGA 2580
 20 AGTCAGGTGA TAGATGATAT TAAAAATTAG CAAACAAAAG TGAATTGCTC AGGGTCATGC 2640
 AGCTGGGTGA TGATAGAAGA GTGGGCTTTA ACTGGCAGGC CTGTATGTTT ACAGACTACC 2700
 ATACTGTAAA TATGAGCTTT ATGTTGTCAT TCTCAGAAAC TTATACATTT CTGCTCTCCT 2760
 25 TTCTCCTAAG TTTTCATGCAG ATGAATATAA GGAATATAC TATTATATAA TTCATTGTG 2820
 ATATCCACAA TAATATGACT GGCAAGAATT GGTGGAAATT TGTAATTAAA ATAATTATTA 2880
 30 AACCTAAAAA AAAAAAAAAA AAAAAGCTCGA G 2911

35 (2) INFORMATION FOR SEQ ID NO: 180:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 519 base pairs
 (B) TYPE: nucleic acid
 40 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 180:

45 GGCACGAGCC CCAGGCCAGC CAGGGCCAGG CCTACTTTGG CCACCCTTAA ATTAGAATGT 60
 GGGGTCAGGG GTCACAGAAA AGCCATTCTT CTGACCTAGT GTTTGGCGTC CGGGAAGTCT 120
 GTGCCCAACC TTCAGACCCT GCAGTCCTC ACTGAGGCCA TTGGCCCAGA GCCCGCCATC 180
 50 CCCCAGARACC CCGGGAGCC GCTGTGTGCC ACGTCCACAC CTGCCACACC CTCTGCCGGG 240
 CCCCAGCCCC TCCAACCGG GACCGTGTG GTCCCTGGGG GTCCTGCCCC ACCTTGCCTT 300
 55 GGGGAGGCAT GGGCCCTCCT CTTCCACCCC TGCCGGCCGT CACTCACCTC TTGCTTCTGG 360
 TCCCCAGGC CTAGCCCTTG GAAGGAGACA GGAGTCTAGG GAGGCTGAAG CCCACTCCCC 420
 GGGAGGCCCG TGCTCCTCCA GCCCCAGGA CAGCAAGGAA AAGAGAAGAG AGCAGAGCAT 480
 60

TTCATGGCTC TAATAAAAAA AAAAAAAAAA AAAACTCGA

519

5

(2) INFORMATION FOR SEQ ID NO: 181:

(i) SEQUENCE CHARACTERISTICS:

10

- (A) LENGTH: 968 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 181:

15

TCCCCTTGGG GCCGAAAAA GCGGGGTGG CCTGNCCATT GGTINTCCAT GCCGCCCGCC 60

CATGCCCCAG TACTAGCCTG CAGTCCCAAT GTAGCCCCCTC CCTCYTCCMA GAGCCCYTCM 120

20

AACCGCCCCG STCANTTGTG ATTCAGGAG GATTGTATGA AGATGTTAAA GCGAAAGTGG 180

AGAACCTTCT CGGGATTTC AGCCTGGA AAACGGACCC TGTTAGGCAA GCACCCTGCA 240

25

GCCCTCCCTG TCCCCTTCTT CCCCTCCCCT TCYCCCGCCC GTGGAGACAG CTGTTYTCAG 300

CAGGGCTCTC CGCAGGGAGG GGGCCGGCTC CTTCCTGGC AGCAACATCC TTGCCCTTGT 360

CACACAAGTC AGCCTCCATC TGCGCAGCTC TGTGGATGCG CTGCTGGAGG GCAACAGGTA 420

30

TGTCACCTGGC TGGTTCAGCC CCTACCACCG CCAGCGGAAG CTCATCCACC CGGTCATGGT 480

TCAGCACATC CAGCCCGCAG CGCTCAGCCT CCTGGCACAG TGGAGCACCC TCGTGCAGGA 540

35

GCTGGAGGCT GCCCTGCAGC TGGCTTTCTA CCCGGATGCC GTGGAGGAGT GGCTGGAGGA 600

AAACGTGCAC CCCAGCCTGC AGCGGCTGCA ARCTCTGCTG CAGGACCTCA GCGAGGTGTC 660

TGCCCCCCCC CTGCCACCCA CCAGCCCTGG CAGGGACGTT GCTCAGGACC CCTGAGGGGA 720

40

GAGCTCATGC CAGGGGGCTC CTGCTGGAGG CTGGGGGGGC TCTGCWYTKY CWWWTGGCCT 780

GGGCAATACG GCCCACGTGG GCGTCGTGCC CTCTGGCCCA GCAGTGTCTT GCCCACACTC 840

AGTTCCTGAG GGCCCTGGGC AGCCCTGGG GGAGAGACTA GAAAACACAG AAGGAAGCAG 900

45

CACAGGGAGA CCCGCTTGT GATCTGCATG TGTGACACTG ATTCTTTGGA AATAAAGAGT 960

GGAAGCTG 968

50

(2) INFORMATION FOR SEQ ID NO: 182:

55

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1128 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

60

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 182:

	TGTAAAAGTT ATCAGTAATC CTAATTCCTT TCCTGGGTTT TCCTTTTGTC ACTTATTAAT	60
5	CAGTTTTTGA AAGGACGAAT GAATTTAGAG ATGTACTCTG GAGCAGTATC ATGTTAAACC	120
	AGGGGTATAT TAGAAAAATC ATCCTCATAA TCATTCCTGGG AAGTMTTTC TCCCCAAAAA	180
	AAGCCATCCT GATGGGTTTT CAAAACCAGA AAAAAGCTCT TAATGAGGAA CAGACCACTG	240
10	GAGTACCCAT GAGCATCTCA GGAAACTGA GACCTCGAG AAGCCTTGAT TTCGTGCAAC	300
	CCCCAAGGTT TCAGAGCCAG CAGCCCACTG CTGTGGTTGA CAGACGTGGT TTTKTGGRGA	360
15	AAGCAGCCAG AGGCCAGGAA TTTTCAGAGT CGTGAGTCAC GRTYTCCAC CCAAGATTAG	420
	AGCAMAGATT AGCCATACTG AGATTTGGTA AAATCATCTT GTCTAAGCAA TGGAGGTGTG	480
	TGCAMACGTG CAGTGCCTGT TCACAGGGGA TGCAGGCAGA TCSYGGGTTT AGGATGGGGR	540
20	AGGCCACCGC ACCCCCYTTC AYTGCTCTGC ACCTGCTCCC TCACGTGGAC ACTGTCCACA	600
	ACTGTGGCTC TCACAGGACA GTTGCCCAAG GAGCTCATAT CTTATTGGAG ATAGGGGGTC	660
25	GTACAGGTGA CATTCATGAG CAGTGTGAGC CGGGTGACAT GGGGGTGTCA ACCCAGCATC	720
	TGTCCAGGAG CTCCTCCTGC AGCGGCTCTG GCAGGTGGCC TGAGGCTCCT TTTTGAGAGA	780
	GAACTGTTTG GCCCTCCTGT CTCCTCTCCT CTGATCTGTT CTTTCTTGGA ACACCACCCA	840
30	AGAACGTCAC CTCCTCCATC AGATTGTGAG CTCCTGGAGG GCAGGAGCTG TGTCTTCTA	900
	TTTATCTTCC TATCCCCAGA ACCTTGCACA GATCCTGGAA TGTGGTAGGT GCTCAGTAAA	960
35	TGTGTGTTGA ATAAATGAAT GAATGAATGA ACAAATGAAT GAATTTGCTT ACTTCAAGGC	1020
	AAAAGAACCA TGAAACTGTA TTTTGAGTTT CTATGTTATA GCAGTCAGCA AATCCTATTA	1080
40	AATACTTTGT GTTTCCAAGC AAAAAAAAAA AAAAAAAAAA AAACCTGA	1128

(2) INFORMATION FOR SEQ ID NO: 183:

45

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2276 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

50

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 183:

	CCGCGGCGTC TGACCTCATG GCGTAGAGCC TAGCAACAGC GCAGGCTCCC AGCCGAGTCC	60
55	GTTATGGCCG CTGCCGTCCC GAAGAGGATG AGGGGGCCAG CACAAGCGAA ACTGCTGCCC	120
	GGGTGGGCA TCCAAGCCCT TGTGGGGTTG GCGCGGCCG TGGTCTTGGC GCTCCTGCTT	180
60	GTGTCCGCG CTCTATCCAG TGTGTATCA CGACTGATT CACCGAGCCC AACCGTACTC	240

	AACTCACATA TTTCTACCCC AAATGTGAAT GCTTTAACAC ATGAAAACCA AACCAAACCT	300
	TCTATTTCCC AAATCAGCAC CACCCTCCCT CCCACGACGA GTACCAAGAA AAGTGGAGGA	360
5	GCATCTGTGG TCCCTCATCC CTCGCCTACT CCTCTGTCTC AAGAGGAAGC TGATAACAAT	420
	GAAGATCCTA GTATAGAGGA GGAGGATCTT CTCATGCTGA ACAGTTCTCC ATCCACAGCC	480
10	AAAGACACTC TAGACAATGG CGATTATGGA GAACCAGACT ATGACTGGAC CACGGGCCCC	540
	AGGGACGACG ACGAGTCTGA TGACACCTTG GAAGAAAACA GGGGTTACAT GGAAATTGAA	600
	CAGTCAGTGA AATCTTTTAA GATGCCATCC TCAAATATAG AAGAGGAAGA CAGCCATTTC	660
15	TTTTTTCATC TTATTATTTT TGCTTTTTCG ATTGCTGTTC TTTACATTAC ATATCACAAC	720
	AAAAGGAAGA TTTTCTTCTT GGTTCAAAGC AGGAAATGGC GTGATGGCCT TTGTTCCAAA	780
20	ACAGTGAAT ACCATCGCCT AGATCAGAAT GTTAATGAGG CAATGCCTTC TTTGAAGATT	840
	ACCAATGATT ATATTTTTTA AAGCACTGTG ATTTGAATTT GCTTATGTAA TTTTATTTGC	900
	TTGACTTTTT ATATGATATT GTGCAATGT TTGCCATAGG CAATTGGTAC TTAAATGAGA	960
25	GGTGAGTCTC TCTTTTGCTT TGGTGCTTTG GAAATTAAAT GTCACAAACG AGTATATAAT	1020
	TTTTTATCTG TACTTTTAGA GCTGAGTTTA ATCAGGTGTC CAAAATGTGA GTTAAACATT	1080
30	ACCTTATATT TACACTGTTA GTTTTTATTG TTTTAGATTT ATTATGCTTC TTCTGGAAGT	1140
	ATTAGTGATG CTACTTTTAA AAGATCCCAA ACTTGTAACCT AAATTCTGAC ATATCTGTTA	1200
	CTGCTGACTC ACATTCATTC TCCGCCATTC AAATACTATT TTTTATCCAC ATTTTTTTTT	1260
35	GTTCCCAAAC TGTAATGTAC AAGGATATGT GTGATAATGC TTGGGATTTC AGTAATATTT	1320
	TTTTTCTTTC CAAGAAAACCT GCTTTGGATA TTTTLAGATA ATTTAAACAT AATTTAGGAT	1380
40	AATGATATTG CTCAATCTGA CCACAATTTT AGGTAAACA TTAAATGTGT CAGAAATCTT	1440
	GGCAACAGAG ACTCTGCAGC TTGCACTGGA CATAGATAAA ATGTTACAGA GATACTATTT	1500
	TTTTGGTTGG AATTACTATA TTAAATTTAG AAGCAGAAAC TGGTAAATG TTAAATACAT	1560
45	GTACAATTGC TTTTAGTTAG CAATTGATTG TAGCATGGGT TCCTCCAAGG TTTCAAGCAA	1620
	TGGGCAGAGT TTAAAAATTAT ATCAGATTCT TTTACTTCGT TTATTATTTT ACAGTAAATT	1680
50	TGAATAAATC TTAGGGGTCA TTATCACTTA AATAATACTG TACCTAGGTC TTCAAATTA	1740
	AAATTATACC TGAATGAAGT TGTTTGTATA CATAAAGGAT ATTTGTGTAC AATTACCTTT	1800
	TTTCCCCAC ACTTGTTTTT TTTGTTTTTG TTTTATATGG CAACTGGAAA GTATTTACTA	1860
55	TGGGATTCAT TTATGCTGT CTCTCTATCA TAAAGAATTG ATCAATATGT AAATATGTGA	1920
	TTTGAACCAT GGTGACTTA CAAGTGTAC TACAGCTTTT TAGAAAACAT AGCCCTAATA	1980
60	TATGTTAAGC AGGACCGGG TGAGCCAGTG GGCTTGGCT TTATGTAGAG CTGGAAGAAG	2040

5 GCGTCCATC CTGTCTCTTG GCGGACAGT GTACTTTCCT AATAGGGAAG GGAAGCACAA 2100
TGGAAATACC CCTGAACCGT TTTATTGCAG TAATTTTTTT CATATCTGAA ACTATTATTT 2160
AATATTTTGA ATAAGATTTT AAAAAATAAA TGGCAAAGAT ATAAATCTAA AAAAAAAAAA 2220
AAAAAAAAA AAAAAAAAAA AAAAAAAAAA AAAAAAAAAA AAAAAAAAAA AAAAAA 2276
10

(2) INFORMATION FOR SEQ ID NO: 184:

15 (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 2500 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 184:

TCCAAGCTAC GCCACTCGGG CTGGGCGGTT GGGAGCGGGA GTGCAGAGCG TGGTCGTGGC 60
25 GGCGGCGGTG AGAAGAGCGA GGCGKAGGAG GGGGTGCCAT GGCCGGGCAG CAGTTCCAGT 120
ACGATGACAG TGGGAACACC TTCTTCTACT TCCTCACCTC CTCGTGGGG CTCATCGTGA 180
TCCCGGCGAC ATACTACCTC TGGCCCCGAG ATCAGAATGC CGAGCAAATT CGATTAAAGA 240
30 ATATCAGAAA AGTATATGGA AGGTGTATGT GGTACGTTTA CGGTTATTAA AACCCAGCC 300
AAATATTATT CCTACAGTAA AGAAAATAGT TCTGCTTGCA GGATGGGCAT TGTCTTATT 360
35 CCTTGCATAT AAAGTTTCCA AACAGACCG AGAATACCAA GAATACAATC CTTATGAAGT 420
ATTAAATTG GATCCTGGAG CCAAGTAGC AGAAATTAAA AAACAATATC GTTGCTGTC 480
ACTTAAATAT CATCCAGATA AAGGAGGTGA TGAGGTTATG TTCATGAGGA TAGCAAAAGC 540
40 TTATGCTGCT TTAACGGATG AAGAGTCCCG GAAAAATTGG GAAGAATTTG GAAATCCAGA 600
TGGGCCTCAA GCCACAAGCT TTGGAATGTC CCTGCCAGCT TGGATAGTTG ACCAGAAAAA 660
45 TTCAATTCTG GTTTTACTTG TATATGGATT GGCATTTATG GTTATCCTTC CAGTTGTTGT 720
GGGCTCTTGG TGGTATCGCT CAATACGCTA TAGTGGAGAC CAGATTCTAA TACGSACAAC 780
ACAGATTTAT ACATACTTTG TTTATAAAAC CCGAAATATG GATATGAAAC GTCTTATCAT 840
50 GGTTTTGGST GGAGCTTCTG AATTTGATCC TCAGTATAAT AAAGATGCCA CAAGCAGACC 900
AACGGATAAT ATTCTAATAC CACAGCTAAT CAGAGAAATT GGCAGCATTA ATTTAAAGAA 960
55 GAATGAGCCT CCACTTACCT GCCCATATAG CCTGAAGGCC AGAGTTCTTT TACTGTCTCA 1020
TCTTGCTAGA ATGAAAATTC CTGAGACCCT TGAAGAAGAT CAGCAATTCA TGCTAAAAAA 1080
GTGTCTGCC CTACTTCAAG AAATGGTTAA TGTAATCTGC CAACTAATAG TAATGGCCCG 1140
60

GAACCGTGAA GAAAGGGAGT TTCGTGCTCC AACTTTGGCA TCCCTAGAAA ACTGCATGAA 1200
GCTTTCTCAG ATGGCCGTTT AGGGACTTCA GCAATTTAAG TCTCCCCTTC TGCAGCTCCC 1260
5 TCATATTGAA GAGGACAATC TTAGACGGGT TTCTAATCAT AAGAAGTATA AAATTAAAAC 1320
TATCCAGGAT TTGGTGAGTT TAAAAGAATC AGATCGTCAC ACTCTACTGC ACTTCCTTGA 1380
AGATGAAAAA TATGAAGAGG TTATGGCTGT CCTTGGGAGT TTTCCATATG TGACCATGGA 1440
10 TATAAAATCA CAGGTGTTAG ATGATGAAGA TAGCAACAAC ATCACAGTAG GATCCTTAGT 1500
TACAGTGTG GTTAAGTTGA CAAGGCAAAC AATGGCTGAA GTATTTGAAA AGGAGCAGTC 1560
15 CATCTGTGCT GCAGAGGAAC AGCCAGCAGA AGATGGGCAG GGTGAAACTA ACAAGAACAG 1620
GACAAAAGGA GGATGGCAAC AGAAGAGTAA AGGACCCAAG AAAACTGCTA AATCAAAAAA 1680
AAAGAAACCT TTAATAAAAA AACCTACACC TGTGCTATTA CCACAGTCAA AGCAACAGAA 1740
20 ACAAAGCAG GCAATGGAG TCGTTGGGAA TGAAGCTGCA GTAAAGGAAG ATGAAGAAGA 1800
AGTTTCAGAT AAGGGCAGTG ATTCTGAAGA AGAAGAAACC AATAGAGATT CCCAAAGTGA 1860
25 GAAAGATGAT GGTACTGACA GAGACTCTGA TAGAGAGCAA GATGAAAAAC AAAACAAAGA 1920
TGATGAAGCA GAGTGGCAAG AATTACAACA AAGCATAACG CGAAAAGAGA GAGCTCTATT 1980
GGAAACCAA TCAAAAATAA CACATCCTGT GTATAGCCTT TACTTTCTCTG AGGAAAAACA 2040
30 AGAATGGTGG TGGCTTTACA TTGCAGATAG GAAGGAGCAG ACATTAATAT CCATGCCATA 2100
TCATGTGTGT ACGCTGAAAG ATACAGAGGA GGTAGAGCTG AAGTTTCCTG CACCAGGCAA 2160
35 GCCTGGAAAT TATCAGTATA CTGTGTTTCT GAGATCAGAC TCCTATATGG GTTTGGATCA 2220
GATTAAACCA TTGGAAGTTK GGAAGTTCAT GAGGCTGAAG CCTGTGCCAG AAAATCACCC 2280
ACAGTGGGAT ACAGCAATAG AGGGGGATGA AGACCAGGAG GACAGTGAGG CCTTTGAAGA 2340
40 TAGCTTTGAG GGAGGAAGAG GGAGGGAGGA AGGAAGGTGG TGGACTTAAG GCAGTTACTC 2400
TGGAATGGGA CCCACAGTGT TTTGCACCAT ATTTTGGCAA TTTTMTTTC CCGTTTTTNG 2460
45 GAAGTGTTTT CCNTNANCC CAGGAACCAT TACAGAACCG 2500

50 (2) INFORMATION FOR SEQ ID NO: 185:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1337 base pairs

(B) TYPE: nucleic acid

55 (C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 185:

60 CTTCCGGTTC TCCGGGCAGC TGCCACTGCT GTAGCTTCTG CCACCTGCCA CGACCGGGCC 60

TCTCCCTGGC GTTTGGTCAC CTCTGCTTCA TTCTCCACCG CGCCTATGGT CCCTCTTGGA 120
GCCAGCGTGG CGGGCCTGGC GGCTCCCGGG TGGTGAGAGA GCGGTCCGGG AACGATGAAG 180
5 GCCTCGCAGT GCTGCTGCTG TCTCAGCCAC CTCTTGGCTT CCGTCCTCCT CCTGCTGTG 240
CTGCCTGAAC TAAGCGGGYC CCTGGMAGTC CTGCTGCAGG CAGCCGAGGC CGCGCCAGGT 300
10 CTGCGGCTC CTGACCCTAG ACCACGGACA TTACCGCCGC TGCCACCGGG CCTACCCCT 360
GCCCAGCAGC CGGGCCGTGG TCTGGCTGAA GCTGCGGGG CGCGGGGCTC CGAGGGAGGC 420
AATGGCAGCA ACCCTGTGGC CGGGCTTGAG ACGGACGATC ACGGAGGGAA GGCCGGGGAA 480
15 GGCTCGGTGG GTGGCGGCCT TGCTGTGAGC CCCAACCCTG GCGACAAGCC CATGACCCAG 540
CGGGCCCTGA CCGTGTGAT GGTGGTGAGC GCGCGGTGC TGGTGTACTT CGTGGTCAGG 600
20 ACGGTCAGGA TGAGAAGAAG AAACCGAAAG ACTAGGAGAT ATGGAGTTTT GGACACTAAC 660
ATAGAAAATA TGAATTGAC ACCTTTAGAA CAGGATGATG AGGATGATGA CAACACGTTG 720
TTTGATGCCA ATCATCCTCG AAGATAAGAA TGTGCCTTTT GATGAAAGAA CTTTATCTTT 780
25 CTACAATGAA GAGTGAATT TCTATGTTTA AGGAATAAGA AGCCACTATA TCAATGTTGG 840
GGGGGTATTT AAGTTACATA TATTTTAACA ACCTTTAATT TGCTGTTGCA ATAAATACCG 900
30 TATCCTTTTA TTATATCTTT ATATGTATAG AAGTACTCTR TTAATGGGCT CAGAGATGTT 960
GGGGATAAAG TATACTGTAA TAATTTATCT GTTTGAAAAT TACTATAAAA CGGTGTTTTC 1020
TGATCGGTTT TGTTCCTG CTTACCATAT GATTGTAAAT TGTTTTATGT ATTAATCAGT 1080
35 TAATGCTAAT TATTTTGTCT GATGTCATAT GTTAAAGAGC TATAAATTCC AACCAACCAAC 1140
TGGTGTGTAA AAATAATTTA AAATTCCTT TACTGAAAGG TATTTCCCAT TTTTGTGGG 1200
40 AAAAGAAGCC AAATTTATTA CTTTGTGTTG GGGTTTTTAA AATATTAAGA AATGTCTAAG 1260
TTATTGTTTG CAAAACAATA AATATGATTT TAAATTCTCT TAAAAA AAAAACC 1320
CCGGGGGGGG GCCCGGN 1337
45

(2) INFORMATION FOR SEQ ID NO: 186:

50

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 941 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

55

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 186:

GGCACGAGCC TGGACGAGC AGCCACCGCC GCGTCCCTCT CTCCACGAGG CTGCCGCTT

60

60

GGAGGCTGAG GCAGGAGAAT CGTTTGAATC TGGGAGTTGG AGGTTGTGAG TGAGCTGAGA 600
TCGCGCCACA GCACTCCAGC CTGGGTGACA GGGTGAGACT CTGTCTCAA NAGA 654

5

(2) INFORMATION FOR SEQ ID NO: 188:

10

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1848 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

15

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 188:

20 GAAACTGGAC CGGAGAACCG GAGCGAAGCG AAGCGGAAGC CCGGAATGAG GCCGGACTGG 60
AAAGCCGGAG CGGGGCCAGG CGGGCCTCCC CAAAAGCCTG CCCCTTCATC CCAGCGGAAA 120
CCGCCGGCCC GGCCGAGCGC GCGGCCCGCT GCGATTGCAG TCGCGGCGGC GGAGGAAGAG 180
25 AGACGGCTCC GGCAGCGGAA CCGCCTGAGG CTGGAGGAGG ACAAACCGGC CGTGGAGCGG 240
TGCTTGGAGG AGCTGGTCTT CGGCGACGTC GAGAACGACG AGGACGCGTT GCTGCGGCGT 300
CTGCGAGGCC CGAGGGTTCA AGAACATGAA GACTCGGGTG ACTCAGAAGT GGAGAATGAA 360
30 GCAAAAGGTA ATTTTCCACC TCAAAGAAG CCACTTTGGG TGGATGAAGA AGATGAAGAT 420
GAGGAAATGG TTGACATGAT GAACAATCGG TTTCGGAAGG ATATGATGAA AAATGCTAGT 480
35 GAAAGTAAAC TTTCGAAAGA CAACCTTAAA AAGAGACTTA AAGAAGAATT CCAACATGCC 540
ATGGGAGGAG TACCTGCCTG GGCAGAGACT ACTAAGCGGA AAACATCTTC AGATGATGAA 600
AGTGAAGAGG ATGAAGATGA TTTGTTGCAA AGGACTGGGA ATTTTCATATC CACATCAACT 660
40 TCTCTTCCAA GAGGCATCTT GAAGATGAAG AACTGCCAGC ATGCGAATGC TGAACGTCTT 720
ACTGTTGCTC GGATCTCCAT CTGTGCAGTT CCATCCCGGT GCACAGATTG TGATGGTTGC 780
45 TGGGATTAGA TAATGCTGTA TCACTATTTT AGGTTGATGG GAAAACAAAT CCTAAAATTC 840
AGAGCATCTA TTTGGAAAGG TTTCCAATCT TTAAGGCTTG TTTTAGTGCT AATGGGGAAG 900
AAGTTTTAGC CACGAGTACC CACAGCAAGG TTCTTTATGT CTATGACATG CTGGCTGGAA 960
50 AGTTAATTC TGTGCATCAA GTGAGAGGTT TGAAAGAGAA GATAGTGAGG AGCTTTGAAG 1020
TCTCCCCAGA TGGGTCCTTC TTGCTCATAA ATGGCATTGC TGGATATTTG CATTTGCTAG 1080
55 CAATGAAGAC CAAAGAACTG ATTGGAAGCA TGAAAATTAA TGAAGGGTT GCAGCATCCA 1140
CATTCTCTTC AGATAGTAAG AAAGTATACG CCTCTTCGGG GGATGGAGAA GTTTATGTTT 1200
GGGATGTGAA CTCAAGGAAG TGCCTTAACA GATTTGTTGA TGAAGGCAGT TTATATGGAT 1260
60

TAAGCATTCG CACATCTAGG AATGGACAGT ATGTTGCTTG TGGTTCTAAT TGTGGAGTGG 1320
TAAATATATA CAATCAAGAT TCTTGTCTCC AAGAAACAAA CCCAAAGCCA ATAAAAGCTA 1380
5 TAATGAACCTT GGTACAGGT GTTACTTCTC TGACCTTCAA TCCTACTACA GAAATCTTGG 1440
CAATTGCTTC AGAAAAATG AAAGAAGCAG TCAGATTGGT TCATCTTCCT TCCTGTACAG 1500
TATTTTCAAA CTTCCTCAGT ATTAAAAATA AGAATATTTC TCATGTTTCAT ACCATGGATT 1560
10 TTTCTCCGAG AAGTGGATAC TTTGCCTTGG GGAATGAAAA GGGCAAGGCC CTGATGTATA 1620
GGTTCACCA TTAATCAGAC TTCTAAAGAG ACTATTTGAA GTCCAGTTGA GTCACAAGAG 1680
15 AAGCCTGTCT TGATATATCA TCTCAGAAAC TTTCTGAAT ATGTGATAAT ATATGGAAAA 1740
TGATTTATAG ATCCAGCTGT GCTTAAGAGC CAGTAATGTC TTAATAAACA TGTGGCAGCT 1800
TTTGTTTGAA AAAAAAAAAA AAAAAAAAAA AAAAAAAAAA AACTCGA 1848
20

(2) INFORMATION FOR SEQ ID NO: 189:

25

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1146 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

30

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 189:

AAAAAAAAACC CAGGGGAACN TTGGGGGCCG CTTTNNNTTC CCCCTCCAGG CCATTGGGGA 60
35 ATTCTTCAAG TTAATCCTGC TTGCTCTTG GCCAACAGGG CTTGTAGGGG GGAGAGACCC 120
AGGATCATCA AGGGGTTGCA GTGCAAGCCT CACTCCAGC CCTGGCAGGC AGCCCTGTTT 180
40 GAGAAGACGC GGCTACTCTG TGGGGCGACG CTCATCGCCC CCAGATGGCT CCTGACAGCA 240
GCCCACTGCC TCAAGCCCCG CTACATAGTT CACCTGGGGC AGCACAACCT CCAGAAGGAG 300
GAGGGCTGTG AGCAGACCCG GACAGCCACT GAGTCCTTCC CCCACCCCGG CTTCAACAAC 360
45 AGCCTCCCCA ACAAAGACCA CCGCAATGAC ATCATGCTGG TGAAGATGGC ATCGCCAGTC 420
TCCATCACCT GGGCTGTGCG ACCCCTCACC CTCTCCTCAC GCTGTGTAC TGCTGGCACC 480
50 AGCTGYCTCA TTTCGGGCTG GGGCAGMACG TCCAGCCCCC AGTTACGCCT GCCTCACACC 540
TTGSGATGCG CCAACATCAC CATCATTGAG CACCAGAAGT GTGAGAAGCG CTACCCCGGC 600
AACATCACAG ACACCATGGT GTGTGCCAGC GTGCAGGAAG GGGGCAAGGA CTCCTGCCAG 660
55 GGTGACTCCG GGGGCCCTCT GGTCTGTAAC CAGTCTCTTC AAGGCATTAT CTCCTGGGGC 720
CAGGATCCGT GTGCGATCAC CCGAAAGCCT GGTGTCTACA CGAAAGTCTG CAAATATGTG 780
60 GACTGGATCC AGGAGACGAT GAAGAACAAT TAGACTGGAC CCACCCACCA CAGCCCATCA 840

CCCTCCATTT CCACCTGGTG TTTGGTTCCT GTTCACTCTG TTAATAAGAA ACCCTAAGCC 900
 AAGACCCTCT ACGAACATTG TTTGGGCCTC CTGGACTACA GGAGATGCTG TCACTTAATA 960
 5 ATCAACCTGG GGTTCGAAAT CAGTGAGACC TGGATTCAAA TTCTGCCTTG AAATATGTG 1020
 ACTCTGGGAA TGACAACACC TGGTTGTTC TCTGTTGTAT CCCCAGCCCC AAAGACAGCT 1080
 10 CCTGGCCATA TATCAAGGTT TCAATAAATA TTTGCTAAAT GAAAAARAAA AAAAAAAAAA 1140
 ACTCGA 1146

15

(2) INFORMATION FOR SEQ ID NO: 190:

(i) SEQUENCE CHARACTERISTICS:
 20 (A) LENGTH: 906 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

25 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 190:

ACTCCCTCAC CCAGGTCCCA GCCCTGGGAA CCACCTACCG TGAGCCCTTT TGCAGATATA 60
 GACTCATTTG ATCTCAGAT GGTCTTCAA GGTAGTACT TTAGTCCCAT TTTAGAGATG 120
 30 AGACGATTGA GGCCAGAGGG GTGNNGTAAC TTGCCTGGGG GCTCACGAGC ACAAAGGAG 180
 CCGAGGCAGG ATCTGACCCT TGTCTCTGG CCTCACTGCC CTCACCTTGC CATGACCCGA 240
 35 AGTTATGTCC CTACAAAGCA ATGCATGGTC CAAGGYTCTT TTTATTGTAT TTTTATTTT 300
 AAGGGTCCTG TTCAAACTG GTGTGAGCTC TGAGGAGTCC TGAACCCTGG GTGCAGCATC 360
 CTAGCATCCT GGGAGTCTTT TTCTGCCAC ACTGAGCTGG GCTCCTCGAG GGGTGGGGCT 420
 40 GCTGTCCCTG GAAGCCTGGC AGCAGCACTG TATCGGGTTG GCTGAAGCTG ARCGCCGTGG 480
 GGTGCAGGGC TCCMGAATC CCCGTTTGGC TGAAGGGGTT CCCTGTAGCC MGGGATGTTT 540
 45 ATGAGGTCTC TCTGATGCCC CAGGCGCAGG ACATGTGTGC GGGTGGAGAA AAGCAGGCCC 600
 TTTCAGTGCC AGCTCCACTC AATTTCTATG TGGACCAAGA ACGATAAACT TAAAAAATTT 660
 TTTTCTCTAA GGTATCTTCA GAATATGGTG TATTTTATG TGGAAAAGAA AAGTTATGAA 720
 50 GGCAGCTGTT ACTTTAAGAG AAAATTCATT AAAAGTCCTC GAGGTATGAA GATGACGGCG 780
 TGCTTCTCAA TCATTTTGGC ATAACCTGAT TGTGGCTGTA ATTTTTTTTT TTTTTTTTGT 840
 55 CAAGCATGTC AGACAATAAA GTCTTTGTAA AAAGRGAAAA AAAAAAAAAA AAAAAAAAAA 900
 ACTCGA 906

60

(2) INFORMATION FOR SEQ ID NO: 191:

(i) SEQUENCE CHARACTERISTICS:

- 5 (A) LENGTH: 1941 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

10 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 191:

CTTCAGCTGA AGCCAGGGA CCCCTTTTCC ACCCTGGGCC CCAATGCCGT CCTTTCCCCG 60
CAGAGACTGG TCTTGGAAC CCTCAGCAA CTCAGCATCC AGGACAACAA TGTGGACCTG 120
15 ATTCTGGCCA CACCCCTT CAGCCGCTG GAGAAGTTGT ATAGACTAT GGTGCGCTTC 180
CTCAGTGACC GAAAGAACCC GGTGTGCCG AGATGGCTGT GGTACTGCTG GCCAACCTGG 240
20 CTCAGGGGA CAGCCTGGCA GCTCGTGCCA TTGCACTGCA GAAGGGCAGT ATCGGCAACC 300
TCCTGGGCTT CCTAGAGGAC AGCCTTGCCG CCACACAGT CCAGCAGAGC CAGGCCAGCC 360
TCCTCCACAT GCAGAACCCA CCTTTGAGC CAAYTAGTGT GGACATGATG CGGCGGGCTG 420
25 CCGCGCGCT GCTTGCCTTG GCCAAGGTGG ACGAGAACCA CTCAGAGTTT ACTCTGTACG 480
AATCACGGCT GTTGACATC TCGGTATCAC CGTTGATGAA CTCAKTGGTT TCACAAGTCA 540
30 TTTGTGATGT ACTGTTTTG NATTGCCAG TCATGACAGC CGTGGGACAC CTCCCCCC 600
CGTGTGTGTG TCGTGTGTG GAGAACTTAG AACTGACTG TTGCCCTTTA TTTATGCAA 660
ACCACCTCAG AATCCAGTTT ACCCTGTGCT GTCCAGCTTC TCCCTTGGGA AAAAGTCTCT 720
35 CCTGTTCTC TCTCTCCTT CCACCTCCCC TCCCTCCATC ACCTCAGCC TTTCTGTTC 780
TTGTCTCAC CTTACTCCCC TCAGGACCCT ACCCCACCCT CTTGAAAAG ACAAAGCTCT 840
40 GCCTACATAG AAGACTTTTT TTATTTTAAC CAAAGTTACT GTTGTTTACA GTGAGTTTGG 900
GGAAAAAATA TAAATAAATA ATGGCTTTCC CAGTCCTTGC ATCAACGGGA TGCCACATTT 960
CATAACTGTT TTTAATGGTA AAAAAAATA AAAAAAATAC AAAAAAAT TCTGAAGGAC 1020
45 AAAAAAGGTG ACTGCTGAAC TGTGTGTGGT TTATTGTTGT ACATTCACAA TCTGTCAGGA 1080
GCCAAGAAGT TCGCAGTTGT GAACAGACCC GTTCACTGG AGAGGCCTGT GCAGTAGAGT 1140
50 GTAGACCCTT TCATGTACTG TACTGTACAC CTGATACTGT AACATACTG TAATAATAAT 1200
GTCTCACATG GAAACAGAAA ACGCTGGGTC AGCAGCAAGC TGTAGTTTTT AAAAATGTTT 1260
TTAGTTAAAC GTTGAGGAGA AAAAAAATA AGGCTTTTCC CCCAAAGTAT CATGTGTGAA 1320
55 CCTACAACAC CTGACCTCT TTCTCTCCTC CTTGATTGTA TGAATAACCC TGAGATCACC 1380
TCTTAGAACT GGTTTTAACC TTTAGCTGCA GCGNCTACGT CNAWCGNTGT GTATATATAT 1440
60 GACGTKGTAC ATTGCACATA CCCTGGATC CCCACAGTTK GGTCTCTCTC CCAGCTACCC 1500

CTTTATAGTA TGACGAGTTA ACAAGTGGT GACCTGCACA AAGCGAGACA CAGCTATTTA 1560
 ATCTCTTGCC CAGATATCGC CCCTCTGGT GCGATGCTGT ACAGGTCTCT GTAAAAAGTC 1620
 5 CTGCTGTCT CAGCAGCCAA TCAACTTATA GTTATTTTTT TTCTGGGTTT TTGTTTTGTT 1680
 TTGTTTTCTT TCTAATCGAG GTGTGAAAAA GTTCTAGGTT CAGTTGAAGT TCTGATGAAG 1740
 10 AAACACAATT GAGATTTTTT CAGTGATAAA ATCTGCATAT TTGTATTTC AATGTAGC 1800
 TAAACTTGA TGTAATTC TCCTTTTTT CCTTTTTGG CTTAATGAAT ATCATTATT 1860
 CAGTATGAAA TCTTTATACT ATATGTTCCA CGTGTTAAGA ATAAATGTAC ATTAAATCTT 1920
 15 GGTAAGACTT TAAAAA A 1941

20

(2) INFORMATION FOR SEQ ID NO: 192:

(i) SEQUENCE CHARACTERISTICS:

25

- (A) LENGTH: 2118 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 192:

30

AAATAATAAT AANAATAAAT AAAAATWAAG TGCTTAKTGT AACTCAGCGG ACAGGGCTCC 60
 CAGCTGCTCT GGCACGTGGG ACACCYTCCA CCCTGCACAC AACAGGCATG CAAAGAGGAC 120
 35 TGGATATGGT GGGGTAGAGT GCTTCTGGTG TGTTCACTTT AAGAAAACAT CTGCCAAGAG 180
 AGAAGAGTGC CCAGGAAAGA CCAGGAAAAT ACAAGTACAT GGCTGCTTCA TACCATATAC 240
 CCCAATTCTT TAAAGCAGCA AAAGGCACTT TTTTTTTCAG GCCAGAGTGA ATCTAAAACA 300
 40 AACCTGGCTT TGCTTACAGG GAAGCTGTCC CAGAAGGACT GAGTGATGCC TCTGTTCCTC 360
 TAAGGTCTGG AGAGTCTTTG CAAGTTTCCA ACGACATTTT CAACCAGGTG GGAGAGACCA 420
 45 GCAGTTGACG AGACAAGTCA GACCCAAAAA ACGACGCCAA GGTAGTGAGT GGGTGCCTAT 480
 TTGGGAGTAG GATGATTGGA GGAAACAGG AAGAAAACC GGTGAGAAAG TGGCACTTTG 540
 GAAGTGAAA GCTGTTTGCA AATAGCAACT CTGGCTAAAG CGAAAATGTT AATCAAGTAG 600
 50 AAAGTAAAT TCAGGATCTT AGAAGCTCAT CCTTCTGATG AGAACTATTT TTTTTCCGT 660
 GAAGGAAC TAATTACTTT AAAAGTGAGG GTAATTTACA TATGGGTGT ATATATTCTA 720
 55 AAAATAGTAA TAAAGTACC TTTTATAAGC AATGTTGTGT GGCTGTAGA AGAAAGCAGG 780
 GAGGAAAAA AGGCAGGCAA AACTAGTCTA GGTCTAGGCC CTAAAAATGA GCTTCCTTCC 840
 CACTTGACTG GAAACGCCCA TGTGATTTCT AGGCTGAAAA TAGGTAGGAT TTAACGAGTA 900
 60

ACCTAGTTC CTTCTGTCTC TGATTCTGA TCAGCTGATG GAGCTGCTAG TAAGAGGGGC 960
 CGATCATGCT CCCAGACGAG TCCTTTGGCC TCTTGCTCTC CATCCCAAGC CTGACTCCTT 1020
 5 CAGCAGCAGC CCCCTCCTTC TGTGTCCATC TGATGCAGGC AAGCAGGAGC AGTAAGAGGG 1080
 CATCCCATGT TCCAGTTCAC CTTCTATGGG GTGACTARGA GGTTCCTGGT AACTAGGGCA 1140
 10 GCCCARGCCC AGCAGGTTGC AAAAGCAGCT GCAAGCTTCA GAAACCCACT TCCTCCAACA 1200
 CCAGGGAGGT GGCAGAGAGC CCATCCAAAA GCCCCTGGG AGAGGCATAA GATTCTGTGC 1260
 CAGGCCCCCA GGTCCCCTCT GTGTCAGGTA GGCTCTGCTA CTGGCCTCTG AAGTAAAGGC 1320
 15 AAANACAAAC GGGCAGGGCA GGGTGGCAGG AATAAAAAAC TCTGGACAGA AACCTTTTAA 1380
 ATAAAGGAAA TTCCACCCCT CCCAATCCTT CCATGGAAGG GTGAGACCTT AATGTGATGT 1440
 AAGAGGAAGG TCTTCTCTGG CTTTCAGGGA AACAGCTGCA GCTGAACTT AGGGGCCCAT 1500
 20 TCCAGGGCAC TTTTCACCAC AGCCAGTGCA GCGCTCCAA GTGCCACTGT CAGCCCCATC 1560
 ACTGCCAATT TCACAAAGCG GTTGGTCCTT GGCTTGGTCA GGACATCTTT TGTTCGATCT 1620
 25 TCAGGCCGCA GAAGTCCCCG AANACCGCTG CCGCAGCACC ATATCAGGCC TCTGCTGGGC 1680
 TGATGCCAGC TCAAAGTCTT TGAAAGTAGA GGCTGCCGTC CTCTCAGCTT GCTGTTGGGC 1740
 AGCGGCCTCC CGAGCAAGTT CGGATGGGGG AACTGAACA AAAAGGTCTC CTSTCTGCTG 1800
 30 ATCAGTGTCT CATAGGCAA GTCTGAGGG ATCTGGGACA ACAGGTGGTG GACCGAGGCC 1860
 ATGTCACAGT CACAGTCCAG GACTTCCTGC TCGCGATACA ACACAATCAC GGCTGCAAAG 1920
 35 TAAATCGGCA TCAGTGGGTG GCAGGCCAGG AAGAAGTCAT ATAACCGCAC GACGTGCCTG 1980
 AAGTCAGACA GGACATGCCC AAACCAGGTG ATGAGCCAGC TGAGGGCAA GATGGTCCCT 2040
 ACCTCAGCAC TCTGCATGAA GTCATGGAGC TCTGGATTCA CCTGGTCAAT GATGGGCATC 2100
 40 AGATAGTTTA ATATATGC 2118

45

(2) INFORMATION FOR SEQ ID NO: 193:

(i) SEQUENCE CHARACTERISTICS:

50

- (A) LENGTH: 1538 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 193:

55

CCGGGTTCGG CTCTGTGTCA GCAGCCGGGC GCGCTCGGG CGGGACATGG CAGCCTGTAC 60
 AGCCCGGCGG CCTGGCCGTG GGCAGCCGCT GGTGGTCCCG GTCGCTGACT GNGGCCCGGT 120
 60 GGCCAAGGCC GCTCTGTGCG CGGCCGNAGC TGGAGCCTTC TCGCCAGCGT CGACCACGAC 180

5 GACGCGGAGG CACCTCTCGT CCCGAAACCG ACCAGAGGGC AAAGTGTGG AGACAGTTGG 240
 TGTGTTTGAG GTGCCAAAAC AGAATGGAAA ATATGAGACC GGGCAGCTTT TCCTTCATAG 300
 CATTTTGGC TACCGAGGTG TCGTCTGTT TCCCTGGCAG GCCAGACTGT RTGACCGGGA 360
 TGTGGCTTCT GCAGCTCCAG AAAAAGCAGA GAACCTGCT GGCCATGGCT CCAAGGAGGT 420
 10 GAAAGGCAAA ACTCACACTT ACTATCAGGT GCTGATTGAT GCTCGTGA CTGACATAT 480
 ATCTCAGAGA TCTCAGACAG AAGCTGTGAC CTTCTTGGCT AACCATGATG ACAGTCGGGC 540
 CCTCTATGCC ATCCCAGGCT TGGACTATGT CAGCCATGAA GACATCCTCC CCTACACCTC 600
 15 CACTGATCAG GTTCCCATCC AACATGAACT CTTTGAAAGA TTTCTTCTGT ATGACCAGAC 660
 AAAAGCACCT CCTTTTGTGG CTCGGGAGAC GCTAAGGGCC TGGCAAGAGA AGAATCACCC 720
 20 CTGGCTGGAG CTCTCCGATG TTCATCGGGA AACAACTGAG AACATACGTG TCACTGTCAT 780
 CCCCTTCTAC ATGGGCATGA GGAAGCCCA GAATTCACAC GTGTACTGGT GGCCTACTG 840
 TATCCGTTTG GAGAACCTTG ACAGTGATGT GGTACAGCTC CGGGAGCGGC ACTGGAGGAT 900
 25 ATTCAGTCTC TCTGGCACCT TGGAGACAGT GCGAGGCCGA GGGGTAGTGG GCAGGGAACC 960
 AGTGTTATCC AAGGAGCAGC CTGCGTTCCA GTATAGCAGC CACGTCTCGC TGCAGGCTTC 1020
 30 CAGTGGGCAC ATGTGGGGCA CGTTCCGCTT TGAAAGACCT GATGGCTCCC ACTTTGATGT 1080
 TCGGATTCCCT CCCTTCTCCC TGGAAAGCAA TAAAGATGAG AAGACACCAC CCTCAGGCCT 1140
 TCACTGGTAG GCCAGCTGAG GCCCCAAGTG CCCAGGCTTG GTCACCGGGA AGAACAACTC 1200
 35 TCATCCACA ATTGCTGCAG AACTCTTCTC TCCCCATCAT GGGCCACAGT GGGTCTCTTA 1260
 ATTTGATTGT GGGGTTCTTT TTGTGGGGAG GGGTGGTATA ACTTTTCTTC AGAAGACCCA 1320
 40 TGTGGGACAC CTCCAAGGCT GGCTCTCTCA TAAGCCCTGC CTACACCATG TTCCAGTAAA 1380
 CCTCTCCACC AAGGAACTGT GTTCAGCTGC CACAGGCCTG GAGGAGTTTC CTGGCCTGTC 1440
 ACGTGAGGTT TGATCAGTAA ACCAGTGCAS GYTTGGCCAA AAAAAAAAAA AAAAAAAAAA 1500
 45 AAAAAAAAAA AAAAAAAAAA AAAAAAAAAA AAATCTGA 1538

50

(2) INFORMATION FOR SEQ ID NO: 194:

(i) SEQUENCE CHARACTERISTICS:

55

- (A) LENGTH: 1098 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 194:

60

AGACCCTGTC TCAAATAATA ATAATAATAA TAATCTTATT TTGGAGAATA AAGAGACCTS 60
 TGGATTGAG GTGCCATTG GGTAGAAAGA AAAGACGTTT ACACCGAGAA ATAGTCTGTG 120
 5 TTGCCCTGAA GGAGCAGAGG GATGCATCGC TGGAGGTGAC CTACAGTTGA AGAAGACTCA 180
 TTATGACAGA CCTGTGCTT CTTCTGTGTG GAAAGTGTTT CCTCTGCTGC TACTGCTCAT 240
 GAGACTCTTC CCCCTCCCTG TCCCAGGGAA CCAAAGGGCT TTNCTACCAC ACCCTTTCTT 300
 10 NGCCCCCGC CTCCCATGTC TGCTGTGCCT TTGTACTCAG CAATTCTTNG TTTGCTCCCA 360
 TTATCTTCCA GCCGGATACA GAGTGAATAG TTAACCACAC TTAGGTCAAA TAGGATCTAA 420
 15 ATTTTGTGTC CTGCTCCNGT GTAAAGAGGC CAGTGTMTGT GTGTTGCAAG CAGCCTTGGA 480
 ATAGTAACTC TTCTCATTTG TTGGGATCT GGCCAMCAAG TTCCAGAATG ATACACGGAT 540
 CAGTGCAGAA GTTCATCAGG CTCTCGGACC TTAGGGCTGT TGGAGAAGGC TTCAGCAGCA 600
 20 GAACTGATGG TKAWKGYTCG TGTCTCCAT COTCAACTTT CTTTGCTTCG ATCATAACA 660
 AGAATACATT TGGAGGGCA AAAAATGAAC ACTGTTGTTT ATTCAGCCG TGTTTGTGA 720
 25 CACAGATGCA CAGTCTGCTG TGAAGACCTT CTCTCAAGTG GSATYTGGA GTCCATGCCA 780
 GATCATGGTG CTTCATGAGA GACTGACAGC TATCAGGGGT TGTGGCACTT AGTGAGGACT 840
 CTCCTCCCCC AGTGTGTGCT GATGACACAT ACACACCTGA CAATAGCTTG AGTCTTCTCT 900
 30 GTTCTTTTA CTCTGTAGCC AACATACACA TGATTTAAAA CCCTTTCTAA ATATCTATCA 960
 TGGTTCATCC TTGTCCAAAT GCAGAGTCAG AGCTATTTGT ACTTCATTAT TATTTCCAAG 1020
 35 GCGAATAGTT GGCTTTCTTT TTGCAAAAAT AATTAAAGTT TTTGTATGTT GCAAAAAAAA 1080
 AAAAAAAA CTACGTAG 1098

40

(2) INFORMATION FOR SEQ ID NO: 195:

45 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1001 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

50 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 195:

GAATTCGGCA CGAGATAGCT TGCATCTCAT CCCAGTAAAA CCACTTATTT ATAACATATC 60
 AACGTATTGA CAAGGTTGAA GAGCAAGATT GTTCTGAGGT GAGATGCAA TTTCAAAGGG 120
 55 GTGAGCACTA ATTGTTCCAG TGATTGTTTA TTTATTGGCT AGGACATAAT TACTCTCTTT 180
 GAGGTTACAC ATCTGCCTCC AGGTTCTGT GTGCTTGTC CCTGGGATC AGGCCAGGGC 240
 60 AGACTGTGAT CACTGAGATT CAAACTCCCA GARTAAATCAG CAAGAGCTTT CTAGAGACCA 300

AGGCCAGGCC TGATCCCTGA GGGATGCATG AGAAGGCTTG GAATCTCATT CTGCTATGGT 360
 GGCTCTCTCT TGATCTTCTT GGAGTAGCAA AAACAGCAAT GTGGGCCCAA TGGTGTGGCC 420
 5 TAAATGATCA CAAAGGTAAA TGAGTAAAGG GCTCAGCAGA TGAGTAAAGG GCCTTGTCTT 480
 GAGAAATTAG CACTGGGCTC TGCATTGAGA AACATGTGAT AAGCATTGCC CATTGCACAT 540
 10 TGCCTTTATT GTGTAAGGAC ATGAAATTCC AGTTTTGCAT AGCTAGTGAT GAATACCTGA 600
 AGGGAATTGC AGACATATTT TATTTTATTT TTAATTGACA GATGGAATTG TATATATTTA 660
 TCATGTACAT AATCATGCTT TAAATATGT ACATTATGGA ATGGCTAAAT CAACTAACC 720
 15 TAGGCATTAT CTCATATAAT TGTCATTTTT GTGGCGAGAA GACTAAAAAT CTACCCTTTC 780
 AGCATTTTTA AAGAATACAA TGTGTTTTAT TAACAACAGT CACCATTGGG TACACTAGAT 840
 20 CTCTTGAAGT TCTTCCTCTT ATCTAACTGA GATCTGTGTA CCTTTGATAA CAGCTCCCAA 900
 GCCCTTCCCC AACCCTGCTT CCACCCGTGG TAACCACCAT TCTATTCTCA ACTTCCTGGT 960
 AATCACCATT CTAGACACAG GGAAGACTCT CTACCCTCTG A 1001
 25

(2) INFORMATION FOR SEQ ID NO: 196:
 30

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1443 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 35 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 196:

ATAAACTGAA ATAGGTCATG CAAATATAAA ATATTATTTT TAAATTATTT GTCATAAGAA 60
 40 ACGATGGTGG CCATATTTTG CTTTAATAAT GGAAAAAATG TGGTTAGCAT TCTKTGGAAG 120
 GTGGTCATCA GATAGTAGAC ATTTTCTAGG ATTTATTTCT ACCTGCATAT GTGGAAATGT 180
 45 GTACTACTTT AGATTTATWT AATGGCAGCT AACTCAGAGG CATCAAAATG TGCTAATGGT 240
 GTAATATGGC CTTTGTCTTG CTGTCTGTTT TTGTARGCCT TCAATCAAGC ARGGGCAGGG 300
 CCGTACAGTG AACTTGTCTT TTGSCAGAGC CCAGCGTCTG CCCCTGACCC CGTCTCCACT 360
 50 CTCTGTGTCC TGGAGGAGGA GCCCCTTGAT GCTTACCCTG ATTCACCTTC TCGTGCCTT 420
 GTACTGAACT GGAAGAGCC GTGCAATAAC GGATCTGAAA TCCTTGCTTA CACCATTGAT 480
 55 CTAGGAGACA CTAGCATTAC CGTGGGCAAC ACCACCATGC ATGTTATGAA AGATCTCCTT 540
 CCAGAAACCA CCTACCGGTG AGTGCAAGGG AGTAGAAATC TGCATCAGCA CATCAGCACT 600
 TGGGGATCTA AGTAAACCTC TCGGGGAAAA TGACCAAGTG GATGTCATCT CCCAGCTGTT 660
 60

	TCTAAGAGCC CAGATGTCCA GAGTATTGTC TCACCTTGAT CCCTCAGGTC AGAAGACCTG	720
	TGAAAAAGCC ACACTGGTTC AGGGAATCAC TGGACGGTTT TGTGTCCACT TTAACATGCA	780
5	CCGTCTCTAC CCCAGAGTGG ACTCARATCC TCAAGTCTTC CTCTGACAT TGTGTGAGA	840
	AATTATAAAA GGGCTTTGGC AATATGTTAG CCCAAGATT TGGCTTCTTC CAAAAATTGT	900
	CCCACNTTA ACAGTGGCTT AAATGATGGT AAAACTTTTA AGATTCTTAA AAGGTGGCA	960
10	TTGGAGATAC GTTGACTTTT ATTAAACMAC CTATAGTGT TTAATGATT CTAAAAAAT	1020
	ATCTGGAGCT CAGGGGTTC ACTGAGGGAA CACATGTGA GRATCATTT TTAATAATTA	1080
15	AATGCCAGGT AACCCGTGA AATTATCAAA AACATCTTCC ACGTACCAGA AAGTACCTCA	1140
	GAGGATAGTT CTGTTATGGA GAAGATGAAA TGGTTTACTA GTGTAGGAC TATGGAAAGG	1200
	TGAGCTTAGA TTTGGATAGT AAAACCTCAA GACCTATTT AAAAAGTATT TTAAGATGC	1260
20	AGCATAAATA ATTTAATTCA GTGTTAANAT GCCAAGGCTA GTATATTGAG CTGAATGTGA	1320
	AAAGAACTC ACATTGGGAG AATGCCACCT TTTCTTATA AGATAGCTTT GAAGATACCA	1380
25	TTTTAGACAG ATGGAAATTG AATAGCTTTA GAAAGGCCAA ATGTTTGATC TTGGGGAAAA	1440
	AAA	1443

30

(2) INFORMATION FOR SEQ ID NO: 197:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1282 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

35

40 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 197:

	GAAAAAAAAA AGTATGACCC AGTAGCTAGG CACCTGTGGC CCCGCCAAT TCAACATAA	60
	AATTAAGTGT CACAGTATCA TCTTAGAAGT GAAAGAGCC CTTTATCTT GCATGCCCC	120
45	TCTACCACCA CCTACTGACA AAGAACATGG TGCTATCTGG CATGGGAGAA ATGTTCAATT	180
	TGCTATGGCT TGTATGTGTC CCCTCAAATT CAAGTGTGTC CAATGTGACA GCATCAAGAG	240
50	GTGGGGTCTT TAAGAGATCA CTAGGCCATG AGGCAATCTC TTAGGACTGG GATGAAGGCC	300
	CATAATAAAA GAGGTTTCAG GGAGCATCTT GCTAGCTTGC CTTCTGTATG TGAGAACACA	360
	GCAAGAAAGC CTAAGTCAAC AAGTCCAGC TCCTGATCT TAGACTTCCC AAGCTCCAGA	420
55	ACTGTGAGAA ATACATTTCT GTTCTTACA AATTACCCAG TCTCCTGTAT TCTGTTATAG	480
	CAGCACAAAA TGAAGATACC ATACCTGAAC ACCTGAACAT TCTTCACAG GTAGTAAATG	540
60	CACTGCTTTA TTCTGGTCTC AGTATTGTGT GCTTAATGAG GAAATGAGAA AAGGTGGATC	600

AGGGCATAGG ATGAACAAGT TACTGCTAGA CCTCTCACAA TGCCACTAAT GGATAGGATT 660
 GTATTTTCAT CATTNCTTGT CTCTTCGGAA GCTAACACCA TGCTATTAATA GGCAATTAAT 720
 5 AGATGTCTAA AACACCTTA AGTATTTGTC TAGAAATCTG GTGCATTGTC CAGGAGAAC 780
 CAAAATTCMA AATAATTICA AAGGGCCTAA AGCACTATTT ATTCGAAAT CATTAATTTT 840
 10 TAATGGTACT ACCACTCTCA AATTTAAAAT GTCATCTTAC GTTCCTCTTC CTGGCTTGG 900
 ATTTATTGCT AAAACCTGGT AACACTTTA ATCCCTTTCA ATCCCAATAC CACTGCTCTT 960
 GTCCAGAATT ACTCGCAGAC TAATAGTCAC CTGACTTCTC CCCCCTGCATC CGCAATTGCT 1020
 15 GTCTAATTCT GGTACAAAT AAGTAACTGC CAACTAATC TTTCTAATAA GCAAGACTGA 1080
 TCTCGTCACT CCTTTGCTCA ACAATGTAAA AGCTCCCATT GTCTCCCAA TAAACCCAGC 1140
 20 TTTCCACTGT GTATACAATA CATCCATGAT CTGTATCCAG CATCACTTTG TATTGCTCA 1200
 CTTTATACAC CACCCCCCAT GCCACATCAA ATTAAATTAAT CCTGATAAAT GCAATGCAA 1260
 AAAAAAAAAA AAAAAAACTC GA 1282
 25

(2) INFORMATION FOR SEQ ID NO: 198:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 951 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 198:

ATTTCCGAAC GAGGACTGAA GTGGGAGCGG CGGCAGGTA GAAGACAGAA GGGGATCTA 60
 40 TGTGGTAACT AAAGAATGTT TCTGTTTGT TAATTATTGT GTGTGCTGGG TTTTATGTT 120
 TGCTTAAGAG AATCAAAAAC TGAAAAAAT GAGAATACAG GAAATGGCTC TTGTTTATTT 180
 45 TTTTGCTGTG TTTACAGCTT GTTAATGCTC TACTGTCTTT GTTTCAGAG AGATTGTGTC 240
 ACTGCCCAGC TCGTTTGTG TCCTGAGCCC TATGCCAGC CCACCTATA ATCTGCTT 300
 GTTTAGATGT TTGATTTTGT TCTGTTTGT ATTGTTATCT TAAAGGTGTA TAACTCTGAC 360
 50 ATGCCAGACA TCAAAATTAAG CTCAAATTA GCTCTCGTTT AAATGTTTAA ACACCTAATT 420
 TATATTCTAA TTGATCCCAG CCACTGATGC ATGTACTTTA GCTACTTTG CTAAATAAGC 480
 55 ATATTAATTT TCCACATCAG GCCATCAGAT CTTGAGAACC AACAGTTATC TAGAATCCG 540
 TGCTACTAA TGTTTCACCT GCATGCAGCC TTCATTAAAT TTGTASCAA ATATAAAGTG 600
 ATCATTATGT AGTTTCTGGA TTAAAAAAAT TTGTGTGTGA AGTTGCTTTG TAACTGCAT 660
 60

GTGGAATTAA TGGGACAGTG TGCCCTTTGT GTTAGATGTT AGAGCAAAAG AAAGGGCTTA 720
TAGTGTTAGT ATTGGAGCAC TTTGAAGATA GATATTTTCA GAAAAGATGT AGGATTTAAA 780
5 AGTTAAATTT TAAATTTTAG AAAAAGATAT GATGGCAATT GGAAATAGTC ACAATGAAGT 840
TCTTCATCCA GTAGGTGTTT AACAGTGTTA TTTTGCCACT GGTAAATGTGT AACTGTGAG 900
TGATTTACAA TAAATGATTA TGAATTCAAA AAAAAAAAAA AAAAACTCG A 951
10

(2) INFORMATION FOR SEQ ID NO: 199:

15

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1740 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

20

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 199:

TTATTATAAT AATGATGATG ATTCCAAGGA AAAACCTAC AGCGAATGTT CCATTTCTAC 60
25 CCCGCACGCA GACACTCTCC CTAACACTGA TAACCTGAGC CCCCAGCACT GGACGGAAGA 120
ATGCTGGCGT CTCCTGTGT ACTGGTTCAG GGTTCGGCC CCAGCCTTGT CAGGACCCCC 180
30 TGGTGTCCAG AGCCCCCACC CCTCCCGCAA CAAGCAGCTG ATGCCCCAGT GATTCCTAT 240
ACATTTTCA CCTCGGCCAA TATGTCCAGG AAACTGCTT ACTTCTCTTT TCTGCCTGG 300
AGCCTTCATT GTTCACCCTT ACGTTGCAAT ATAGGAATTA ATGCTACAAA ATAAAAGTAA 360
35 AGCTTACCTG AAAAGTGCAT AGTTGGGGC AATGGTATCT ACATCTCCA CTGTGGGAAA 420
ACCAGCAAAG CATCAAACT CTCATTCCTC CTGTTACCRA ATGCAGATCT GAATTATAAG 480
40 ATGTTTATGT TTGACCATG TTTCAACAAT GGGATTTTGT TACGAATTAT CCCTTTAACT 540
GAAACCCTCA GTTTTACTGT TTACATTATT AGGAAAACAG GGATATCTTT TGAATCTAAA 600
AATTTGATGT ACAGCATGTG ATTTTGAAG TTTACATGTA AAGTCACAGT ATAGGTGAAA 660
45 TAACGTTTGT CATATTTTGA GACGTATCCT GCAGCCATGT TTTTACGTGA GTGTTTTAGT 720
CAAAGTACAT GGTAGACAGT CTTTCACAAT AAAAGGAAAA GGATTTTTTT TCCTCCAAAT 780
50 GTACATTTAT CAACCTAATG ATTGATTTTT TAAAAAGAG ATTTGCCCC AGTCTGGTTT 840
ATGAAAGTTC ATTGCCCTAA ACTGTGCTGA TTGTTTTTAA TCAAGTTATA AATTTCCAAC 900
CTAGATCATG TATCTACCAA CTCTCCTGCA TTTTCCAAAA GGCATTGAGC TTAAATATTA 960
55 GTCTTGCTTA GAGTAGGTTA TCCACTTACA TGCTGCGCTA AAGCCATGCC TTTGAAACTC 1020
CTGTTTTAAA ACATGATATG ATTTTGTGG GCAGTTTCAG AAAAGAAAAC AAACAAACAA 1080
60 AAATCGACCC TTTAATTATT ACTTGCAACT CAACAGATCT CCTGCGGTA CTGCCTTTTC 1140

5 CAGGAACCTTT ACTTCAGGGC TGTCCAGATT GCAGTTGTGC CCCGTGTATG TGGATCTAGT 1200
TCACAGAGTC TTTGGAAGCC AGCAGTCGTG CCCTCCGTAT ACTGTCCACT CATTTTATGT 1260
AGATTTGGTA TCCTCAGCAG CCAGTGTTAA CACCACTGTC ACGTAGTTAN CAGATTCATC 1320
TTTTATGTAT TTAAAGTAAT CCATACTATG ATTTGGTTTT TCCCTGCACC ATTAATTCTG 1380
10 GCATCAGATC AGTTTTTGTG TTGTGAAGTT CTA CTGTGGT TTGACCCAAG ACCACAACCA 1440
TGAGACCCTG AAGTAAAGAT AAGGTACACA TACATTATTT GAGTAACTGT TTCCTTGGGG 1500
GCCAATCTGT GTATGCTTTT AGAAGTTTAC AGAATGCTTT TATTTTGTG TATAACAAAC 1560
15 AGTCTGTCAT TTATTTCTGT TGATAAACCA TTTGGACAGA GTGAGGACGT TTGCCCTGTT 1620
ATCTCCTAGT GCTAACAATA CACTCCAGTC ATGAGCCGGG CTTTACAAAT AAAGCACTTT 1680
20 TGATGACTCA MAAAAAAAAA AAAAAAAAMC YCGGGGGGGG GCCGGTAACC CATTTNNCCC 1740

25 (2) INFORMATION FOR SEQ ID NO: 200:

(i) SEQUENCE CHARACTERISTICS:

30 (A) LENGTH: 1707 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 200:

35 GCTTATAGAA GGGAGAGGAG CGAACATGGC AGCGCGTTGG CGGTTTGGT GTGTCTCTGT 60
GACCATGGTG GTGGCGCTGC TCATCGTTTG CGACGTTCCC TCAGCCTCTG CCCAAAGAAA 120
GAAGGAGATG GTGTTATCTG AAAAGGTTAG TCAGCTGATG GAATGGACTA ACAAAGACC 180
40 TGTAATAAGA ATGAATGGAG ACAAGTTCCG TCGCCTTGTG AAAGCCCCAC CGAGAAATTA 240
CTCCGTTATC GTCATGTTCA CTGCTCTCCA ACTGCATAGA CAGTGTGTCG TTTGCAAGCA 300
45 AGCTGATGAA GAATTCAGAG TCCTGGCAAA CTCCTGGCGA TACTCCAGTG CATTCACCAA 360
CAGGATATTT TTTGCCATGG TGGATTTTGA TGAAGGCTCT GATGTATTTT AGATGCTAAA 420
CATGAATCA GCTCCAACCT TCATCAACTT TCCTGCAAAA GGGAAACCCA AACGGGGTGA 480
50 TACATATGAG TTACAGGTGC GGGGTTTTTC AGCTGAGCAG ATTGCCCGGT GGATCGCCGA 540
CAGAACTGAT GTCAATATTA GAGTGATTAG ACCCCCAAAT TATGCTGGTC CCCTTATGTT 600
55 GGGATTGCTT TTGGCTGTGA TTGGTGGACT TGTGTATCTT CGAAGAGTAA TATGGAATTT 660
CTCTTTAATA AACTGGATG GGCTTTTGCA GCTTTGTGTT TTGTGCTTGC TATGACATCT 720
GGTCAAATGT GGAACCATAT AAGAGGACCA CCATATGCCC ATAAGAATCC CCACACGGGA 780
60

CATGTGAATT ATATCCATGG AAGCAGTCAA GCCCAGTTTG TAGCTGAAAC ACACATTGTT 840
 CTTCTGTTTA ATGGTGGAGT TACCTTAGGA ATGGTGCTTT TATGTGAAGC TGCTACCTCT 900
 5 GACATGGATA TGGAAAGCG AAAGATAATG TGTGTGGCTG GTATTGGACT TGTGTATTTA 960
 TTCTTCAGTT GGATGCTCTC TATTTTGTAGA TCTAAATATC ATGGCTACCC ATACAGCTTT 1020
 CTGATGAGTT AAAAAGGTCC CAGAGATATA TAGACACTGG AGTACTGGAA ATTGAAAAAC 1080
 10 GAAAATCGTG TGTGTTTGAA AAGAAGAATG CAACTGTAT ATTTTGTATT ACCTCTTTTT 1140
 TTCAAGTGAT TTAAATAGTT AATCATTTAA CCAAAGAAGA TGTGTAGTGC CTTAACAAGC 1200
 15 AATCCTCTGT CAAAATCTGA GGTATTTGAA AATAATTATC CTCTTAACCT TCTCTCCCA 1260
 GTGAACCTTA TGAACATTT AATTTAGTAC AATTAAGTAT ATTATAAAAA TGTAAAACT 1320
 ACTACTTTGT TTTAGTTAGA ACAAAGCTCA AACTACTTT AGTTAACTTG GTCATCTGAT 1380
 20 TTTATATTGC CTTATCCAAA GATGGGGAAA GTAAGTCCTG ACCAGGTGTT CCCACATATG 1440
 CCTGTTACAG ATAACACAT TAGGAATTCA TTCTTAGCTT CTTTCATCTTT GTGTGGATGT 1500
 25 GTATACTTTA CGCATCTTTC CTTTGTAGTA GAGAAATTAT GTGTGTCATG TGGTCTTCTG 1560
 AAAATGGAAC ACCATCTTTC AGAGCACACG TCTAGCCCTC AGCAAGACAG TTGTTTCTCC 1620
 TCCTCCTGCG ATATTTCCCTA CTGAAATACA GTGCTGTCTA TGATTGTTTT TGTPTTGTG 1680
 30 TTTTTTYGAG ATCACGYTAC TGGGCTC 1707

35

(2) INFORMATION FOR SEQ ID NO: 201:

40

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 779 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

45

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 201:

50

55

60

CTGTCCCCAG TGTTCACAG TAATGACTTG GCACTCCAGA GAAAGTTTCA TRCTGTTGCG 60
 TGTGGTGGCT CCAAGCCAAG CACCTGGCAT GCAGGTCAGC CCTTCCCAGC GGGCGTGGCG 120
 TCGTCTCTTT CACAGATGCC ACGTGCAGC CCCAAGGCCT CACCATTTTG CGTTTTTTAG 180
 AAACCCATTT TCTTGGTCAT TTATAAAGCT GCTTTATAGA TATCTTTGAT CCTGGCATGC 240
 CTGGGTTTCC TCTCCCTTCC CTCTTTCCAA TCCTGGTTTC CTAACCTCCT CTGTAGTAA 300
 TTCTCAACTC AACTCAAAGT CCCAAGAATT TGAATGGTA GGATGCTGTG CGGGGAGCTC 360
 GAGGCTGAGG CATAATCACT GCTTCGGTTC TGCTCATCAG GGGACACGCT CCCTTACTCA 420
 TGGCAGCCAT GTTTGATTGT CACAGAGCCC CCCGAATACT CTGTCTATAG TGACACACTG 480

	TAGGTGTCAT AAATTTTAAG AAACCTGCTT TTAAGTACTA TTTATAGGTT TTTCTGTTAT	540
5	ACTTGCAACC TAGTTTTTAA ATACATGAGG ATTTTATGAA AGCTTTTATAC AGACATTTAT	600
	AGGAAACTCA TTCCTTGATT TTAGGTGCCA TTAAATTGA TAACACTTAC TTTATAAAAA	660
	GATGCTTTTT GTCTGGATAG AGCCTTATAG TTTAAATAT CTTCATATAT TGCCATTGA	720
10	TCAAATAAAT TTCTTACTTA GAAAAAAAAA AAAAAAAAAA AAAAAAAAAA AAAACTCGA	779

15 (2) INFORMATION FOR SEQ ID NO: 202:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1617 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 202:

25	GGCAGAGCTT TCTGTCTCTT CCTCGCTCCC TCTCTTTCTC TCCTCCCTCT GCCTTCCCAG	60
	TGCATAAAGT CTCTGTCTGCT CCCGGAAGTT GTTGGAATG CCTATTTTTC GGCTTTCCCC	120
	CGCGTTCTCT AAACATACTA TTAAAGGTC TGCGGTCGCA AATGGTTTGA CTAAACGTAG	180
30	GATGGGACTT AAGTTGAACG GCAGATATAT TTCCTGATC CTCGCGGTGC AAATAGCGTA	240
	TCTGGTGCAG GCCGTGAGAG CAGCGGGCAA GTGCGATGCG GTCTTCAAGG GCTTTTCGGA	300
35	CTGTTTGCTC AAGCTGGGCG ACACATGGCC AACTACCCGC AGCCTGGGAC GACAAGACGA	360
	ACATCAAGAC CGTGTGCACA TACTGGGAGG ATTTCCACAG CTGCACGGTC ACAGCCCTTA	420
	CGGATTGCCA GGAAGGGGCG AAAGATATGT GGGATAAACT GAGAAAAGAA TCCAAAAACC	480
40	TCAACATCCA AGGCAGCTTA TTGGAATCTT GCGGCAGCGG CAACGGGGCG GCGGGGTCCC	540
	TGCTCCCGGC GTTCCCGGTG CTCCTGGTGT CTCTCTCGGC AGCTTTAGCG ACCTGGCTTT	600
45	CCTTCTGAGC GTGGGGCCAG CTCCCCCCGC GCGCCACCC AACTCACTC CATGCTCCCG	660
	GAAATCGAGA GGAAGATCCA TTAGTTCCTT GGGGACGTTG TGATTCTCTG TGATGCTGAA	720
	AACACTCATA TAGGATTGTG GGAAATCCTG ATTCTCTTTT TTATTTCGTT TGATTTCCTG	780
50	TGTTTTATTT GCCAAATGTT ACCAATCAGT GAGCAAGCAA GCACAGCCAA AATCGGACCT	840
	CAGCTTTAGT CCGTCTTCAC ACACAAATAA GAAAACGGCA AACCCACCCC ATTMTTTAAT	900
55	TTTATTATTA TTAATTTTTT TTGTGGCAA AAGAATCTCA GGAACGGCCC TGGGCACCTA	960
	CTATATTAAT CATGCTAGTA ACATGAAAAA TGATGGGCTC CTCCTAATAG GAAGCGGAGG	1020
60	AGAGGAGAAG GCCAGGGGAA TGAATTCAG AGAGATGTCC ACGGACGAAA CATACGGTGA	1080

ATAATTCACG CTCACGTCGT TCTCCACAG TATCTTGTTT TGATCATTTC CACTGCACAT 1140
 TTCTCCTCAA GAAAAGCGAA AGGACAGACT GTTGGCTTTG TGTITGGAGG ATAGGAGGGA 1200
 5 GAGAGGGAAG GGGCTGAGGA AATCTCTGGG GTAAGAGTAA AGGCTTCCAG AAGACATGCT 1260
 GCTATGGTCA CTGAGGGGTT AGCTTTATCT GCTGTGTGTTG ATGCATCCGT CCAAGTTCAC 1320
 TGCCTTTATT TTCCCTCCTC CCTCTTGTTT TAGCTGTTAC ACACACAGTA ATACCTGAAT 1380
 10 ATCCAACGGT ATAGATCACA AGGGGGGGAT GTTAAATGTT AATCTAAAT ATAGCTAAAA 1440
 AAAGATTTTG ACATAAAGA GCCTTGATTT TAAAAAAGAG AGAGAGAGAG ATGTAATTTA 1500
 15 AAAAGTTTAT TATAAATTAA ATTACAGCAA AAAAGATTTG CTACAAAGTA TAGAGAAGTA 1560
 TAAATAAAA GTTATTGTTT GAAAAAAGAA AAAAAAAGAAW CTCGACCGCA AGGGAAT 1617

20

(2) INFORMATION FOR SEQ ID NO: 203:

25 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1974 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

30 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 203:

GAATTCGGCA CGAGGCTGAG GGAGCTGCAG CGCAGCAGAG TATCTGACGG CGCCAGGTTG 60
 CGTAGGTGCG GCACGAGGAG TTTTCCCGGC AGCGAGGAGG TCCTGAGCAG CATGGCCCGG 120
 35 AGGAGCGCCT TCCCTGCCGC CGCGCTCTGG CTCTGGAGCA TCCTCCTGTG CCTGCTGGCA 180
 CTGCGGGCGG AGGCCGGGCC GCCGAGGAG GAGAGCCTGT ACCTATGGAT CGATGCTCAC 240
 40 CAGGCAAGAG TACTCATAGG ATTTGAAGAA GATATCCTGA TTGTTTCAGA GGGGAAAATG 300
 GCACCTTTTA CACATGATTT CAGAAAAGCG CAACAGAGAA TGCCAGCTAT TCCTGTCAAT 360
 ATCCATTCCA TGAATTTTAC CTGGCAAGCT GCAGGCAGG CAGAATACTT CTATGAATTC 420
 45 CTGTCTTTCG GCTCCCTGGA TAAAGGCATC ATGGCAGATC CAACCGTCAA TGTCCCTCTG 480
 CTGGGAACAG TGCTCACAA GGCATCAGTT GTTCAAGTTG GTTCCCATG TCTTGAAAA 540
 50 CAGGATGGGG TGGCAGCATT TGAAGTGGAT GTGATTGTTA TGAATTCTGA AGGCAACACC 600
 ATTCTCCAAA CACCTCAAAA TGCTATCTTC TTTAAACAT GTCAACAAGC TGAGTGCCCA 660
 GGCGGGTGCC GAAATGGAGG CTTTTGTAAT GAAAGACGCA TCTGCGAGTG TCCTGATGGG 720
 55 TTCCACGGAC CTCAGTGA GAAAGCCCTT TGTACCCAC GATGTATGAA TGGTGGACTT 780
 TGTGTGACTC CTGTTTCTG CATCTGCCCA CCTGGATTCT ATGGAGTGAA CTGTGACAAA 840
 60 GCAAACCTGCT CAACCACCTG CTTAATGGA GGGACCTGTT TCTACCCTGG AAAATGTATT 900

TSCCCTCCAG GACTAGAGGG AGAGCAGTGT GAAATCAGCA AATGCCCACA ACCCTGTCGA 960
 AATGGAGGTA AATGCATTGG TAAAAGCAAA TGTAAGTKTT CCAAAGGTTA CCAGGGAGAC 1020
 5 CTCTGTTCAA AGCCTGTCTG CGAGCCTGGC TGTGGTGAC ATGGAACCTG CCATGAACCC 1080
 AACAAATGCC AATGTCAAGA AGGTTGGCAT GGAAGACACT GCAATAAAG GTACGAAGCC 1140
 10 AGCCTCATAC ATGCCCTGAG GCCAGCAGGC GCCAGCTCA GGCAGCACAC GCCTTCACTT 1200
 AAAAAAGCCG AGGAGCGGCG GGATCCACCT GAATCCAATT ACATCTGGTG AACTCCGACA 1260
 TCTGAAACGT TTTAAGTTAC ACCAAGTCA TAGCCTTTGT TAACCTTTCA TGTGTTGAAT 1320
 15 GTTCAAATAA TGTCATTAC ACTTAAGAAT ACTGGCCTGA ATTTTATTAG CTTCAATTATA 1380
 AATCACTGAG CTGATATTTA CTCTTCCTTT TAAGTTTCT AAGTACGTCT GTAGCATGAT 1440
 20 GGTATAGATT TTCTGTTTC AGTGCTTTGG GACAGATTTT ATATTATGTC AATTGATCAG 1500
 GTTAAAATTT TCAGTGTGTA GTTGGCAGAT ATTTTCAAAA TTACAATGCA TTTATGGTGT 1560
 CTGGGGGCAG GGAACATCA GAAAGGTTAA ATTGGGCAAA AATGCGTAAG TCACAAGAAT 1620
 25 TTGGATGGTG CAGTTAATGT TGAAGTTACA GCATTTTCTA TTTTATTGTC AGATATTTAG 1680
 ATGTTTGTTA CATTTTTAAA AATTGCTCTT AATTTTAAA CTCTCAATAC AATATATTTT 1740
 30 GACCTTACCA TTATTCCAGA GATTCAGTAT TAAAAAATA AAAATTACAC TGTGGTAGTG 1800
 GCATTTAAAC AATATAATAT ATTCTAAACA CAATGAAATA GGAATATAA TGTATGAACT 1860
 TTTTGCAATG GCTTGAAGCA ATATAATATA TTGTAAACAA AACACAGCTC TTACCTAATA 1920
 35 AACATTTTAT ACTGTTTGTA TGTATAAAAT AAAGGTGCTG CTTTAGTTTT CTGA 1974

40

(2) INFORMATION FOR SEQ ID NO: 204:

(i) SEQUENCE CHARACTERISTICS:

45

- (A) LENGTH: 1057 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 204:

50

CGGCCTTCCG GGGCAACCGT TCGTCCCAAC NCGGGAAGG GTCCTGGAGN CGGGAAC TAG 60
 GAGCCTCGGA AGTCCAAGG CGGAGCGCCC TTTGCTAATA AGCCAATCAG AACGTGAGAC 120
 55 GCTCCGGTGG GNCGGTGCCG TCGAGCGCGG GGTGGAGTCT GGGTGACTTG GCTGGCGGGA 180
 TCAAGTGCAG CTGCTTCAGG CTGAGGTGGC AGATAGTGAG CGCTGGTGGC GGAGTTAAAG 240
 TYAAAGCAGG AGAGTAATWA TGAATAGCGC AGCGGGATT TCACACCTAG ACCGTGCGGA 300

60

457

CGGGTTCTC AAGTTAGGGG AGAGTTTCGA GAAGCAGCCG CGCTGCGCTT CCACACTGTG 360
CGCTATGACT TCAAACCTGC TTCTATTGAC ACTTCTTCTG AAGGATACCT TGAGKTTGGC 420
5 GAAGKTGAAC AGKTGACCAT WACTCTGCCM AATATAGAAA GTTGAAGGAA GCAGTAAAAAT 480
TCAGTATCGT AAAGAACAAC AGCAACAACA ATGTGGAATT CASCAGGAC TCCCAATCTT 540
GTAAACATT CTCCATCTGA AGATAAGATG TCCCCAGCAT CTCCAATAGA TGATATCGAA 600
10 AGAGAACTGA AGGCAGAAGC TAGTCTAATG GACCAGATGA GTAGTTGTGA TAGTTCATCA 660
GATTCCAAAA GTTCATCATC TTCAAGTAGT GAGGATAGTT CTAGTACTC AGAAGATGAA 720
15 GATTGCAAAT CCTCTACTTC TGATACAGGG NAATTGTGTC TCAGGACATC CTACCATGAC 780
ACAGTACAGG ATTCCTGATA TAGATGCCAG TCATAATAGA TTTGAGACA ACAGTGGCCT 840
TCTGATGAAT ACTTTAAGAA ATGATTGCA GCTGAGTGAA TCAGGAAGTG ACAGTGATGA 900
20 CTGAAGAAAT ATTTAGCTAT AAATAAAAT TTATACAGCA TGTATAATTT ATTTGTATT 960
AACAATAAAA ATTCCTAAGA CTGAGGGAAA TATGTCTTAA CTTTGTATGA TAAAGAAAT 1020
25 TAAATTTGAT TCAGAAAAAA AAAAAAAAAA AACTCGA 1057

30 (2) INFORMATION FOR SEQ ID NO: 205:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 721 base pairs

(B) TYPE: nucleic acid

35 (C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 205:

40 GAATTCGGCA CGAGTCATCC CTCTCCCTCT TTCACTCCCT TACTCTTACT CTGTTTTTTG 60
TGCTCCAGAC AGACAGACCC TACCTCTTTT GCTTCTTTT TGTTGTGTTG TTTGAGATG 120
GAGTGTGCTT CTTGTTGCCC AGGCTGGAGT GCAGTGGCGC AATCTCGGCT CACCACAACC 180
45 TCTGCCCTCC GGGTTCAAGC AATTCTCCTG CCTCAGCCTC CCGAGAAGCT GGGGATTACA 240
GGCATGCCGC ACCACACCCA GCTNAATTTT ATATTTTTAG TAGAGATGGT GTTCTCCAT 300
50 GTTGGTCAGG CTGGCCTCAA ACTCCCAACC TCAGGTGATN CCGCCTGCTT TGGCCTCCCC 360
AAAGTGCTGG GATTACAGGC GTGAGCCACT GCGCCAGCC TCTTTGCTC CTTTATACTC 420
ATTAACTCAC GCCTGTAATC CCTGTTTTGG GAGGCCAAAG TGAGAAGGTT GCTTGAGGCC 480
55 AAGAGTTTGA GACTAGCCTG GGCAACACAG CAAGATGCCA TCTTTATAAT AAAAATAAAA 540
ATAAAAATCA ATTAGCTGGG CATGGTGGAA CGCACCTGTA GTCCAGCCA ATTGAGAGGC 600
60 TGAAGTGGGA GGATCATTGA GCCCAGGAGT TGAGGTTGCA GTGAGCCATG ATCATGTCAC 660

TACACTCAGC CTGGGCAATA GAGGGACATG TTGTCTCTAA AAAAAAAAAA AAAAAACTCG 720

A 721

5

(2) INFORMATION FOR SEQ ID NO: 206:

10

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 2465 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

15

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 206:

CCACCATTTA TCCAACTGAA GAGGAGTTAC AGGCAGTTCA GAAATTTGTT TCTATTACTG 60
AACGTGCTTT AAAACTCGTT TCAGACAGTT TGTCTGAACA TGAGAAGAAC AAGAACAAAG 120
AGGGAGATGA TAAGAAAGAG GGAGGTAAAG ACAGAGCTTT GAAAGGAGTT TTGCGAGTGG 180
GAGTATTGGC AAAAGGATTA CTTCTCCGAG GAGATAGAAA TGTCAACCTT GTTTTGCTGT 240
GCTCAGAGAA ACCTTCAAAG ACATTATTAA GCCGTATTGC AGAAAACCTA CCCAAACAGC 300
TTGCTGTTAT AAGCCCTGAG AAGTATGACA TAAATGTGC TGTATCTGAA GCGGCAATAA 360
TTTTGAATTC ATGTGTGGAA CCCAAATGC AAGTCACTAT CACACTGACA TCTCCAATTA 420
TTCGAGAAGA GAACATGAGG GAAGGAGATG TAACCTCGGG TATGGTGAAA GACCCACCGG 480
ACGTCTTGA CAGGCAAAAA TGCCTTGACG CTCGGCTGC TCTACGCCAC GCTAAGTGGT 540
TCCAGGCTAG AGCTAATGGT CTGCAGTCCT GTGTGATTAT CATACGCATT CTTGAGACC 600
TCTGTCAGCG AGTTCCAAC TGGTCTGATT TTCCAAGCTG GGCTATGGAG TTACTAGTAG 660
AGAAAGCAAT CAGCAGTGCT TCTAGCCCTC AGAGCCCTGG GGATGCACTG AGAAGAGTTT 720
TTGAATGCAT TTCTTCAGGG ATTATCTTA AAGGTAGTCC TGGACTTCTG GATCCTTGTC 780
AAAAGGATCC CTTTGATACC TTGGCAACAA TGACTGACCA GCAGCGTGAA GACATCACAT 840
CCAGTGACA GTTTGCATTG AGACTCCTTG CATTCGCCA GATACACAAA GTTCTAGGCA 900
TGGATCCATT ACCGCAAATG AGCCAACGTT TTAACATCCA CAACAACAGG AAACGAAGAA 960
GAGATAGTGA TGGAGTTGAT GGATTTGAAG CTGAGGGGAA AAAAGACAAA AAAGATTATG 1020
ATAACTTTTA AAAAGTGTCT GTAAATCTTC AGTGTTAAAA AAACAGATGC CCATTTGTTG 1080
GCTGTTTTTC ATTATAATA ATGTCTACAT TGAAAAATTT ATCAAGAATT TAAAGGATTT 1140
CATGGAAGAA CCAAGTTTTT CTATGATATT AAAAAATGTA CAGTGTTAGG TATTATTTGA 1200
ATGGAAAGAC ACCCAAAAAA AAAAATGTGC TCCGACTAGG GGGAAAACAG TAGTTCCGAT 1260

60

459

TTTTCCCAT TATTTTATT TTATTTCTG GTTGCCTAG CTCCCCCCC TATTTTGTG 1320
 TCTTTTATTA ACTAGTGCAT TGTCTTATTA AATCTTCACT GTATTTAATG CAGGATGTGT 1380
 5 GCTTCAGTTG CTCTGTGTAT TTTGATATTT TAATTTAGAG GTTTTGTTTG CTTTGTGACA 1440
 CTAGTTGTAA GTTACTTTGT TATAGATGGT ATCCTTTACC CCTTCTTAAT ATTTTACAGC 1500
 AGTACGTTTT TTTGTAACGT GAGACTGCAG AGTTTGTTTT TCTATATGTG AAGGATTACA 1560
 10 ACACAAAAG TTATCTGCC ATTCGAGTGC TCAGAACTGA ATGTTTCTGC AGATCTGTG 1620
 GCATTTGTCT CTAGTGTGAT ATATAAGGT GTAATTAAGA CAGAGTTCTG TTAATCTAAT 1680
 15 CAAGTTTGCT GTTAGTTGTG CATTAGCAGT ATAAAAGCTA ATATATACTA TATGGTCTTG 1740
 CAACAGTTTT AAAGCCTCTG CATAATTGAT AATAAAAATG CATGACATTC TTGTTTTTAA 1800
 TAGACTTTTA AAATCATAAT TTTAGGTTTA ACACGTAGAT CTTGTACAG TTGACTTTTT 1860
 20 GACATAGCAA GGCCAAAAT AACTTTCTGA ATATTTTTTT CTGTGTATA AGTGAAAGG 1920
 GCATTTTTCA CATATAAGTG GGCTAACCA TATTTTCAA AGAACTTCAT CATTGTACAA 1980
 25 CTAACAACAG TAACTAGCCC TTAATTATGG TGACAGTTCC TTATGGTGT GTGTGAGATT 2040
 ACTCTAGCAA CTATTACAGT ATAACACAGA TGATCTTCTC CACACACCCC ATCACCAGA 2100
 TAATTTACAG TTCTGTTAAC AGTGAGGTTG ATAAAGTATT ACTGATAAAA AATTATCTAA 2160
 30 GGAAAAAAC AGAAAATTAT TTGGTGTGGC CATCTTACCT GCTTATGTCT CCTACACAAA 2220
 GCTAAATATT CTAGCAGTGA TGTAATGAAA AATTACATCT TACTGTTGAT ATATGTATGC 2280
 35 TCTGGTACAC AGATGTCATT TTGTTGTCAC AGCACTACAG TGAAATACAC AAAAAATGAA 2340
 ATTCATATAA TGACTTAAAT GTATTATATG TTAGAATTGA CAACATAAAC TACTTTTGCT 2400
 TTGAAATGAT GTATGCTTCA GTAAATCAT ATTCAAATTT AAAAAAAAAA AAAAAAAAAA 2460
 40 CTCGA 2465

45

(2) INFORMATION FOR SEQ ID NO: 207:

(i) SEQUENCE CHARACTERISTICS:

50

- (A) LENGTH: 1480 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 207:

55

GAATTCGGCA CGAGCTCAAG CTGGCAGGTG GTCGGGGGAG CGGCCGGAGA GGAGCTGCCG 60
 GGAGTTCTGT CCTGACAGGA CATGACACCA GTGGCATATC ACGGCCATGG GGTCTCAGCA 120
 60 TTCCGCTGCT GCTCGCCCT CCTCTGCAG GCGAAAGCAA GAAGATGACA GGGACGGTTT 180

460

5 GCTGGCTGAA CGAGAGCAGG AAGAAGCCAT TGCTCAGTTC CCATATGTGG AATTCACCGG 240
 GAGAGATAGC ATCACCTGTC TCACGTGCCA GGGGACAGGC TACATTCCAA CAGAGCAAGT 300
 10 AAATGAGTTG GTGGCTTTGA TCCCACACAG TGATCAGAGA TTGCGCCCTC AGCGAACTAA 360
 GCAATATGTC CTCCTGTCCA TCCTGCTTTG TCTCCTGGCA TCTGGTTTGG TGGTTTCTT 420
 15 CCTGTTTCCG CATTCACTCC TTGTGGATGA TGACGGCATC AAAGTGGTGA AAGTCACATT 480
 TAATAAGCAA GACTCCCTTG TAATTCTCAC CATCATGGCC ACCCTGAAAA TCAGGAACTC 540
 CAACTTCTAC ACGGTGGCAG TGACCAGCCT GTCCAGCCAG ATTCACTACA TGAACACAGT 600
 20 GGTGAATTTT ACCGGGAAGG CCGAGATGGG AGGACCGTTT TCCTATGTGT ACTTCTCTG 660
 CACGGTACCT GAGATCCTGG TGCACAACAT AGTGATCTTC ATGCGAACTT CAGTGAAGAT 720
 TTCATACATT GGCCTCATGA CCCAGAGCTC CTTGGAGACA CATCACTATG TGGATTGTGG 780
 AGGAAATTC ACAGCTATTT AACAACTGCT ATTGGTTCTT CCACACAGCG CCTGTAGAAG 840
 25 AGAGCACAGC ATATGTTCCC AAGGCTGAG TTCTGGACCT ACCCCCACGT GGTGTAAGCA 900
 GAGGAGGAAT TGGTTCACTT AACTCCCAGC AAACATCCTC CTGCCACTTA GGAGGAAACA 960
 CCTCCCTATG GTACCATTTA TGTTCCTCAG AACCAGCAGA ATCAGTGCCT AGCCTGTGCC 1020
 30 CAGCAAATAG TTGGCACTCA ATAAAGATTT GCAGAATTTA ATACAGATCT TTCAGCTGT 1080
 TCTTAGGGCA TTATAAATGG AAATCATAAC GTGGTTCTAG GTTATCAAAC CATGGAGTGA 1140
 TGTGGAGCTA GGATTGTGAG TGACCTGCAG GCCATTATCA GTGCCTCATC TGTGCAGAAG 1200
 35 TCGCAGCAGA GAGGGACCAT CCAAATACCT AAGAGAAAAC AGACCTAGTC AGGATATGAA 1260
 TTTGTTTCAG CTGTTCCCAA AGGCCTGGGA GCTTTTGTAA AAGAAAGAAA AAAGTGTGTT 1320
 40 GGCTTTTTTT TTTTTAGAA AGTTAGAATT GTTTTTACCA AGAGTCTATG TGGGGCTTGA 1380
 TTCACCCTTC ATCCATTGGC TGAACATGG ATTGGGGATT TGATAGAAAA ATAAACCCTG 1440
 45 CTTTGTATTC AAAAAAAAAA AAAAAWAAA AAAAATCGA 1480

50 (2) INFORMATION FOR SEQ ID NO: 208:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 872 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

55

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 208:

60

CAGTATTTCC CTCAGTACTG TAAGCAAAAG TGGTATGTTT TTCTTTCTTT ATGTCTACTC 60

461

TGTCTCTGT GGCCTTCTGG TGTACCCCTC TCTTCCTAGC CATTTCAGTCT CTCTAGTCAC 120
 CTCCCTAGTA GCTAGTGCTC TCTAAGTTT TATTTAATTA GAACAACTCC ATTTCCATTT 180
 5 CAAGGTAGGT CAATGGGGG AAAAGCCTCA TGATTTAAAC TGAAGTTAAC AACACAGCTT 240
 TTAAAATGAA AACTCATACT CCAACTTCTA AAGTATATTT GAGCTGATTT GTTTCCAAAA 300
 CAAAGATATG CTGTACCTAA AACTGCTAAA AAAAAATAT AAAGACAAGG ACTAGGTGAT 360
 10 TAAGGGGAGA GAAAAATCAT YTCTTTTCCA GGAAACCTTT GCTAAAATAA GCAAACTTG 420
 ANTCTATGCT TCATGGAAAC TGACACAAAG AAAAGAACT GATGGATTGC ACAGGCCTTG 480
 15 TTATAGAAAT AGATCTATAA AAAGATCTGT CCACAGGAAA TATACACCTT CTCCTGGTTC 540
 TGAACCTCAA TGGGGATTG TCACCTAGGT CTCCATCTAT AGGAATACCT TCACATACCT 600
 ATCTATTCAT GCACATATTC TGAAACAGG TACATACAA ATTACAACAA AGGAAAAAAA 660
 20 TTCTATTGAA CACTTAAAA TAGAACAGG CCAGGCACGG TGGCTCATGC TGTAAATCCCA 720
 ACAATTTGGG AGGCTGAGGC TGGTGGATCA CCTGAGGTCA GGAGTGTGAG ACCAGCTTGG 780
 25 CCAACATGGT GAAACCCCGT CACTACTAAA AATACAAAA AAATTAGCCT GTGTGGTGGC 840
 ACACCTNTAC AATCCNGGCT GACTCGGGAA AN 872

30

(2) INFORMATION FOR SEQ ID NO: 209:

35 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1779 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

40 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 209:

AATTGCCAAG ACTGCACAAA ATTACAGTGC TAATGTATAT GGTGTCAGTT CACATAAAGA 60
 CAAAAGCATC TGTATGAAA TGAGTAGTAA TATTGGGTGG TTGATTGTT CTTAGCAGAC 120
 45 TTGGCTTCAT WTTGGTCTTG AGATAAAATG GCCAGCATAA ATGCTGTMTA TATTCACGTT 180
 TTCTAGGTG TGTGTGTGCA GGCCACAGCA GCATGCCCTT GGTGTAGTCA GTGCCGAAAS 240
 50 GGTCTGTTC CTCTTGAGC CTGCCTGCAG GGATGGTCTC CTTTAAAGC AGGTGTGTG 300
 CAGCATTCAG TACACTGAAG GTAAGCTAAA CCATCAACAT CTCTGGTGT TTAAGATGTT 360
 ATTTTATTGG AACAACTGAC AAATGAGGGA TGTTAGCTTT GTGGCAGAAT TCCCTGCATG 420
 55 TGTGATAACT GATCTTGTTT TATTTTTTGG CATTGCAACT GTGGCATAGT TACAATTTCT 480
 GTTTGKTCAT CACATTTAAA ATGGRAGAG AACGCGCTTG AKGGATAGAG CGCCTTCAGK 540
 60 GTACTGTTTC TTATTAACCT TACTTTTTTT AAATCAACTT GCTATAGACT TTATATACAT 600

TTTGTTAAAT ATAGTTCCTA GTGACATAGA AACGATGCGT AGTTTTTCATT TACTAATTAC 660
 AAATGTTGAG GCCTAATTCT GAAAGTCCTC ATATTTAAAG GCTAGACAAC GTAATGAAAT 720
 5 TTTTAACTAT TTGTATGTCA TTTTGAAAGT GTACTGCTTT ATGGTAAAAG TGTTTTTCAT 780
 TTGTTTCATTG TTTTCATTAT TTGTGATCAT GTTGTCTTTC AATACAGGCA TAAACCTTCC 840
 10 ACTCTTGAAC AAAGCAGCTG CTTTTTAAAA GCGGTAATG CTCTTTTACC TTTTATTTCT 900
 TTTGTAAATG AAGCTTTTCT TTAAGAATGT GACTTTAAAG TGTGTCTAT TGCATAAAAC 960
 AGTTGACACT CACTTATTGT AAAGTGAAGA TTGTTCTACT GCATGTGAAG TGGACCATGC 1020
 15 AGATTTCTGT ATGTTCTCAG TATGCATCAC TAGATAATAA AGTCTTTTGT GAACAAGGCA 1080
 TTTGTAGCCA TTTTAAAAG TTTTGTCTT CAGTGCTGGT AAGTCAGGTA AACCATAAAT 1140
 20 AGTTAAAAGC AACCTTTTGT TTTTTCCTG AAAGTTTTTA ATTGAAAGTA TTATTAGTTA 1200
 AAGATGTAAA CCTAGCCAAA ATTACCAGTT TATTAATAAT TAGGATCCTA ATTATTTCAA 1260
 AAAATCCTAC AAATATTGTC AGCTTTCAGT GTAGTGAGAT TATTCCTGTA GGTATGGGG 1320
 25 TATAATTCAG GATTTAACTA ATGTTTCTGC TATTTTCTCA CTTTTCCTTT TGATGGTGCG 1380
 GAAAGAGAAA AAGGAAAACG GGGCACAGGC CATTGACGC CTCTCCAAG GGTCTGATT 1440
 30 TGCTGAGACA CCAGCTTCAC CTCTTAACA AGGCACCTAA TTACAACAAG CATGCACATT 1500
 TTGGTGCAAT CAAGAATGGA AAATCAGAAT AGCAGCATTG ATTCTTCTGG TGCAGCTCAG 1560
 TGGAAGATGA TGACAACCAG AAGACATGAG CTAAGGGTAA GGGACTGTTT TGAAGAACCT 1620
 35 TTCCATTTAG TGATCAAGAT ATGGAAGCTG ATTTCTGAAA ATGCTCAGTG TGTACTCTAA 1680
 TTATTTATGG TACCATTTGA ATTGTAACCT GCATTTTAGC AGTGCATGTT TCTAATTGAC 1740
 40 TTACTGGGAA ACTGAATAAA ATATGCCTCT TATTATCAA 1779

45 (2) INFORMATION FOR SEQ ID NO: 210:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2110 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 210:

55 GCGGCCGCTG CAGCCCGGAG CTGAGCTAGC CGTCCGAGCC GAGCCGTCCG AGCCGGGGAA 60
 GCGGCCGCGT GCTGCCGCTC GTGGCGGCCA GAGGAGAGGA GAGGCAGCAG CATGGCGAGT 120
 60 GTCTGTCCC GAGCCTTGG AAAGCGGTCC CTCCTGGGAG CCCGGGTGTT GGGACCCAGT 180

	GCCTCGGAGG GGCCTCGGCT GCGCCACCCT CGGAGCCACT GCTAGAAGGG GCGCTCCCC	240
	AGCCTTTCAC CACCTCTGAT GACACCCCTT GCCAGGAGCA GCCCAAGGAA GTCCTTAAGG	300
5	CTCCCAGCAC CTCGGGCTT CAGCAGGTGG CCTTTMAGCC TGGGCAGAAG GTTTATGTGT	360
	GGTACGGGGG TCAAGAGTGC ACAGGACTGG TGGWGCAGCA CAGCTGGATG GAGGGTCAGG	420
	TGACCGTCTG GCTGCTGGAG CAGAAGCTGC AGGTCTGCTG CAGGGTGGAG GAGGTGTGGC	480
10	TGGCAGAGCT GCAGGGCCCC TGTCCCCAGG CACCACCCCT GGAGCCCGGA GCCCAGGCCC	540
	TGGCCTACAG GCGCGTCTCC AGGAACATCG ATGTCCCAA GAGGAAGTCG GACGCATGGA	600
15	AATGGATGAG ATGATGGCGG CCATGGTGCT GACGTCCCTG TCCTGCAGCC CTGTTGTACA	660
	GAGTCTTCCC GGGACCGAGG CCAACTTCTC TGCTTCCCGT GCGGCCTGCG ACCCATGGAA	720
	GGAGAGTGGT GACATCTCGG ACAGCGGCAN CAGCACTACC AGCGGTCACT GGAGTGGGAG	780
20	CAGTGGTGTC TCCACCCCTT CGCCCCCA CCCCCAGGCC AGCCCCAAGT ATTTGGGGGA	840
	TGCTTTTGGT TCTCCCCAAA CTGATCATGG CTTTGAGACC GATCCTGACC CTTTCTGTCT	900
25	GGACGAACCA GCTCCACGAA AAAGAAAGAA CTCTGTGAAG GTGATGTACA AGTGCCCTGTG	960
	GCCAAACTGT GGCAAAGTTC TGCCTCCAT TGTGGGCATC AAACGACACG TCAAAGCCCT	1020
	CCATCTGGGG GACACAGTGG ACTCTGATCA GTTCAAGCGG GAGGAGGATT TCTACTACAC	1080
30	AGAGGTGCAG CTGAAGGAGG AATCTGCTGC TGCTGCTGCT GCTGCTGCCG CAGACCCCCA	1140
	GTCCCTGGGA CTCCACCTC CGAGCCAGCT CCCACCCCCA GCATGACTGG CCTGCCTCTG	1200
35	TCTGCTCTTC CACCACCTCT GCACAAAGCC CAGTCCCTCG GCCAGAACA TCCTGGCCCCG	1260
	GAGTCTTCCC TGCCCTCAGG GGCTCTCAGC AAGTCAGCTC CTGGGTCCCT CTGGCACATT	1320
	CAGGCAGATC ATGCATACCA GGCTCTGCCA TCCTTCCAGA TCCAGTCTC ACCACACATC	1380
40	TACACCAGTG TCAGCTGGGC TGCTGCCCCC TCCGCCGCTT GCTCTCTMTC TCCGGTCCGG	1440
	AGCCGGTTCG TAAGCTTCAG CGAAGCCCCA GCAGCCAGCA CCTGCGATGA AATCTCATCT	1500
45	GATCGTCACT TCTCCACCCC GGGCCAGAG TGGTGCCAGG AAAGCCCGAG GGGAGGCTAA	1560
	GAAGTGCCGC AAGTGTATGG CATCGAGCAC CGGGACCACT GGTGCACGGC CTGCCGGTGG	1620
	AAGAAGGCCT GCCAGCGCTT TCTGGACTGA GCTGTGCTGC AGGTCTACT CTGTTCTCTG	1680
50	CCCTGCCGGC AGCCACTGAC AAGAGGCCAG TGTGTACCA GCCCTCAGCA GAAACCGAAA	1740
	GAGAAAGAAC GGAAACACGG AGTTTGGGCT CTGTTGGCTA AGGTGTAACA CTTAAAGCAA	1800
55	TTTCTCTCCA TTGTGCGAAC ATTTTATTTT TTAACAAAAA GAAACAAAAA TATTTTCTCC	1860
	CCTAAATAG GAGAGAGCCA AACTGACCA AGGCTATTCA GCAGTGAACC AGTGACCAA	1920
60	GAATTAATTA CCTCCGTTT CCCACATCCC CACTCTCTAG GGGATTAGCT TGTGCGTGTC	1980

AAAAGAAGGA ACAGCTCGTT CTGCTTCCTG CTGAGTCGGT GAATTCTTTG CTTTCTAAAC 2040
TCTTCCAGAA AGGACTGTGA GCAAGATGAA TTTACTTTTC TTAAAAAAA AAAAAAAAAA 2100
5 AAAAACTCGA 2110

10 (2) INFORMATION FOR SEQ ID NO: 211:

(i) SEQUENCE CHARACTERISTICS:

- 15 (A) LENGTH: 938 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 211:

20 GGCACAGGAA AAAAAAGAAA AAAGAAAAA GAAAAAGTT TTTGTACCCA CAGATTAGCA 60
TTTCTTGAT GTTGAAAAA AGTTTAAGCT ATGTCCTAAT TTAAAAATGA GCACAAACTA 120
CTTAACAGAT GTCTGTTCCC TCTTCTCTTA CTAAATTAT CTTTATTTTC ACCATCACCT 180
25 CCCAGTGCCG AACACCTGAN CTCGTGTGTT TGTGGTTGGA TCCTGGGTTG CCAAGTTCCT 240
ATTTGGTCAG TCCCTGGCCT GTGGGGCGGT CTCAGGAAGT GGCATGCTCT TCAMGRAGGA 300
30 TCGTTCATYT CCAGTATAAC CAWTTTGTA ATAATAGTTG ATAATTCCCA GCTTTTACCA 360
GATGARTTTT GACTTATTTT TCCTCCTTTG ACCTGTTCAA AGCTAACATA TCTCGGTCAG 420
TTCGGAGAGG GTGGGGGATT TGAGAATGTG AGGAGGAGTG GGGTTAGAAT GGGTTTGCCT 480
35 ATCTGGGCAA GGAAAGAGTT CCTAGTCGAT TGGGCACAAT GACAAAATGA TTCCATGGAT 540
AGAATCGTCC CATGTTGCTG GAACACCTCA CGTGTGTGTA ACGCCTTAAA TTCCTGCCAT 600
40 CCTTCTCTG ATTCCCCACC TCCCTGTAGT TTCCACAGGA TTTATCTCTC TGTACCCCG 660
TCCTCCAACT CTACTCTGTC AGCCTCTCCT CCATCCCTTA CTTCCCTTCT AAATCCAGG 720
AGATGACCTC ACTTTGCAAA GCAAATTGGA GCCACCAAAT TGTAGCTCTC CTCGGTGGAA 780
45 ACTGCATCTG TGCTCATCCC TGCACCTTCT TGCAGAAAGC CGCCCCCTCA GGCCAAGATG 840
AGTGCCTGGC CCCCATGGGA GACTCAGACA CTTTGACCCC TTGTGACTTC AGCATCTCCC 900
50 TCTTTAAAGA TTCTCTCCCA ACATTGAGTC GTGCTCGA 938

55 (2) INFORMATION FOR SEQ ID NO: 212:

(i) SEQUENCE CHARACTERISTICS:

- 60 (A) LENGTH: 1551 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 212:

5	AGGCTGGACT AAGCATAGAG AACCAGGAGA GAAAGAAAGA TTTAAGAGAC TGAGTAATAT	50
	TTTTTGACAG ATCATTTAAG AAACGTAGTA ATTTTTTTTT TCTCCAAAAG GGCATGGGTT	120
	TTTTTTTTGT TTGTMTTTTT CTCTATTTGG CACTTTCTAG GGATGGGTCT ATAAATTTTT	130
10	TGAAAGATCA TAGGATAAAT TTCTTTGTAG CAACCTCCTA TTTTAGTGTT TATGTTAGGG	240
	GARCCCCARG TGTCCCTGCT GATACGCCAT TAGGGCCACT TCTCAGCCTC TGGCTACATC	300
15	ATAATGCTTT TTTTCTATC TTGCCAAAGT TTCCMGAAAA TTKAKGTTTT CTAAATTTAA	350
	AAAAATTTGGT TGTGGAGATG GGATGGGACC TCTTTATAAG CCCTGAAAAT AAGTGATTTN	420
	TTTTAAGTGC TATTCTGCTA TAAACCTGAT TCTCACTTTT TTCTGTAGAC AACAGTTTTT	430
20	TATAATATAT CTATTTTGTG TGGACATTAT TTCCTTTTAA CCAATACTGA AATTCCATAG	540
	TGTAWACTTT CTCCACATTT TCTTTGATTA ATACTTYCTT AAAATAGACA CTTGGATTGG	630
25	CACCAGCTGT CACCAATAAA GCTGCCCTGA ACATTGTCAA TCAATCCTGT TAACCAATTT	650
	GAGAATTTTT CTGGAATGCT TAGTTAGGGA TGAAATGCT GGGTTATAGG TATGAGTATG	720
	CTTGATATAC TTTTCTCCAG AATGTCTACA CCTGTGTGTA CACCACATCT CCAGAGATAG	730
30	GGGAATCTTA TGTCCTGCT AACTGCTCTC GTTATTTAAT TTTCTGACAT TTGCCGCCGC	840
	CGCCGCCCCC TGCCCCAAC ACACACATGG TATAAAGTGG TAGTTTCTTG TTTTAAATTG	930
35	AACTTTTGAA TGATTTGAAT TTGGGCATTT CTTTGTATCC TGAGTTATTT TGGTTTCCCG	950
	TTATGTGAAT ATCCTTTTCC TATGCTTTAA CTACTTTTCT AATTGTGCC TTTTTTNGGT	1020
	TATCAAATTC CAGGCCATTG TCTATTCCAT CGTCACTTTT GGGTATGGA AACATCTTTC	1030
40	CATTCTGTAG CCTGTCTGTT GAACATAAAT CTTGATTTT ATGTAATCAG ATTTTCTCTC	1140
	TTACGGTTAT GTTCTTGGA TTTTATTTAA GAAATCTTT TCTATCCTGA GACCACAAAA	1200
45	ATGTCCCCAC CATTTCTTTC TGTTTCATAG TTTTGCCTTG TATGTTTAAAT CCTTTAAGGC	1250
	ATGTGTAGTT CATTTTATAT GGTGTGAAAT AGTTCTTATT CATTTATTCA ACACATATTG	1320
	GTGGAGTGCC TGCTGATGGT AGTACTCTTC AGAGTACTTT GTATATATTT GTGAACACAT	1330
50	ATTCTTGCCC TGGAAGCTTA TGTGTCTNTT CAAGGTAGAT CCNTACTCGG TTTCCACCTG	1440
	TTTTCTTCAG CCCTCAGGAT GAATCCACA ATTTTACACA TAGCACCAGT TAAGGAATAG	1500
55	GCTTTATTGG AGAAAAGGAA GGCTTATTAG ACCAGCATCA GCAAAAAAAA A	1551

60 (2) INFORMATION FOR SEQ ID NO: 213:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 997 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 213:

10 AGAGAGTCCT CAACAGAACC TAATCATGCT GGCACCCCTAA TCTCATCTT CTAGCCTCCA 60
 GAACTGAGAG AACATAAACT CCAGTTGTTT AAGCTACCCA GCTCATGGTA TTGTTTACTA 120
 TAGCCCAAGC TAAGTCAGGT GGAAAGGCAG AAATATTTTG AATAGATCA TTTCTACAAA 180
 15 AACAGAGTTG TTCTAAATGA AATGGCCAGA TATTTCATCT TCTTCATCT AGTATTTATG 240
 AAAGTTTCAT TAAACACCAC TTGGCCAGCA CCCAGGCTG CACCTCTAG AACGGCAAC 300
 20 AAAAGCAAAT GATTTGAGGA ACAAAGAGT GGACACAGAG CTTCTCAGAA GATGGCTCCA 360
 TCTCTGAGA TGATCTTCTG AGATCATCAA TTTTCTGCAC CTGAGTCTCT ACTCCAAATG 420
 TAGTAGATAA GAGCAAAGAC ACTTCCTGAT CTTGTGGAA ATGCTGGAGC CTTGCTGATG 480
 25 GAGAGGCTGA CACTGGGACC AACAGAAGGC CGGACATTTA TTTGCTGCAG CCCTTCTGCA 540
 CCTGGGCCCT CTTCAGGCCT TGTACCTTGC ACTCCCCATG CCACTGTAGC ACCTGGTATG 600
 30 CTGAAGTTAG GTATTTGAAG AGATAATTG CCCCCAACAA AATATCTCTT AAAGAAAAA 660
 GGAAACCACT AAATTCACCT TGACAAACCA GTTTGTTGAG TTTTGACTTT TGCAAAATTTG 720
 AAACTTTCTC TTTGGCACCA TATGATTCTG TTACATTAGG GCTCATCAAT CTTAAGATAC 780
 35 ACAGCTAGGT CTACCAGCTG CCACTGGTCA AGAATGAAG AACCTCTGAG AGAGAGATCA 840
 GTTTCTAATA ACCTAACAGT TTTCTTTGGS TATTACMAAA AAAAAAAAAA TTAGAATAAA 900
 40 ATGTCAGTGC CATGCAGGCA AGTACAGATA TGGAAATGAA AGCTTGTCTT ACAACTGCA 960
 GATTTGTTTG TTAATAAAAT TGATTGGGAT CACTCGA 997

45

(2) INFORMATION FOR SEQ ID NO: 214:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1496 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 214:

GAATTCGGCA CGAGTGACCA CAGATATCTT TGGCTTTCAG CTTCAACACA ATGCTGTCCA 60
 CTATGTTTTT TTTAATGAT TGACATCTCA TGAATCCACA AATTAGCCG CTMTTCCATC 120

60

TTTTCCATCT TTGTCATAGC TTCATCACGC ACGATGGAGG TCACTTCAGC ACTATCCGGA 180
 GCGGCCTCAC GGACAGATCR GTGAATTTCC TTTTCCTTTT TCTTGATGTA CCGGATTGTC 240
 5 GACTCGTTAA CATTGAGCTC ATGGCCAACA GCACTGTAAC TCATGCCTGA TTGGAGCTTA 300
 TCCAACACGC GGAMTTTCTC CGTAAGGSAM ATCAMGGTCT TCTTTCGCTT AGGAACACTG 360
 10 GGCARARCTT AARCACTACG CTTGGGGGCC ATTTTAGAAA GCAAAACCAC CCACAAAAG 420
 CAGAAAAAAA AGTGTCAGTA AACAGACTGN NGANAGGACT CTTTGTTTAC AGCACAGGAG 480
 CTGCGACTAG AAGGCGGCGC TTCTCCCAG TTCAAACCTC AGCTGGGAAC CTTACCTCCG 540
 15 CCAACTCCAA ATTTTCACCC TCTGCGCATG CCCGGGAAAS AAACCCCGAG AACAGTACCG 600
 TGATGATTGA TTTTAGGGTT ACAAATACAT TTAGCAAGT AAGTGAATTT GGCATTACGA 660
 20 ATTAATGATT AATGAAGTC ACCTGTATTT CCATAGATAT GTAATTTTAT TTAAGCAGGT 720
 TTATTATATT AAGGCGGSGA GGCAGCGCCG AAGACTACAA GTTCCAGCAT GCACCGCGTC 780
 CGGGCGGGTT CGGGCTCCCA GCGAGGGCTT CAGGGACGCC AGCCCGGAGG CATCGGCCGG 840
 25 AAGTGTGTA GGGCAACCAC GTAGTACTCT CTGCGCATGT GCAAAGCGCT GTCGGGGGCC 900
 GCCCTAGCTG CCGTCGCCGC CGCCGGGGCT CTATGGTCTC TCCCTAGAGC TTTGCCGTTG 960
 GAGGCGGCTG CTGCGGTCTT GTGAGTTTGA CCAGCGTCGA GCGGCAGCAA CATGGAGGAA 1020
 30 TCGACTCCG AAGACTTCTC TACGTCGGAG GAGGACGAGG ACTACGTGCC GTCGGGTGAG 1080
 CGATTCCGCC TGAGGCGAGA AGCGAATTGC CCCGCCCCAC GCCTCACGTG AGGCGCGCTC 1140
 35 TGCCCCCGCG GCGGTCTGCC CTGTGGCCCA GGTGGTCCAG GGGGGCTCCT GTTCTCGAGC 1200
 GTCGCTCCC TCAGGCCCT CATCTCGGC CGCTCCGCC CGAGGCGTGT GCGCGTGGCG 1260
 GTTCTGTGCT CCCCTCCCGT TGGCAGCTC CGGCCGCCGC CCCCTCTTGC AGCGCGGAA 1320
 40 CGGCACATGG ACACGGCCCC TTGTGCTAG GGACGCTCGT CGGTACAGCC CGAACGACAA 1380
 CGCTGCTTCA GAAGTCGGGG CGGCAGTTCG AGCCTGGAA GTTTTTTTCA GCCCTGCCCC 1440
 45 GAGAGAGCTG CTGGCCAACA ACCCGTCCAA GATAGAGCTG TCCGNTCTCC GNTGCG 1496

50 (2) INFORMATION FOR SEQ ID NO: 215:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1308 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

55

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 215:

60 TTGGCANCNG GGAGAGGGAA AGAGGAGGAA ATGGGGTTTG AGGACCATGG CTTACCTTTC

60

CTGCCTTTGA CCCATCACAC CCCATTTCTT CCTCTTTCCC TCTCCCGCT GCCAAAAAA 120
 AAAAAAAGG AAACGTTTAT CATGAATCAA CAGGGTTTCA GTCCTTATCA AAGAGAGATG 180
 5 TGGAAAGAGC TAAAGAAACC ACCCTTTGTT CCCAACTCCA CTTTACCCAT ATTTTATGCA 240
 ACACAAACAC TGTCCTTTTG GGTCCCTTTC TTACAGATGG ACCTCTTGAG AAGAATTATC 300
 10 GTATCCACG TTTTtagccc TCAGGTtacc AAGATAAATA TATGTATATA TAACCTTTAT 360
 TATTGCTATA TCTTTGTGGA TAATACATTC AGGTGGTGCT GGGTGATTTA TTATAATCTG 420
 AACCTAGGTA TATCCTTTGG TCTTCCACAG TCATGTTGAG GTGGGCTCCC TGGTATGGTA 480
 15 AAAAGCCAGG TATAATGTAA CTTCACCCCA GCCTTTGTAC TAAGCTCTTG ATAGTGGATA 540
 TACTCTTTTA AGTTTAGCCC CAATATAGGG TAATGGAAT TTCCTGCCCT CTGGGTTCCC 600
 20 CATTTTtact ATTAAGAAGA CCAGTGATAA TTTAATAATG CCACCAACTC TGGCTTAGTT 660
 AAGTGAGAGT GTGAACtGTG TGGCAAGAGA GCCTCACACC TCACTAGGTG CAGAGAGCCC 720
 AGGCCTtATG TTAATAcCAT GCACTTGAAA AGCAAACCTT AATCTGCAAA GACAGCAGCA 780
 25 AGCATTATAC GGTcATCTTG AATGATCCCT TTGAAATTTT TTTTtTGTTT GTTtGTTTAA 840
 ATCAAGCCTG AGGCTGGTGA ACAGTAGCTA CACACCCATA TTGTGTGTTT TGTGAATGCT 900
 30 AGCTCTCTTG AATTTGGATA TtGGtTATTT TTTATAGAGT GTAAACCAAG TTTTATATTC 960
 TGCAATGCGA ACAGGTACCT ATCTGTTTCT AAATAAAACT GTTTACATTC ATTATGGGGT 1020
 ATGTATGACC TTCATTTTCC AAGAAATAGA ACTCTAGCTT AGAATTATGG ATGCTCTAAA 1080
 35 ATGTCAGAAT GGGAACTCTC CTGGAAGTTC TCCCAAACtC AGAGACAGCA CTGCCTTCTC 1140
 CTAAATGATT ATTCTTTTCT CCCTGTTTTC TGGTATTTTC TAGGCATCCT TCTCACCACA 1200
 40 GCCATAACCC TTTTtTACTT CCATTAGGCC GTATAACTGG NGGGACNGCT GGTGGGTATA 1260
 TAATACTGGT WCCAACAMAG GGTTCTGGA TGTACACMAG GTTATCTT 1308

45

(2) INFORMATION FOR SEQ ID NO: 216:

50 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1705 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

55 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 216:

TGGCCATGGA AGCGCTAGAA GGTtTAGATT TTGAAACAGC AAAGAAGGAT TTCCTTGAT 60
 CTGGAGACCC CAAAGAAACA AAGATGCTAA TCACCAAACA GGCTGACTGG GCCAGAAATA 120
 60

	TC AAGGAGCC CAAAGCCGCC GTGGAGATGT ACATCTCAGC AGGAGAGCAC GTCAAGGCCA	180
	TCGAGATCTG TGGTGACCAT GGCTGGGTG ACATGTTGAT CGACATCGCC CGCAAACCTGG	240
5	ACAAGGCTGA GCGCGAGCCC CTGCTGCTGT GCGCTACCTA CCTCAAGAAG CTGGACAGCC	300
	CTGGCTATGC TGCTGAGACC TACCTGAAGA TGGGTGACCT CAAGTCCCTG GTGCAGCTGC	360
	AGTGGAGACC CAGCGCTGGG ATGAGGCCTT TGCTTTGGGT GAGAAGCATC CTGAGTTTAA	420
10	GGATGACATC TACATGCCGT ATGCTCAGTG GCTAGCAGAG AACGATCGCT TTGAGGAAGC	480
	CCAGAAAGCG TTCCACAAGG CTGGGCGACA GAGAGAAGCG GTCCAGGTGC TGGAGCAGCT	540
15	CACAAACAAT GCCGTGGCGG AGAGCAGGTT TAATGATGCT GCCTATTATT ACTGGATGCT	600
	GTCCATGCAG TGCTCGATA TAGCTCAAGA TCCTGCCCAG AAGGACACAA TGCTTGCCAA	660
	GTTCTACCAC TTCCAGCGTT TGGCAGAGCT GTACCATGGT TACCATGCCA TCCATCGCCA	720
20	CACGGAAGAT CCGTTCAGTG TCCATCGTCC TGAAACTCTT TTCAACATCT CCAGGTTCTT	780
	GCTGCACAGC CTGCCCAAGG ACACCCCTC GGCATCTCT AAAGTGAAAA TACTCTTCAC	840
25	CTTGCCAAG CAGAGCAAGG CCCTCGGTGC CTACAGGCTG GCCCGGCACG CCTATGACAA	900
	GCTGCGTGGC CTGTACATCC CTGCCAGATT CCAAAGTCC ATTGAGCTGG GTACCCTGAC	960
	CATCCGCGCC AAGCCCTTCC ACGACAGTGA GGAGTTGGTG CCCTTGTGCT ACCGCTGCTC	1020
30	CACCAACAAC CCGCTGCTCA ACAACCTGGG CAACGTCTGC ATCAACTGCC GCCAGCCCTT	1080
	CATCTTCTCC GCCTCTTCT ACGACGTGCT ACACCTGGTT GAGTTCTACC TGGAGGAAGG	1140
35	GATCACTGAT GAAGAAGCCA TCTCCCTCAT CGACCTGGAG GTGCTGAGAC CCAAGCGGGA	1200
	TGACAGACAG CTAGAGATTT GCAAACAACA GCTCCAGAT TCTTGCGGCT AGTGGGAGAC	1260
	CAAGGGACTC CATCGGAGAT NAGGACCCGT TCACAGCTAA GCTRAGCTTT GAGCAAGGTG	1320
40	GCTCARAGTT CGTGCCAGTG GTGGTGAGCC GGCTGGTGCT GCGCTCCATG AGCCGCCGGG	1380
	ATGTCTCAT CAAGCGATGG CCCCCACCCC TGAGGTGGCA ATACTTCCGC TCACTGCTGC	1440
45	CTGACGCCTC CATTACCATG TGCCCTCTCT GCTTCCAGAT GTTCCATTCT GAGGACTATG	1500
	AGTTGCTGGT GCTTCAGCAT GGCTGCTGCC CTAAGTCCG CAGGTGCAAG GATGACCCTG	1560
	GCCCATGACC AGCATCCTGG GGACGGCCTG CACCCTCTGC CCGCCTTGGG GTCTGCTGGG	1620
50	CTGTGAAGGA GAATAAAGAG TTAACTGTC AAAAAAAAAA AAAAAAAAAA AAAAAAAAAA	1680
	AAAAAAAAAA AAAAAAAAAA AAANA	1705
55		

(2) INFORMATION FOR SEQ ID NO: 217:

60

(i) SEQUENCE CHARACTERISTICS:

470

- (A) LENGTH: 999 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

5

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 217:

	AGCAAATCAC CTTAACGATC TGAATGAAA CTGTGACCAG TGCCGCCCTG GGTGGTCTG	60
10	GAGAGACTGC CGTCTTCTTG TTTGGCCATA GGTGCTGGGG CCCC GGCTTC AGTCACTGTC	120
	TCAGACAGKA GTCCCGATAA GCAGATCACC AGTCCTCCAC TGTCTTCCT GTCGGCCTTG	180
	CTGCATGAGA AGATAGCTGC TTCTCCCTC TTTTCCTACA CTGTAAATTA TGTTTTACA	240
15	ATTGAGTGYC TTAATAATAG TYTACAAATA CTATGTATTT ATGCAAACT GTTAAAGTTC	300
	TCATCTGTTA TGATTGGATA CTGGTCTTG TCAGTAGTGG TCAGCATGG GTGTGAGCT	360
20	TGTCCTACTC CATACGTGTT TATCCTGCTA TGCATTTTAC ATTGTGTGTT CACATCTATT	420
	CCAAGGAGCC TTGCTAGAAA CAACACTGGC GGTTCCTGCA GGCCAGGCAG GCATTGGCCC	480
	ATGCTGTGTC CCATAGGAGC CAATGGAAAG AACGTAGCTT GGTCTGCTAG CCAGCCGTGG	540
25	GGTGGCGCAG GCCAGGCAGC CTCTGCACCA GAGTCCAGCA CCTGCCCATT CCCCAGTCAC	600
	ACAATCATAC TCTTCTTTCA TAGAGATTTT ATTACCACCT AGACCACCT AGTTTTCCTC	660
30	TCTGTTAGTG TCCTGAGCTC TTTTGCAACA AAATGTAGGT ACAGACCAAT CCCTGTCCCT	720
	TCCCCAATCA GGAGCTCCAC ACCATGAGTT GTTTGGTTTT CCAGAAGCTG CCAGTGGGTT	780
	CCCGTGAATT GCGTTAAGAT ATCGATGATK TTTTATTATG TTTTCTTCT TGTTTTTTA	840
35	AATAATATAT TTAAAGGCAG TATCTTTGT ACTGTGAATT TGCAGTAGAA GATGCAGAAT	900
	GCACTTTTTT TTTACTTCTG TTGGTGTGTA TTGTATATAG TGTGTGTGCT TCTGTGATG	960
40	AAAATAAACT TTTTCTTTAT AAAAAAAAAA AAAAAAAC	999

45

(2) INFORMATION FOR SEQ ID NO: 218:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 941 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

50

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 218:

55	GGCAGGAGTA GCATTCATT TAATCTGCAG GTATATTCTC CCAACAGTTT ATTGTCATGT	60
	GATGTCCTCA GCCAAGATTG TRAGGCAGAG AGGAGCTGTC CCAACCTACT ATACCACCGA	120
60	GGCTGGAGAG ATCATATTTT TGGTATTAAA CTGGAGTCTC TCCATCCTTC ACATTGTTGA	180

TGTCCTCTGT AGCAAACCGG AAAAGTCAGT GACAGAAGAT GCCGCTAGCG GTTTGAGCCA 240
GAGAATGACA GCTCTGGTTT GGAGAAAAGG GCCGGATGGT GGCTCTAGAA AGCCCATCCT 300
5 TCTGCTCTTC TTTTTCCTCC CCCTTATATT GTGCTTTCAT TCATTCATTC ATTCATCAAA 360
CATTTGTTGA GCACCTATTA TGTGTCAAGC TCTGTGCTAG CCTCTGGAAA ACCTGCCCTC 420
10 ATGTAGCTCA CTGTGGAGTA GGAGAAACAA TGACTACACT ATGATAAGCA CGGGTTGTCA 480
GGGTCTCACA GAGCAGTGGC CCCTCATCCA GACCGATGAG GTCAAAGAAG GCATCCAGGC 540
GAGGATGGTG TCAGAGCTAA CTGAAGAATG AGAGGGAGCT GCACCASCAG GGGTTGGAAC 600
15 TGAAGTGGC AGTGCCTGGA GTCTTGATTC CAGCAGAGGG AGAGCAGTCT GTGAAAAGGC 660
ACCAAGGGTG GGAGAGGGCA GAGCACATGG AGGAACTTCA GGTAGTTCTG GATGGCSCTG 720
GGGCAAAGCT AGAGAGGTAA GAAGAATCTA CAAATGTTCC TCGAGTTACA TGAACCTCCA 780
20 TCCCAATAAA CCCATTGGAA ACGAAAAATT TAAGTCAGAA GTGCATTTAA GGCTGGTCCG 840
AGTAGAATGA TTTTACAAC GAATTGATCA CAACCAGTTA CAGATGTCTT TGTTCCTTCT 900
25 CCACTCCAC TGCTTCACCT GACTAGCCTT TAAAAA A 941

30 (2) INFORMATION FOR SEQ ID NO: 219:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 575 base pairs

(B) TYPE: nucleic acid

35 (C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 219:

40 TAAGTGAAT CCCCCGGGT TGCAGGAAT TCGGCACGAG GCATTCTGAG AAGCTTAAGA 60
CATACTTTGA AGACAACCCT AGGGACCTCC AGCTGCTGCG GCATGACCTA CCTTTGCACC 120
CCGCAGTGGT GAAGCCCCAC CTGGGCCATG TTCCTGACTA CCTGGTTCCT CTGCTCTCC 180
45 GTGGCCTGGT RCGCCCTCAC AAGAAGCGGA AGAAGCTGTC TTCCTCTGT AGGAAGGCCA 240
AGAGAGCAAA GTCCCAGAAC CCACTGCGCA GCTTCAAGCA CAAAGGAAAG AAATTCAGAC 300
50 CCACAGCCAA GCCCTCCTGA GGTGTGTTGG CCTCTCTGGA GCTGAGCACA TTGTGGAGCA 360
CAGGCTTACA CCCTTCGTGG ACAGGCGAGG CTCTGGTGCT TACTGCACAG CCTGAACAGA 420
CAGTTCTGGG GCCGGCAGTG CTGGGCCCTT TAGCTCCTTG GCACTTCCAA GCTGGCATCT 480
55 TGCCCCTTGA CAACAGAATA AAAATTTTAG CTGCCCCAAA AAAAAAAAAA AAAAAAAAAA 540
CTCGAGGGGG GGCCCGTACC CAATTCGCCC TATAA 575

(2) INFORMATION FOR SEQ ID NO: 220:

5

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 3018 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

10

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 220:

	GCCAGCCTTA CAGGTTTAC GTGAAATGAA AGCCATTGGA ATAGAACCCT CGCTTGCAAC	60
15	ATATCACCAT ATTATCGCC TGTTCGATCA ACCTGGAGAC CCTTTAAAGA GATCATCCTT	120
	CATCATTTAT GATATAATGA ATGAATTAAT GGGAAAGAGA TTTCTCCAA AGGACCCGGA	180
20	TGATGATAAG TTTTTCAGT CAGCCATGAG CATATGCTCA TCTCTCAGAG ATCTAGAACT	240
	TGCCTACCAA GTACATGGCC TTTTAAAAAC CGGAGACAAC TGGAAATTCA TTGGACCTGA	300
	TCAACATCGT AATTTCTATT ATTCCAAGTT CTTGATTTG ATTTGTCTAA TGAACAAAT	360
25	TGATGTTACC TTGAAGTGGT ATGAGGACCT GATACCTTCA GCCTACTTTC CCCACTCCCA	420
	AACAATGATA CATCTCTCC AAGCATTGGA TGTGGCCAAT CGGCTAGAAG TGATTCCTAA	480
30	AATTTGGGAA AGATAGTAAA GAATATGGTC ATACTTTCCG CAGTGACCTG AGAGAAGAGA	540
	TCCTGATGCT CATGGCAAGG GACAAGCACC CACCAGAGCT TCAGGTGGCA TTTGCTGACT	600
	GTGCTGCTGA TATCAAATCT GCGTATGAAA GCCAACCCAT CAGACAGACT GCTCAGGATT	660
35	GGCCAGCCAC CTCTCTCAAC TGTATAGCTA TCCTCTTTT AAGGGCTGGG AGAACTCAGG	720
	AAGCCTGGAA AATGTTGGGG CTTTTCAGGA AGCATAATAA GATTCTTAGA AGTGAGTTGC	780
40	TGAATGAGCT TATGGACAGT GCAAAAGTGT CTAACAGCCC TTCCCAGGCC ATTGAAGTAG	840
	TAGAGCTGGC AAGTGCCTTC AGCTTACCTA TTTGTGAGGG CCTCACCCAG AGAGTAATGA	900
	GTGATTTTGC AATCAACCAG GAACAAAAGG AAGCCCTAAG TAATCTAACT GCATTGACCA	960
45	GTGACAGTGA TACTGACAGC AGCAGTGACA GCGACAGTGA CACCAGTGAA GGCAAATGAA	1020
	AGTGGAGATT CAGGAGCAGC AATGGTCTCA CCATAGCTGC TGGAAATCACA CCTGAGAACT	1080
50	GAGATATACC AATATTTAAC ATTGTTACAA AGAAGAAAAG ATACAGATTT GGTGAATTTG	1140
	TTACTGTGAG GTACAGTCAG TACACAGCTG ACTTATGTAG ATTTAAGCTG CTAATATGCT	1200
	ACTTAACCAT CTATTAATGC ACCATTAAAG GCTTAGCATT TAAGTAGCAA CATTGCGGTT	1260
55	TTCAGACACA TGGTGAGGTC CATGGCTCTT GTCATCAGGA TAAGCCTGCA CACCTAGAGT	1320
	GTCCGTGAGC TGACCTCAGC ATGCTGTCCT CGTGCATTG CCCTCTCCTG CTGCTGGAAT	1380
60	TCTGCCTTTG TTGGCCTGAT GTGCTGCTGT GATGCTGGTC CTTTCATCTTA GGTGTTTCATG	1440

CAGTTCTAAC ACAGTTGGGG TTGGGTCAAT AGTTTCCCAA TTTCAGGATA TTTCGATGTC 1500
 AGAAATAACG CATCTTAGGA ATGACTAAAC AAGATAATGG CAGTTTAGGC TGCACAACTG 1560
 5 GTAAAAATGAC TGTAGATAAA TGTGTAAAT AGTGACACG TTGTATTTT TGTTAATATA 1620
 GCCGCTGCCA TAGTTTCTA ACTTGAACAG CCATGAATGT TTCATGTCTC CCTTTTMTT 1680
 10 TTGTCTATAG CTGTTACCTA TTTTAGTGGT TGAAATGAGA GCTAGTGATG ACAGAAGGAT 1740
 GTGGAATGTC TTCTTGACAT CATTGTGTAT TGCTGGTAAT CAAGTTGGTA ACGACTACTT 1800
 CTAGCAGCTC TTACCACTAT GACTTAAAGTG GTCCTGGAAG GCAGTAAGTG GAGGTTTGCA 1860
 15 GCATTCCTGC CTTTCATGAGG GCTTCTACCA CTGACCACCT TGCACGTACC TGGCTCCCAG 1920
 ATTTACTTAG GTACCCACG AGTCGTCCAC ATAAGCAGCT TCATCTTTAC CTGCCAGAG 1980
 20 TTGACAATTA TGGGATACTC TAGTCTACTT ATACTTGTGT TCCCATCTGT CTGCCATCCT 2040
 CTGAAGGCCA GGACCCAGTC ATACATCCTT AGAAACCAA GTATGGTTTT TGTMTTCTCT 2100
 TGAATGTCA GGTCTTAAGG CATTTAATTG AGGGACAAA AAAAAAAAAA GCCGATATAG 2160
 25 TAGCTAGCTA CTTAAGCATC CATGGGTATT GCTCCATATC AAAGCAGATT TGCAGGACAG 2220
 AAAGAGTAAA TTAGCCTTCA GTCTTGGTTT ACAGCTTCCA AGGAGAGCCT TGGSCACCTG 2280
 AAATGTTAAC TCGGTCCCTT CCTGTCTCTA GTTCATCAGC ACCTGCAGAT GCCTGACTCT 2340
 30 TGTTAGCCTT ACTATCAAT ACAGTCCTTA GATTCACGGT ATGCCTCTTC CTATCCAGGC 2400
 ACCTATTCTG AATCACCATG TTGCTCTGCA GCTAGAGTTG ATAGGAGAAA ATCCATTTGG 2460
 35 GTAGATGGCC TATGAATTTG TAGTAGACTT TCAAATGAG TGATTTGTTA GCTTGGTACT 2520
 TTTAAGTTTG TGGTACAGAT CCTCAAACC CATACTCTGA GCAATTAACT GCCTGAACA 2580
 40 TAGAGAAAAA TTAAGGCCTC ACAGGATGAG TCTCCATTCT CTGTAAATGC TTATTTTATC 2640
 ATAGTCTTTA GCCTCTAACT ATGAGTAAAA TGTCTCTTTC GGCCGGGTGT GGTGACTCAC 2700
 ACCTGTAACC TCAGCACTTT GGGAGGCAGA GGTGGGAGGA TCACCTAGGT CCAGGAGTTC 2760
 45 GAGACTAGCC TGGGCAACAT AGTGAGACAC CGGATCTACA AAAAAATAAA AAGCCAGACT 2820
 GGTGGTATGT ATCTGTGTCC CAGCTAATTG GGAGGGTGAG ATGGGAGGAT TGTTTGAGCC 2880
 TAGGAGAGGG AGGTTGCAGT GAGCCGTGAT CGCACCCTG CACTCCAGCC TGGGCAACAG 2940
 50 AGCAAGACCC TGTCTTGAG AAACCAGAAT TTTGGAAGAG CAAATGGGGC TGAGTGCAGT 3000
 GGCTCATGCC TGTAAATCC 3018

55

(2) INFORMATION FOR SEQ ID NO: 221:

60

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 968 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

5

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 221:

GGCACGAGGG CCGCGGGACA TCCACGGGGC GCGAGTGACA CGCGGGAGGG AGAGCAGTGT 60
 10 TCTGCTGGAG CCGATGCCAA AAACCATGCA TTTCTTATTC AGATTCATG TTTTCTTTTA 120
 TCTGTGGGGC CTTTTTACTG CTCAGAGACA AAAGAAAGAG GAGAGCACCG AAGAAGTGAA 180
 AATAGAAGTT TTGCATCGTC CAGAAAACCTG CTCTAAGACA AGCAAGAAGG GAGACCTACT 240
 15 NAAATGCCCA TTATGACGGC TACCTGGCTA AAGACGGCTC GAAATTCTAC TGCAGCCGGA 300
 CACAAAATGA AGGCCACCCC AAATGGTTTG TTCTTGGTGT TGGGCAAGTC ATAAAAGGCC 360
 20 TAGACATTGC TATGACAGAT ATGTGCCCTG GAGAAAAGCG AAAAGTAGTT ATACCCCTT 420
 CATTTGCATA CGGAAAGGAA GGCTATGCAG AAGGCAAGAT TCCACCGGAT GCTACATTGA 480
 TTTTGTAGAT TGAACTTTAT GCTGTGACCA AAGGACCACG GAGCATTGAG ACATTTAAAC 540
 25 AAATAGACAT GGACAATGAC AGGCAGCTCT CTAAAGCCGA GATAAACCTC TACTTGCAA 600
 GGAATTTGA AAAAGATGAG AAGCCACGTG ACAAGTCATA TCAGGATGCA GTTTTAGAAG 660
 30 ATATTTTAA GAAGAATGAC CATGATGGTG ATGGCTTCAT TTCTCCAAG GAATACAATG 720
 TATACCAACA CGATGAACTA TAGCATATTT GTATTCTTAC TTTTTTTTTT TAGCTATTTA 780
 CTGTACTTTA TGTATWAAAC AAAGTCMCTT TTCTCCMAGT TGKATTTGCT ATTTTCCCC 840
 35 TATGAGAAGA TATTTTGATC TCCCAATAC ATTGATTTTG GTATAATAAA TGTGAGGCTG 900
 TTTTGCAAAC TTAAAAAAA ATTTAAAAAA ACTGGAGGGG GGCCCGTACC CAANTCGCCG 960
 40 NATATGAT 968

45 (2) INFORMATION FOR SEQ ID NO: 222:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1404 base pairs
 (B) TYPE: nucleic acid
 50 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 222:

55 CGTTTTCCGG CCGTGGCTTT GTGGCCGTCC GGCCTCCCTG ACATGCAGCC CTCTGGACCC 60
 CGAGGTTGGA CCCTACTGTG ACACACCTAC CATGCGGACA CTCTTCAACC TCCTCTGGCT 120
 TGCCCTGGCC TGCAGCCCTG TTCACACTAC CCTGTCAAAG TCAGATGCCA AAAAAGCCGC 180
 60

CTCAAAGACG CTGCTGGAGA AGAGTCAGTT TTCAGATAAG CCGGTGCAAG ACCGGGGTTT 240
 GGTGGTGACG GACCTCAAAG CTGAGAGTGT GGTCTTGAG CATCGCAGCT ACTGCTCGGC 300
 5 AAAGGCCCGG GACAGACACT TTGCTGGGGA TGTAAGGGC TATGTCACCT CATGGAACAG 360
 CCATGGCTAC GATGTCACCA AGGTCTTTGG GAGCAAGTTC ACACAGATCT CACCCGTCTG 420
 GCTGCAGCTG AAGAGACGTG GCCGTGAGAT GTTTGAGGTC ACGGGCCTCC ACGACGTGGA 480
 10 CCAAGGGTGG ATGCGAGCTG TCAGGAAGCA TGCCAAGGGC CTGCACATAG TGCCTCGGCT 540
 CCTGTTTGAG GACTGGACTT ACGATGATTT CCGGAACGTC TTAGACAGTG AGGATGAGAT 600
 15 AGAGGAGCTG AGCAAGACCG TGGTCCAGGT GGCAAGAAG CAGCATTTTC ATGGCTTCGT 660
 GGTGGAGGTC TGAACACAGC TGCTAAGCCA GAAGCGCGTG GGCCTCATCC ACATGCTCAC 720
 CCACTTGGCC GAGGCTCTGC ACCAGGCCCG GCTGCTGGCC CTCCTGGTCA TCCCGCCTGC 780
 20 CATCACCCCC GGGACCGACC AGCTGGGCAT GTTCACGCAC AAGGAGTTTG AGCAGCTGGC 840
 CCCCCTGCTG GATGGTTTCA GCCTCATGAC CTACGACTAC TCTACAGCGC ATCAGCCTGG 900
 25 CCCTAATGCA CCCCTGTCCT GGGTTCGAGC CTGCGTCCAG GTCTTGACC CGAAGTCCAA 960
 GTGGCGAAGC AAAATCCTCC TGGGGCTCAA CTTCTATGGT ATGGACTACG CGACCTCCAA 1020
 GGATGCCCCG GAGCCTGTTG TCGGGGCCAG GTACATCCAG AACTGAAGG ACCACAGGCC 1080
 30 CCGGATGGTG TGGGACAGCC AGGYCTCAGA GCACTTCTTC GAGTACAAGA AGAGCCGCGC 1140
 TGGGAGGCAC GTCGTTCTCT ACCCAACCCT GAAGTCCCTG CAGGTGCGGC TGGAGCTGGC 1200
 35 CCGGGAGCTG GGCCTTGGGG TCTCTATCTG GGAGCTGGCC AGGCCTGGA CTACTTCTAC 1260
 GACCTGCTCT AGGTGGGCAT TGCAGCCTCC GCGGTGGACG TGTCTTTTC TAAGCCATGG 1320
 40 AGTGAGTGAG CAGGTGTGAA ATACAGGCCT NCACTCCGTT TGCTGTGAAA AAAAAAAAAA 1380
 AAAAAAAAAA AAAAAAAAAA AAAA 1404

45

(2) INFORMATION FOR SEQ ID NO: 223:

(i) SEQUENCE CHARACTERISTICS:

50

- (A) LENGTH: 707 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 223:

55

NGCGCGCCTG CAGTCGACAC TAGTGGATCC AAAGAATTCG GCACGAGGGC AGGTCCAGGG 60
 CTCAGAAATC AGCTCTATTG ACGAATTCCT CCGCAAGTTC CGCCTGGACT GCCCCTGGC 120
 60 CATGGAGCGG ATCAAGGAGG ACCGGCCCAT CACCATCAAG GACGACAAGG GCAACCTCAA 180

CCGCTGCATC GCAGACGTGG TCTCGCTCTT CATCAGCGTC ATGGACAGGC TGCGCCTGGA 240
 GATCCGCGCC ATGGATGAGA TCCAGCCCGA COTGCGAGAG CTGATGAGA CCGTCACCG 300
 5 CATGAGCCAC CTCCCACCG ACTTTGAGGG CCGCCAGAGG GTCAGCCAT GGTGACAGAC 360
 CCTGAGCGGC ATGTGGCGT CAGATGAGCT GGACGACTCA CAGGTGCGTC AGATGCTGTT 420
 10 CGACCTGGAG TCAGCCTACA ACGCCTTCAA CCGCTTCTG CATGCTTAG CCGGGGAC 480
 TAGCCCTTGC ACAGAAGGGC AGAGTGTGAG GCGATGGCTC CTGTTCTCTT GTCCGCCACA 540
 CAGGCCGTGG TCATCCACAC AACTCACTGT CTGCAGCTGC CTGTCTGCTG TCTGCTTTG 600
 15 GTGTCAGAAC TTTTGGGCGG GGGCCCTCCC CACAATAAG ATGCTCTCG ACCTTCAAAA 660
 AAAAAAAAAA AAAAATCRG GGGGGGCGG GTCCCAATCC CCCCCTT 707

20

(2) INFORMATION FOR SEQ ID NO: 224:

25

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1384 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

30

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 224:

GGGGAAGTGC AGTGACAGCA GGAGTAAGAG TGGAGGSCAG GACAGAGTTG GGACACAGGT 60
 35 ATGGAGAGGG GGTTCAGCGA GCCTAGAGAG GGCAGACTAT CAGGGTGGCG GCGGTGAGAA 120
 TCCAGGGAGA GGAGCGGAAA CAGAGAGGGG GCAGAGAGCC GGGGCACTTG TGGTTGCGAG 180
 AGCCCCCTCAG CCATGTTGGG AGCCAAGCCA CACTGGCTAC CAGGTCTCTT ACACAGTCCC 240
 40 GGGCTGCCCT TGGTTCTGGT GCTTCTGGCC CTGGGGGCGG GGTGGGTTCA GGAGGGGTCA 300
 GAGCCCGTCC TGCTGGAGGG GGAATGCCTG GTGGTGTGTG AGCCTGGCG AGTTGCTGCA 360
 45 GGGGGGCGCG GGGGAGCAGC CTTGGGAGAG GCACCCCTG GCGAGTGGC AATTGCTGCG 420
 GTCCGAAGCC AACACCATGA GCCAGCAGGG GAAACCGCA ATGGCACTAK TGGGCCCATC 480
 TACTTCGACC AGGTCTGGT GAACGAGGGG GGTGGCTTTG ACCGGGCTTC TGGCTCCTTC 540
 50 GTAGCCCTG TCCGGGTGT CTACAGCTTC CGTTCTATG TGGTGAAGT GTACAACCGC 600
 CAAACTGTCC AGGTGAGCCT GATGCTGAAC ACGTGGCTG TCATCTGAGC CTTTGCCAAT 660
 55 GATCCTGACG TGACCCGGGA GGCAGCCACC AGCTCTGTGC TACTGCTTTT GGACCTGGG 720
 GACCGAGTGT CTCTGCGCT GCGTCGGGG AATCTACTGG GTGGTGGAA AATCTCAAGT 780
 TTCTCTGGCT TCCTCATCTT CCTCTCTGA GGACCAAGT YTTTCAAGCA CAGAATCCA 840
 60

GCCCCTGACA ACTTTCTTCT GCCCTCTCTT GCCCCAGAAA CAGCAGAGGC AGGAGAGAGA 900
 CTCCTCTGG YTCCTATCCC ACYTCCTTGC ATGGGAMCCT GTGCCAAACA CCCAAGTTTA 960
 5 AGARAARARY ARARCTGWGG CAGGTATACA GAGCTGGAAG TGGACCATGG AAAACATSGA 1020
 TAACCATGCA TCYTCTTGCT TGGCCACCTC CTGAACTGT CCACCTTTGA AGTTTGAACT 1080
 TTAGTCCCTC CAMACTCTGA CTGCTGCCTC CTCCTCCCA GCTCTCTCAC TGAGTTATYT 1140
 10 TCACTGTACC TGTCCAGCA TATCCCCACT ATCTCTCTTT CTCCTGATCT GTGCTGTCTT 1200
 ATTCTCTCC TTAGGCTTCC TATTACCTGG GATCCATGA TTCATTCTT CAGACCCTCT 1260
 15 CCTGCCAGTA TGCTAAACCC TCCCTCTCTC TTTCTTATCC CGCTGTCCCA TTGGCCCAGC 1320
 CTGGATGAAT CTATCAATAA AACAACTAGA GAATGGTGGT CAAAAAAAAA AAAAAAAAAAC 1380
 TCGA 1384
 20

(2) INFORMATION FOR SEQ ID NO: 225:

25

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 760 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: double
 - (D) TOPOLOGY: linear

30

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 225:

GGGTCGACCC ACGCGTCCGC TGACCAGTCC GTTATAGATA CTCTTCCTA TACCAAACT 60
 35 GTTTAAACAG GTGCCACCAC AAGGGATGTC GTCCTTACTC TCTGCGGGTC TTCAAGCATC 120
 CCTTTGTGGG AAARGTCTCT GGGCAAGCAC GTGGTATTG GTCTGCTGCT TGCTTCCCTT 180
 40 TTTCCACCAG GGATGTTGTG ATCATAAGTC AAAACAACAG TATATTCCAA ATCTCAAAAG 240
 CTATTGTGGC CTGAGCACAA TTGAAATCTA GCAGAGTTTT TCCTATGTAG CTTAGAGTA 300
 ACTCTTCTGC TTCTCTGTCA CTTACAATC AGGTTCTGCC TTTGCCTAAG AGCATGAGCA 360
 45 GAAGAGTCCT CATGTGACGC TTAGTCTAT TGCAGTCCTG GGTGAACTA TTAAAGCWAT 420
 GGGGCTGCTK CTCCCANWT CCTCCCTAAC AATTCGTTGT GTGGACTTCT CATCTAAAAG 480
 50 GTTAGTGGCT TTTGCTGGG ATCAGTGCTC TCTATTGATG TTCTTGCTGG TCTCCAGACA 540
 CATTCTGTT GCATTAAGAC TTGAAAGACT TGTAGATGTG TGATGTTTCA GCACAGGATG 600
 CTGAAAGCTA TGTTACTATT CTTAGTTTGT AAATGTCTCT TTTGATACCA TCATCTTGTT 660
 55 TTCTTTTGT AGGTATAAAT AAAAACACTG TTGACAATAA AAAAAAAAAA AAAAAAAAAA 720
 AAAAAAAAAA AAAAAAAAAA NAAAAAAAAA AAAAAAAAAA 760

60

(2) INFORMATION FOR SEQ ID NO: 226:

5

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 2057 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

10

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 226:

CCGAGCCGGC TGCGCCGGG GAATCCGTGC GGGCGCCTTC CGTCCCRGTC CCATCCTCGC	60
15 CGCGCTCCAG CACCTCTGAA GTTTTGAGC GCCCAGAAAG GAGGCGAGGA AGGAGGGAGT	120
GTGTGAGAGG AGGGAGCAAA AAGCTCACCC TAAACATTT ATTTCAAGGA GAAAAGAAAA	180
20 AGGGGGGGCG CAAAAATGGC TGGGGCAATT ATAGAAAACA TGAGCACCAA GAAGCTGTGC	240
ATTGTTGGTG GGATTCTGCT CGTGTTCCTT ATCATCGCCT TTCTGGTGGG AGGCTTGATT	300
GCTCCAGGGC CCACAACGGC AGTGTCTTAC ATGTCTGGTA AATGTGTGGA TGCCCGTAAG	360
25 AACCATCACA AGACAAAATG GTTCGTGCCT TGGGGACCCA ATCATTGTGA CAAGATCCGA	420
GACATTGAAG AGGCAATTCC AAGGGAAATT GAAGCCAATG ACATCGTGTT TTCTGTTTAC	480
30 ATTCCCCTCC CCCACATGGA GATGAGTCTT TGGTTCCAAT TCATGMTGTT TATCCTGCAG	540
CTGGACATTG CTTTCAAGCT AAACAACCAA ATCAGRGAAA ATGCAGAAGT CTCCATGGAC	600
GMTTCCCTGG CTTACCGTGA TGACGCGTTT GCTGAGTGGG CTGAAATGGC CCATGAAAGA	660
35 GTACCACGGA AACTCAAATG CACCTTCACA TCTCCCAAGA CTCCAGAGCA TGGAGGGCCG	720
GTTACTATGA ATGTGATGTC CTTCTTTTCA TGGAAATTGG GTCTGTGGCC CATGAAGTTT	780
40 TACCTTTTAA ACATCCGGCT GCCTGTGAAT GAGAAGAAGA AAATCAATGT GGAATTTGGG	840
GAGATAAAGG ATATCCGGTT GGTGGGGATC CACCAAAATG GAGGCTTCAC CAAGGTGTGG	900
TTTGCCATGA AGACCTTCCT TACGCCCAGC ATCTTCATCA TTATGGTGTG GTATTGGAGG	960
45 AGGATCACCA TGATGTCCCG ACCCCAGTG CTTCTGGAAG AAGTCATCTT TGCCCTTGGG	1020
ATTTCCATGA CCTTTATCAA TATCCAGTG GAATGGTTTT CCATCGGGTT TGAATGGACC	1080
50 TGGATGCTGC TGTTTGGTGA CATCCGACAG GCATCTTCTA TGCRATGCTT CTCTCTTCT	1140
GGATCATCTT CTGTGGCGAG CACATGATGG ATCAGCACGA GCGGAACCAC ATCGCAGGGT	1200
ATTGGAAGCA AGTCGGACCC ATTGCCGTTG GTCCTTCTGC CTCTTCATAT TTGACATGTG	1260
55 TGAGAGAGGG GTACAACTCA CGAATCCCTT CTACAGTATC TGGACTACAG ACATTGGGAA	1320
CAGAGCTGGC CATGGCTTTC ATCATCGTGG CTGGAATCTG CCTCTGCCTC TAACTTCCTG	1380
60 TTTCTATGCT TCATGGTATT TCAGGTGTTT CGGAACATCA GTGGGAAGCA GTCCAGCCTG	1440

CCAGGTATGA GCAASTCCG GCGGTACAC TATGAGGGG TAATTTTATG GTTCAAGTTC 1500
 CTCATGCTTA TCACCTTGGC TTGCGTGGC ATGACTTGA TCTCTTCAT CGTAGTCAG 1560
 5 GTRACGAGG GGCATTGGG AATGGGGCG CGTCACATC CCAAGTGAAC AGTGCCTTTT 1620
 TCACAGGCAT CTATGGGATG TGGAACTGT ATGCTTTTC TCTGATGTTT TTGTATGCAC 1680
 CATCCATAA AACTATGGA GAGACCAAT CCAATGGAT GCAACTCCCA TGTAAATCGA 1740
 10 GGGAGATTC TGCTTGTTC GTTCGGAC TTATCAGA ATTGTTGAGC GCTTCGAAAT 1800
 ATTCCTTCAT CATGACAC GAGCTTCTG GTATTGAT CACAAAGGCA ACACATGTTT 1860
 15 ATCAGCTTC CATTCGAGT TTTGACATC ACATTCATG TACTTGATA CGCACACAAA 1920
 TACACTCAT TACCTTTAT CTCAAAATG TAAATATAG GAAAAAGCG TCAACAATA 1980
 ATATCTTCG ATATCTCT TACTCTCTT AAAAAAAAA AAAAAAATC GTGCCGAAT 2040
 20 CGGCACGAGC GGCACGA 2057

25

(2) INFORMATION FOR SEQ ID NO: 227:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 2084 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

30

(ii) SEQUENCE DESCRIPTION: SEQ ID NO: 227:

35

GGCAGAGGGC CATTCTCTGC AAGAGGCGA ACCCCCATTC CTCTGTGCC CTCCTCTCCC 60
 ACCAATGCT TTATAAAA ATCTCTGTT ACCGGAATA ACTGTCATT TTTCACCTCT 120
 40 CCGTCTAGG TCACCTTTT CAGAAAAA ATCTGCTCC TGGAAACCAG AAGAAAAATA 180
 TGAGACGGG AATCATCTG TATGTGTGT SCTGCTTTG GCTGAGTGTG TGGAGTCTG 240
 CTCAGGTGTT AGTACAGTG GTTTGATCG TGGTGGCTG AGGGGAACCG CTGTTCAGA 300
 45 GCTGTGACT GCGCTGCACT GCAGAGAAC TCCCTTGGC TGCTCGTAGC GCCGGGCCTT 360
 CTCTCCTCT CATCATCCAG AGCAGCCAT GTCCGGGAG CAGAAGGTAC CGGGGCAGCT 420
 50 ACTGAGGAG TGTGCGGGC TGCTGGGCT GCGCCCTCC CCGTGGGGC CTGTTGCTGC 480
 TGCCATCTA TTCTACTAC TCCCTCCCA ATGCGGTGG CCGCCCTTC ACTTGATGC 540
 TTGCCCCCT GGGCTTCTC GCAGGCACT AACATCTCC TGGGCCCTCA GGGCCTGGC 600
 55 CCAGCTGAG TCTCTGCACT GTGTAAAA GGAATTTC ACGTGGCCA TGGGCTGGCA 660
 TGGTCATAT ACATCGGAA TGTGCGGTG ATCTGCCAG AGCTCCAGG CCGGATTCGA 720
 60 ACTTACAAT AGCATACAA CAACCTGCTA CCGGTGCG TGAGCCAGC GTGTNATAT 780

	CTCCTCCCAT TGGACTGTGG GGTGCCTGAT AACCTGAGTA TGGCTGACCC CAACATTGCG	840
5	TTCCTGGATA AACTGCCCCA GCAGACCGGT GACCGTGCTG GCATCAAGGA TCGGGTTTAC	900
	AGCAACAGCA TCTATGAGCT TCTGGAGAAC GGGCAGCGGG CGGGCACCTG TGTCTTGGAG	960
	TACGCCACCC CCTTGCAGAC TTTGTTTGCC ATGTCACAAT ACAGTCAAGC TGGCTTTAGC	1020
10	GGGGAGGATA GGCTTGAGCA GGCCAAACTC TTCTGCCGGA CACTTGAGGA CATCCTGGCA	1080
	GATGCCCCTG AGTCTCAGAA CAACTGCCGC CTCATTGCCT ACCAGGAACC TGCAGATGAC	1140
15	AGCAGCTTCT CGCTGTCCCA GGAGGTTCTC CGGCACCTGC GGCAGGAGGA AAAGGAAGAG	1200
	GTTACTGTGG GCAGCTTGAA GACCTCAGCG GTGCCAGTA CCTCCACGAT GTCCCAAGAG	1260
	CCTGAGCTCC TCATCAGTGG AATGGAAAAG CCCCTCCCTC TCCGCACGGA TTTCTCTTGA	1320
20	GACCCAGGGT CACCAGGCCA GAGCCTCCAG TGGTCTCCAA GCCTCTGGAC TGGGGGCTCT	1380
	CTTCAGTGGC TGAATGTCCA GCAGAGCTAT TTCCTTCCAC AGGGGGCCTT GCAGGGAAGG	1440
25	GTCCAGGACT TGACATCTTA AGATGCGTCT TGTCCCCTTG GGCCAGTCAT TTCCCCTCTC	1500
	TGAGCCTCGG TGTCTTCAAC CTGTGAAATG GGATCATAAT CACTGCCTTA CCTCCCTCAC	1560
	GGTTGTTGTG AGGACTGAGT GTGTGGAAGT TTTTCATAAA CTTTGATGC TAGTGTACTT	1620
30	AGGGGTGTG CCAGGTGTCT TTCATGGGGC CTCCAGACC CACTCCCCAC CTTTCTCCCC	1680
	TTCCTTTGCC CGGGGACGCC GAACTCTCTC AATGGTATCA ACAGGCTCCT TCGCCCTCTG	1740
35	GCTCCTGGTC ATGTTCCATT ATTGGGGAGC CCCAGCAGAA GAATGGAGAG GAGGAGGAGG	1800
	CTGAGTTTGG GGTATTGAAT CCCCCGGCTC CCACCCTGCA GCATCAAGGT TGCTATGGAC	1860
	TCTCCTGCCG GGCAACTCTT GCGTAATCAT GACTATCTCT AGGATTCTGG CACCACTTCC	1920
40	TTCCCTGGCC CCTTAAGCCT AGCTGTGTAT CGGCACCCCC ACCCCACTAG AGTACTCCCT	1980
	CTCACTTGGC GTTTCCTTAT ACTCCACCCC TTTCTCAACG GTCCTTTTIT AAAGCACATC	2040
45	TCAGATTAAA AAAAAAAAAA AAAAAAAAAA AGGGGGGCGN GCNT	2084

(2) INFORMATION FOR SEQ ID NO: 228:

50

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 2143 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

55

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 228:

60

TCGACCCACG CGTCCGGTTG AATTCCTTGA CCTGCAAACA CATATTTATT AGCCTGACTC

60

	AAACAATGAA GCTATTAAAA CTTCGGAGGA ACATTGTAAA ACTCTCTTTG TATCGGCATT	120
	TCACCAACAC GCTTATTTTG GCAGTGGCAG CATCCATTGT GTTTATCATC TGGACAACCA	180
5	TGAAGTTCAG AATAGTGACA TGTCAGTCGG ACTGGCGGGA GCTGTGGGTA GACGATGCCA	240
	TCTGGCGCTT GCTGTCTCTC ATGATCCTCT TTGTCATCAT GGTCTCTCTG CGACCATCTG	300
	CAACAACCA GAGGTTTGCC TTTTCACCAT TGTCTGAGGA AGAGGAGGAG GATGAACAAA	360
10	AGGAGCCTAT GCTGAAAGAA AGCTTTGAAG GAATGAAAAT GAGAAGTACC AAACAAGAAC	420
	CCAATGGAAA TAGTAAAGTT AACAAAGCAC AGGAAGATGA TTTGAAGTGG GTAGAAGAGA	480
15	ATGTTCTCTC TTCTGTGACA GATGTAGCAC TTCCAGCCCT TCTGGATTCA GATGAGGAAC	540
	GAATGATCAC ACACTTTGAA AGGTCCAAAA TGGAGTAAGG AATGGGAAGA TTTGCAGTTA	600
	AAGATGGCTA CCATCAGGGA AGAGATCAGC ATCTGTGTCA GTCTTCTGTA CGGCTCCATG	660
20	GGATTAAAGG AAGCAATGAC ATCCTGATCT GTTCCTTGAT CTTTGGGCAT TGGAGTTGGC	720
	GAGAGGTGTC AGAACAAAGA GAACATCTTA CTGAAAACAA GTTCATAAGA TGAGAAAAAT	780
25	CTACGAGCTT CTTATTTACA AACTGCTGC CCCCTTTCCT CCCAGACTCT GACATGGATG	840
	TTCATGCAAC TTAAGTGTGT TGTTCCTGAA CTTTCTGTAA TGTTCATTT TTTAAATCTG	900
	ACAAACTAAA AAGTTTAAAG TCTTCTAAAA GATTGTCATC AACACCATAA TATGTAATCT	960
30	CCAGGAGCAA CTGCCTGTAA TTTTATTTTA TTTAGGGAGT TACATAGGTG ATGGGGGAAA	1020
	TTGTTAACTA CCTTTCATTT TCCTGGGAAG TCAAGGTTAC ATCTTGCAGA GGTGTGTTTG	1080
35	AGAAAAAGG GCCCTTCTGA GTTAAGGAGC CATAGTTCTA TCAATGATCA AAAGAAAAA	1140
	AAAAAAAGA GAAACTGTTA CAGTATGATT CAGATCATTT AAAAAAGCAA AATCAAGTGC	1200
	AATTTTGTTC ACAAATGGTG TATATTAAAG ATTTTCTAT TTCAGATGTA CTTTAAAGAG	1260
40	AAATATTAGC TTAACCTCTT TGACATCTGC TATTGTGACA CATCCCATG CTGGCAATGT	1320
	GGTGCACT CCGAACTTT TAACTACTGT TTTGTAAGCC TCCAAGGGTG GCATTGCAGG	1380
45	GTCCCTTAGG AATGTTTTGT TTGCCTTTAT GCAGAGAGGT GCTCCAAGTG CTGTGATTGA	1440
	GCACCGTGCT AGAGGAACTG TAATGCTTCA GAAGTTGTAG CTTATACAAA GGAAACAGGT	1500
	CCTGCTGGCT TAATTAAAC AGTTATTGCA TGAAGTAGCG TGGAGGCCCT GGAAGTCTGC	1560
50	TCGTTCTTTA GGATGGACTG TTCTGGTATC TGGTATTGGT TTAGAGACTG TTAATAAGGG	1620
	ACATCACAAG GTGATGGGAT TCATTGAAG CACTCTATTT CTGTTTTAAT GGTTTTATCC	1680
55	AATTTTGCCT TCCCAAGATT TTTGTTCTAC ATAAAAAGTT CATGCCACTT TTTAATATAA	1740
	AAAAATTTAA CAAAATTAAT GTATTTTCT CATTTTTTC AACTTTTTTC TAAAGACTCT	1800
60	TTCTGTCAAA CTCATGAAAA ATTTCTTTCT ATGGCTTTTA TTCTAGATTG TCTTATTTTC	1860

482

TGTTAAAACC AATGACCACA TGACCACAAT CTTCACTAAC TCATACTGCA GTGAAAGTGT 1920
 TAACCCTTAG GTAGTTTCTC TACAACCTCT TGCTATGGTG ATTTTAAAAA AAGTTTCCTA 1980
 5 GGGAAGTATC TCTGAGGGAA CAGGCAATCT GAAGGAACTG ACTATATTCT CCATGGCTAA 2040
 GTCCATTAGG CCAAAAGNCT GGGTGGGTAT TGGTTGTGAN GCTGTCTATT GGCATATTAA 2100
 10 AAACGTAGGC CGGANGGAAT AATTAGGTTG TNATGCCGGC GGG 2143

15 (2) INFORMATION FOR SEQ ID NO: 229:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1025 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

20 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 229:

25 CCTGGCCAC ATTGCTTCAT TGGCCTGGCC ATGCGCCTGT ACTATGGCAG CCGCTAGTCC 60
 CTGACAACTT CCACCCTGAT TCCGGACCCT GTAGATTGGG CGCCACCACC AGATCCCCCT 120
 CCCAGGCCTT CCTCCTCTC CCATCAGCAG CCCTGTAACA AGTGCCTTGT GAGAAAAGCT 180
 30 GGAGAAGTGA GGCAGCCAG GTTATTCTCT GGAGTTGGT GGATGAAGGG GTACCCTAGG 240
 AGATGTGAAG TGTGGGTTTG GTTAAGGAAA TGCTTACCAT CCCCCACCCC CAACCAAGTT 300
 CTTCCAGACT AAAGAATTAA GGTAACATCA ATACCTAGGC CTGAGAAATA ACCCCATCCT 360
 35 TGTTGGGCAG CTCCCTGCTT TGTCTGTCAT GAACAGAGTT GATGAAAGTG GGGTGTGGGC 420
 AACAAAGTGGC TTTCTTGCC TACTTTAGTC ACCCAGCAGA GCCACTGGAG CTGGCTAGTC 480
 40 CAGCCCAGCC ATGGTGCATG ACTCTTCCAT AAGGGATCCT CACCCTTCCA CTTTCATGCA 540
 AGAAGGCCCA GTTGCCACAG ATTATACAAC CATTACCCAA ACCACTCTGA CAGTCTCCTC 600
 CAGTTCCAGC AATGCCTAGA GACATGCTCC CTGCCCTCTC CACAGTGCTG CTCCCCACAC 660
 45 CTAGCCTTTG TTCTGGAAAC CCCAGAGAGG GCTGGGCTTG ACTCATCTCA GGAATGTAG 720
 CCCCTGGGCC CTGGCTTAAG CCGACACTCC TGACCTCTCT GTTCACCCTG AGGGCTGTCT 780
 50 TGAAGCCCGC TACCCACTCT GAGGCTCCTA GGAGGTACCA TGCTTCCAC TCTGGGGCCT 840
 GCCCCTGCCT AGCAGTCTCC CAGCTCCCAA CAGCCTGGGG AAGCTCTGCA CAGAGTGACC 900
 TGAGACCAGG TACAGGAAAC CTGTAGCTCA ATCAGTGTCT CTTTAACTGC ATAAGCAATA 960
 55 AGATCTTAAT AAAGTCTTCT AGGCTGTAGG GTGGTTCCTA CAACCACAGC CAAAAAAAAA 1020
 AAAAA 1025

60

(2) INFORMATION FOR SEQ ID NO: 230:

5

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1250 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

10

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 230:

5 GCCACGCGT CCGCCACGC GTCGCGCGT GCGGAGTATG GGGCGCTGAT GGCCATGGAG 60

15 GGCTACTGGC GCTTCCTGGC GCGCTGGGG TCGGCACTGC TCGTCGGCTT CCTGTCGGTG 120

 ATSTTCGCCC TCGTCTGGGT CCTCCACTAC CGAGAGGGGC TTGGCTGGGA TGGGAGCGCA 180

20 CTAGAGTTTA ACTGGCACCC AGTGCTSATG GTCACCGGCT TCGTCTTCAT CCAGGGCATC 240

 GCATCATCGT CTACAGACTG CCGTGGACCT GGAAATGCAG CAAGCTCCTG ATGAAATCCA 300

 TCCATGCAGG GTTAAATGCA GTTGCTGCCA TTCTTGCAAT TATCTCTGTG GTGGCCGTGT 360

25 TTGAGAACCA CAATGTTAAC AATATAGCCA ATATGTACAG TCTGCACAGC TGGGTTGGAC 420

 TGATAGCTGT CATATGCTAT TTGTTACAGC TTCTTTCAGG TTTTTCAGTC TTTCTGCTTC 480

 CATGGGCTCC GCTTTCTCTC CGAGCATTTC TCATGCCCAT ACATGTTTAT TCTGGAATTG 540

30 TCATCTTTGG AACAGTGATT GCAACAGCAC TTATGGGATT GACAGAGAAA CTGATTTTTT 600

 CCCTGAGAGA TCCTGCATAC AGTACATTCC CGCCAGAAGG TGTTTTCGTA AATACGCTTG 660

35 GCCTTCTGAT CCTGGTGTTT GGGGCCCTCA TTTTTCGGAT AGTCACCAGA CCGCAATGGA 720

 AACGTCCTAA GGAGCCAAAT TCTACCATTC TTCATCCAAA TGGAGGCACT GAACAGGGAG 780

 CAAGAGGTTT CATGCCAGCC TACTCTGGCA ACAACATGGA CAAATCAGAT TCAGAGTTAA 840

40 ACARTGAAGT AGCAGCAAGG AAAAGAACT TAGCTCTGGA TGAGGCTGGG CAGAGATCTA 900

 CCATGTAAAA TGTGTAGAG ATAGAGCCAT ATAACGTCAC GTTTCAAAAC TAGCTCTACA 960

45 GTTTTGCTTC TCCTATTAGC CATATGATAA TTGGGCTATG TAGTATCAAT ATTACTTTA 1020

 ATCACAAAGG ATGGTTTCTT GAAATAATTT GTATTGATTG AGGCCTATGA ACTGACCTGA 1080

 ATTGGAAGG ATGTGATTAA TATAAATAAT AGCAGATATA AATTGTGGTT ATGTTACCTT 1140

50 TATCTTGTG AGGACCACAA CATTAGCAGG GTGCCTGTG CAAKATAGAT ACTCAATATG 1200

 TGAATATGTG TCTACTAGTA GTTAATTGGA TAACTGGCA GCATCCCTGA 1250

55

(2) INFORMATION FOR SEQ ID NO: 231:

60

(i) SEQUENCE CHARACTERISTICS:

484

(A) LENGTH: 1811 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

5

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 231:

	CNGNCAGTAC CGGTCNGAAT CCCGGGTCGA CCCACGCGTC CGCTGCATTG CAGGGCCTTT	60
10	CAGTGGCTTT CATCTGAAG TTCCTGGATA ACATGTTCCA TGTCTTGATG GCCCAGGTTA	120
	CCASTGTCAT TATCACAACA GTGTCTGTCC TGGTCTTTGA CTTCAGGCCC TCCCTGGAAT	180
15	TTTTCTTGA AGCCSCATCA GTCSTYCTCT CTATATTTAT TTATAATGCC AGCAAGCCTC	240
	AAGTCCGGA ATACGCACCT AGGCAAGAAA GGATCCGAGA TCTAAGTGGC AATCTTTGGG	300
	AGCGTTCAG TGGGGATGGA GAAGAACTAG AAAGACTTAC CAAACCCAAG AGTGATGAGT	360
20	CAGATGAAGA TACTTTCTAA CTGGTACCCA CATAGTTTGC AGCTCTCTTG AACCTTATTT	420
	TCACATTTTC AGTGTGTTGA ATATTTATCT TTTCACTTTG ATAAACCAGA AATGTTTCTA	480
25	AATCCTAATA TTCTTTGCAT ATATCTAGCT ACTCCCTAAA TGGTTCCATC CAAGGCTTAG	540
	AGTACCCAAA GGCTAAGAAA TTCTAAAGAA CTGATACAGG AGTAACAATA TGAAGAATTC	600
	ATTAATATCT CAGTACTTGA TAAATCAGAA AGTTATATGT GCAGATTATT TTCCTTGGCC	660
30	TTCAAGCTTC CAAAAAATT GTAATAATCA TGTTAGCTAT AGCTTGATA TACACATAGA	720
	GATCAATTTG CCAAATATTC ACAATCATGT AGTTCTAGTT TACATGCCAA AGTCTTCCCT	780
35	TTTTAACATT ATAAAAGCTA GGTGTCTCT TGAATTTTGA GGCCCTAGAG ATAGTCATTT	840
	TGCAAGTAAA GAGCAACGGG ACCCTTTCTA AAAACGTTGG TTGAAGGACC TAAATACCTG	900
	GCCATACCAT AGATTGCGA TGATGTAGTC TGTGCTAAAT ATTTTGCTGA AGAAGCAGTT	960
40	TCTCAGACAC AACATCTCAG AATTTTAATT TTTAGAAATT CATGGGAAAT TGGATTTTGT	1020
	TAATAATCTT TTGATGTTTT AAACATTGGT TCCCTAGTCA CCATAGTTAC CACTTGTATT	1080
45	TTAAGTCATT TAAACAAGCC ACGGTGGGGC TTTTCTCTCC TCAGTTTGAG GAGAAAAATC	1140
	TTGATGTCAT TACTCCTGAA TTATTACATT TTGAGAATA AGAGGGCATT TTATTTTATT	1200
	AGTTACTAAT TCAAGCTGTG ACTATTGTAT ATCTTTCCAA GAGTTGAAAT GCTGGCTTCA	1260
50	GAATCATACC AGATTGTCAG TGAAGCTGAT GCCTAGGAAC TTTTAAAGGG ATCCTTTCAA	1320
	AAGGATCACT TAGCAAACAC ATGTGACTT TTAACGTATG TATGAATATT AATACTCTAA	1380
55	AAATAGAAAG ACCAGTAATA TATAAGTCAC TTTACAGTGC TACTTCACAC TTAAAAGTGC	1440
	ATGGTATTTT TCATGGTATT TTGCATGCAG CCAGTTAACT CTCGTAGATA GAGAAGTCAG	1500
	GTGATAGATG ATATTAAAAA TTAGCAAACA AAAGTGACTT GCTCAGGGTC ATGCAGCTGG	1560
60	GTGATGATAG AAGAGTGGGC TTTAACTGGC AGGCCTGTAT GTTTACAGAC TACCATACTG	1620

485

5 TAAATATGAG CTTTATGGTG TCATTCTCAG AAACCTATAC ATTTCTGCTC TCCTTTCTCC 1680
TAAGTTTCAT GCAGATGAAT ATAAGGTAAT ATACTATTAT ATAATTCATT TGTGATATCC 1740
ACAATAATAT GACTGGCAAG AATTGGTGGA AATTTGTAAT TAAAATAATT ATTAAACCTA 1800
AAAAAAAAAN N 1811

10

(2) INFORMATION FOR SEQ ID NO: 232:

15

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2271 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

20

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 232:

CTGACCTCAT GCGTAGAGC CTAGCAACAG CGCAGGCTCC CAGCCGAGTC CGTTATGGCC 60
25 GCTGCCGTCC CGAAGAGGAT GAGGGGGCCA GCACAAGCGA AACTGCTGCC CGGGTCGGCC 120
ATCCAAGCCC TTGTGGGGTT GGCGCGGCCG CTGGTCTTGG CGCTCCTGCT TGTGTCCGCC 180
GCTCTATCCA GTGTTGTATC ACGGACTGAT TCACCGAGCC CAACCGTACT CAACTCACAT 240
30 ATTTCTACCC CAAATGTGAA TGCTTTAACA CATGAAAACC AAACCAAACC TTCTATTTCC 300
CAAATCAGCA CCACCCTCCC TCCCACGACG AGTACCAAGA AAAGTGGAGG AGCATCTGTG 360
35 GTCCCTCATC CCTCGCTAC TCCTCTGTCT CAAGAGGAAG CTGATAACAA TGAAGATCCT 420
AGTATAGAGG AGGAGGATCT TCTGATGCTG AACAGTTCTC CATCCACAGC CAAAGACACT 480
CTAGACAATG GCGATTATGG AGAACCAGAC TATGACTGGA CCACGGGCCC CAGGGACGAC 540
40 GACGAGTCTG ATNGACACCT TGAAGAAAA CAGGGGTTAC ATGGAAATTG AACAGTCAGT 600
GAAATCTTTT AAGATGCCAT CCTCAAATAT AGAAGAGGAA GACAGCCATT TCTTTTTTCA 660
45 TCTTATTATT TTTGCTTTTT GCATTGCTGT TGTTTACATT ACATATCACA ACAAAGGAA 720
GATTTTTCTT CTGGTTCAAA GCAGGAAATG GCGTGATGGC CTTTGTTCCT AAACAGTGGA 780
ATACCATCGC CTAGATCAGA ATGTTAATGA GGCAATGCCT TCTTTGAAGA TTACCAATGA 840
50 TTATATTTTT TAAAGCACTG TGATTTGAAT TTGCTTATGT AATTTTATTT GCTTGACTTT 900
TTATATGATA TTGTGCAAAT GTTTGCCATA GGCAATTGGT ACTTAAATGA GAGGTGAGTC 960
55 TCTCTTTTGC CTTGGTGCTT TGGAAATTAA ATGTCACAAA CGAGTATATA ATTTTTTATC 1020
TGTACTTTTA GAGCTGAGTT TAATCAGGTG TCCAAAATGT GAGTTAAACA TTACCTTATA 1080
TTTACACTGT TAGTTTTTAT TGTMTTAGAT TTATTATGCT TCTTCTGGAA GTATTAGTGA 1140
60

TGCTACTTTT AAAAGATCCC AAACCTGTAA CTAAATTCTG ACATATCTGT TACTGCTGAC 1200
 TCACATTCAT TCTCCGCCAT TCAAATACTA TTTTATATCC ACATTTT TTTT TGTTCCTCAA 1260
 5 ACTGTAATGT ACAAGGATAT GTGTGATAAT GCTTTGGATT TGAGTAATAT TTTT TTTTCT 1320
 TCCAAGAAAA CTGCTTTGGA TATTTT TAGA TAATTTAAAC ATAATTTAGG ATAATGATAT 1380
 10 TGCTCAATCT GACCACAATT TTAGGTAAAA CATTAAATGT GTCAAGAAAT CTGGCAACA 1440
 GAGACTCTGC AGCTTGCACT GGACATAGAT AAAATGTTAC AGAGATACTA TTTT TTTTGGT 1500
 TGGAATTACT ATATTAAATT TAGAAGCAGA AACTGGTAAA ATGTAAATA CATGTACAAT 1560
 15 TGCTTTTAGT TAGCAATTGA TTGTAGCATG GGTTCCTCCA AGGTTTCAAG CAATGGGCAG 1620
 AGTTTAAAT TATATCAGAT TCGTTTACTT CGTTTATTAT TTTACAGTAA ATTGAATAA 1680
 ATCTTAGGGG TCATTATCAC TTAAATAATA CTGTACCTAG GTCTTTCAA TTTAAATTAT 1740
 20 ACCTGAATGA AGTTGTTTGT ATACATAAAG GATATTGTG TACAATTACC TTTT TTTTCCC 1800
 CACACTTGT TTTT TTTT TTTT TTTT TTTT TTTT TTTT TTTT TTTT TTTT TTTT TTTT 1860
 25 CATTTATGTC TGTCTTCTA TCATAAAGAA TTGATCAATA TGTAATATG TGATTGAAC 1920
 CATGGTTGAC TTACAAGTGT CACTACAGCT TTTTAGAAAA CATAGCCCTA ATATATGTTA 1980
 AGCAGGACCC GGGTGAGCCA GTGGGCTTGC GCTTTATGTA GAGCTGGAAG AAGGCCGTCC 2040
 30 ATCCTGTCTC TTGGGCGGAC AGTGTACTTT CCTAATAGGG AAGGGAAGCA CAATGGAAT 2100
 ACCCTGAAC CGTTTATATG CAGTAATTTT TTTTATATCT GAACTATTA TTTAATATT 2160
 35 TGAATAAGAT TTAAAAAAT AAATGGCAA GATATAAATC TAAAAA AAAAAA 2220
 AAAAAA AAAAAA AAAAAA AAAAAA AAAAAA AAAAAA N 2271

40

(2) INFORMATION FOR SEQ ID NO: 233:

45

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1338 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

50

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 233:

CTTCCGGTTC TCCGGGCAGC TGCCACTGCT GTAGCTTCTG CCACCTGCCA CGACCGGGCC 60
 TCTCCCTGGC GTTTGGTCAC CTCTGCTTCA TTCTCCACCG CGCCTATGGT CCCTCTTGGA 120
 55 GCCAGCGTGG CGNGCCTGGC GGCTCCCGGG TGGTGAGAGA GCGGTCCGGG AACGATGAAG 180
 GCCTCGCAGT GCTGCTGCTG TCTCAGCCAC CTCTTGGCTT CCGTCTCCT CCTGCTGTTG 240
 60 CTGCCTGAAC TAAGCGGGYC CCTGGMAGTC CTGCTGCAGG CAGCCGAGGC CGCGCCAGGT 300

YTTGGGCCTC CTGACCCTAG ACCAGGACAT TACCGCCGCT GCCACCGGGC CTTWACCCCT 360
 GCCCAGCAGC CGGGCCGTGG TCTGGCTGAA GCTGCGGGG CCGCGGGGCT CCGAGGGAGG 420
 5 CAATGGCAGC AACCCCTGTGG CCGGGCTTGA GACGGACGAT CACGGAGGGA AGGCCGGGGA 480
 ARGCTCGGTG GGTGGCGGCC TTGCTGTGAG CCCCAACCCT GGCACAAGC CCATGACCCA 540
 10 GCGGGCCCTG ACCGTGTTGA TGGTGGTGAG CGGCGCGGTG CTGGTGTACT TCGTGGTCAG 600
 GACGGTCAGG ATGAGAAGAA GAAACCGAAA GACTAGGAGA TATGGAGTTT TGGACACTAA 660
 CATAGAAAAT ATGGAATTGA CACCTTTAGA ACAGGATGAT GAGGATGATG ACAACACGTT 720
 15 GTTTGATGCC AATCATCCTC GAAGATAAGA ATGTGCCTTT TGATGAAAGA ACTTTATCTT 780
 TCTACAATGA AGAGTGAAT TTCTATGTTT AAGGAATAAG AAGCCACTAT ATCAATGTTG 840
 20 GGGGGGTATT TAAGTTACAT ATATTTNAAC AACCTTTAAT TTGCTGTTGC AATAAATACC 900
 GTATCCTTTT ATTATATCTT TATATGTATA GAAGTACTCT GTTAATGGGC TCAGAGATGT 960
 TGGGGATAAA GTATACTGTA ATAATTTATC TGTTTGAAAA TTAATAATAA ACGGTGTTTT 1020
 25 CTGRTCGGTT TTTGTTTCCT GCTTACCATA TGATTGTAAA TGTGTTTATG TATTAATCAG 1080
 TTAATGCTAA TTATTTTTCG TGATGTCATA TGTTAAAGAG CTATAAATTC CAACAACCAA 1140
 30 CTGGTGTGTA AAAATAATTT AAAATYTCTT TTAAGTAAAG GTATTTCCCA TTTTGTGGG 1200
 GAAAAGAAGC CAAATTTATT ACTTTGTGTT GGGGTTTTTA AAATATTAAG AAATGTCTAA 1260
 GTTATTGTTT GCAAAACAAT AAATATGATT TTAAATCTC TTAAAAAAA AAAAAAAAC 1320
 35 CCGGGGGGGG GGCCCGGN 1338

40

(2) INFORMATION FOR SEQ ID NO: 234:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 31 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 234:

50

Met Leu Ser Thr Gly Ile Glu Val Ala Arg Pro Pro Ala Thr Leu Leu
 1 5 10 15

Gly Leu Met Phe Val Leu Thr Gly Met Pro Arg Gly Leu Arg Xaa
 20 25 30

55

(2) INFORMATION FOR SEQ ID NO: 235:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 116 amino acids

60

488

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 235:

5 Met Asn Val Val Ile Val Ile Ile Leu Phe Ser Phe Asp Ser Val Gly
 1 5 10 15

Thr Met Phe Ser Cys Asn Arg Ile Pro Lys Ile Thr Val Leu Asn Lys
 20 25 30

10 Leu Lys Phe Xaa Cys Glu Val Leu Leu Arg Ile Gln Thr Ile Gln Gly
 35 40 45

Phe Tyr Arg Cys Thr Arg Ile Ser Arg Tyr Lys Gly Ile Phe Pro Asp
 15 50 55 60

Phe Cys Gln Ser Gln Cys Met Gly Cys Asn Pro Glu Ser Xaa Met Ala
 65 70 75 80

20 Val Pro Ala Leu Val Thr Pro Ile Leu Ala His Arg Lys Lys Glu Lys
 85 90 95

Gly Met Cys Leu Phe Thr Leu Ile Ile Ala Pro Thr Arg Cys Thr His
 100 105 110

25 Tyr Phe Cys Xaa
 115

30

(2) INFORMATION FOR SEQ ID NO: 236:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 103 amino acids

35

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 236:

40 Met Ser Ser Ala Lys Ile Val Arg Gln Arg Gly Ala Val Pro Thr Tyr
 1 5 10 15

Tyr Thr Thr Glu Ala Gly Glu Ile Ile Phe Leu Val Leu Asn Trp Ser
 20 25 30

45 Leu Ser Ile Leu His Ile Val Asp Val Leu Cys Ser Lys Pro Glu Lys
 35 40 45

Ser Val Thr Glu Asp Ala Ala Ser Gly Leu Ser Gln Arg Met Thr Ala
 50 55 60

50 Leu Val Trp Arg Lys Gly Pro Asp Gly Gly Ser Arg Lys Pro Ile Leu
 65 70 75 80

Leu Leu Phe Phe Phe Leu Pro Leu Ile Leu Cys Phe His Ser Phe Ile
 55 85 90 95

His Ser Ser Asn Ile Cys Xaa
 100

60

(2) INFORMATION FOR SEQ ID NO: 237:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 42 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 237:

5 Met Ile Leu Phe Pro Gln Xaa Ala Leu Arg Leu Gly Xaa Trp Pro Arg
 1 5 10 15
 Thr Trp Ser Ile Leu Xaa Lys Tyr Ser Val Asn Phe Phe Ser Ala Tyr
 20 25 30
 15 Ser Pro Met Gly Ala Val Gly Thr Glu Phe
 35 40

20

(2) INFORMATION FOR SEQ ID NO: 238:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 37 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 238:

25 Met Ile Ile Leu Leu Leu Phe Met Leu Leu Asn Asn Val Val Leu Val
 30 1 5 10 15
 Gln Glu Asp Asn Cys Gln Arg Lys Asn Thr Val Gln Glu Arg Arg Xaa
 20 25 30
 35 Trp Ser Gln Trp Xaa
 35

40

(2) INFORMATION FOR SEQ ID NO: 239:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 128 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 239:

45 Met Ala Ala Xaa Pro Pro Gly Cys Thr Pro Pro Xaa Leu Leu Asp Ile
 1 5 10 15
 50 Ser Trp Leu Thr Glu Ser Leu Gly Ala Gly Gln Pro Val Pro Val Glu
 20 25 30
 55 Cys Arg His Arg Leu Glu Val Ala Gly Pro Arg Lys Gly Pro Leu Ser
 35 40 45
 Pro Ala Trp Met Pro Ala Tyr Ala Cys Gln Arg Pro Thr Pro Leu Thr
 50 55 60
 60 His His Asn Thr Gly Leu Ser Glu Leu Leu Glu His Gly Val Cys Glu

490

65 70 75 80

Glu Val Glu Arg Val Arg Arg Ser Glu Arg Tyr Gln Thr Met Lys Val
 85 90 95

5 Arg Arg Ala Gly Leu Gly Pro Thr Pro Gly Met Ser Cys Pro Gly Asn
 100 105 110

10 Asp Asn Thr Val His Thr Met His Gly Glu Ala Asn Arg Gly Ser Xaa
 115 120 125

15

(2) INFORMATION FOR SEQ ID NO: 240:

20 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 67 amino acids
 (B) TYPE: amino acid
 (D) TOPOLOGY: linear
 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 240:

25 Met Ser Ile Leu Cys Cys Pro Xaa Leu Cys Leu Phe Phe Ser Phe Cys
 1 5 10 15

Ile Ser Ser Gly Ser Cys Pro Phe Ser His Val Ser Gln Leu Ser Phe
 20 25 30

30 Ile Ala Thr Phe Ser Gln Ser Ser Pro Val Leu Leu Val Pro Ala Tyr
 35 40 45

35 Asn Thr Tyr Leu Ser Phe Leu Ala Phe Leu Asp Cys Ala Ser Leu Thr
 50 55 60

Ser Thr Xaa
 65

40

(2) INFORMATION FOR SEQ ID NO: 241:

45 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 69 amino acids
 (B) TYPE: amino acid
 (D) TOPOLOGY: linear
 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 241:

50 Met Ser Thr Phe Gln Leu Leu Leu Leu Ile Leu Ala Gln Ser Thr Tyr
 1 5 10 15

Lys Ile Lys Ser Lys Pro Leu His Met Thr Asn His Thr Leu Leu Asn
 20 25 30

55 Ser Pro Gly Leu Asn Pro Ser Ser Pro Thr Leu Asn Phe Lys Thr Gln
 35 40 45

60 Gln His Glu Ser Val Ser Tyr Ala Cys Cys His Met Arg Ser Leu His
 50 55 60

491

His Ala Phe Ala Xaa
65

5

(2) INFORMATION FOR SEQ ID NO: 242:

- 10 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 44 amino acids
 (B) TYPE: amino acid
 (D) TOPOLOGY: linear
 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 242:

15 Met Val Ser Val Val Leu Ile Phe Ser Phe Leu Ser Leu Thr Ile Ser
 1 5 10 15

Thr Thr Ala Ser Ala Tyr Asn Gly Asn Asp Thr Gln Gly Trp Asn Asp
 20 25 30

20

Lys-Phe His Xaa Xaa Ser Val Lys Thr Gln Thr Xaa
 35 40

25

(2) INFORMATION FOR SEQ ID NO: 243:

- 30 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 51 amino acids
 (B) TYPE: amino acid
 (D) TOPOLOGY: linear
 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 243:

35 Met Ile Ser Asp Ala Gly Ala Gly Phe Gly Val Phe Leu Leu Val Pro
 1 5 10 15

Arg Ala Gly His Cys Trp Gly Ala Gly Lys Pro Leu Pro Ser Cys Pro
 20 25 30

40 Ser Val Ala Ser Ile Pro Ser Trp Val Leu Pro Ser Phe Leu Glu Arg
 35 40 45

Gly Arg Xaa
 50

45

(2) INFORMATION FOR SEQ ID NO: 244:

- 50 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 43 amino acids
 (B) TYPE: amino acid
 (D) TOPOLOGY: linear
 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 244:

55

Met Val Gln Thr Ile Gln Asp Phe Leu Ser Leu Phe Ser Thr Pro Ile
 1 5 10 15

60

Phe Leu Leu Leu Met Phe Glu Thr Leu Ser Leu Ala Pro Ala Trp
 20 25 30

Leu Lys Pro Leu Arg Val Thr Ser His Ser Xaa
35 40

5

(2) INFORMATION FOR SEQ ID NO: 245:

(i) SEQUENCE CHARACTERISTICS:

10

(A) LENGTH: 61 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 245:

15

Met Ile Leu Met Pro Gly Leu Gly Thr Ser Arg Gln Arg Ser Val Pro
1 5 10 15

Phe Val Pro Thr Leu Asn Ala Ser Thr Pro Gly Ala Met Thr Gly Pro
20 25 30

20

Thr Ala Thr Leu Thr Ser Cys Gln Trp Thr Thr Ala Cys Arg Val Ser
35 40 45

25

Trp Ala Asn Gly Trp Thr Ser Leu Arg Thr Phe Arg Xaa
50 55 60

(2) INFORMATION FOR SEQ ID NO: 246:

30

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 36 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

35

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 246:

Met Ser His His Ala Gln Pro Arg Phe Leu Leu Ile Thr Met Leu Leu
1 5 10 15

40

Gln Glu Ala Lys Pro Val Ser Asn Ile Pro His Leu Leu Glu Ser Trp
20 25 30

Tyr Phe Gly Xaa
35

45

(2) INFORMATION FOR SEQ ID NO: 247:

50

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 38 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

55

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 247:

Met Asn Ser Leu Phe Trp Met Ile Leu Leu Pro Val Ser Gln Asp Gln
1 5 10 15

60

Val Val Glu Gly Leu Gln Gly Gly Phe Ser Gln Ile His Met Arg Ile
20 25 30

Leu Arg Lys His Leu Xaa
35

5

(2) INFORMATION FOR SEQ ID NO: 248:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 211 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 248:

15 Met Ser Arg Ser Xaa Asp Val Thr Asn Thr Thr Phe Leu Leu Met Ala
1 5 10 15

Ala Ser Ile Tyr Leu His Asp Gln Asn Pro Asp Ala Ala Leu Arg Ala
20 20 25 30

Leu His Gln Gly Asp Ser Leu Glu Cys Thr Ala Met Thr Val Gln Ile
35 40 45

25 Leu Leu Lys Leu Asp Arg Leu Asp Leu Ala Arg Lys Glu Leu Lys Arg
50 55 60

Met Gln Asp Leu Asp Glu Asp Ala Thr Leu Thr Gln Leu Ala Thr Ala
65 70 75 80

30 Trp Val Ser Leu Ala Thr Gly Gly Glu Lys Leu Gln Asp Ala Tyr Tyr
85 90 95

Ile Phe Gln Glu Met Ala Asp Lys Cys Ser Pro Thr Leu Leu Leu Leu
100 105 110

35 Asn Gly Gln Ala Ala Cys His Met Ala Gln Gly Arg Trp Glu Ala Ala
115 120 125

40 Glu Gly Leu Leu Gln Glu Ala Leu Asp Lys Asp Ser Gly Tyr Pro Glu
130 135 140

Thr Leu Val Asn Leu Ile Val Leu Ser Gln His Leu Gly Lys Pro Pro
145 150 155 160

45 Glu Val Thr Asn Arg Tyr Leu Ser Gln Leu Lys Asp Ala His Arg Ser
165 170 175

His Pro Phe Ile Lys Glu Tyr Gln Ala Lys Glu Asn Asp Phe Asp Arg
180 185 190

50 Leu Val Leu Gln Tyr Ala Pro Ser Ala Glu Ala Gly Pro Glu Leu Ser
195 200 205

Gly Pro Xaa
55 210

60

(2) INFORMATION FOR SEQ ID NO: 249:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 548 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 249:

Met Glu Asp Ser Glu Ala Leu Gly Phe Glu His Met Gly Leu Asp Pro
 1 5 10 15
 10 Arg Leu Leu Gln Ala Val Thr Asp Leu Gly Trp Ser Arg Pro Thr Leu
 20 25 30
 Ile Gln Glu Lys Ala Ile Pro Leu Ala Leu Glu Gly Lys Asp Leu Leu
 35 40 45
 15 Ala Arg Ala Arg Thr Gly Ser Gly Lys Thr Ala Ala Tyr Ala Ile Pro
 50 55 60
 20 Met Leu Gln Leu Leu Leu His Arg Lys Ala Thr Gly Pro Val Val Glu
 65 70 75 80
 Gln Ala Val Arg Gly Leu Val Leu Val Pro Thr Lys Glu Leu Ala Arg
 85 90 95
 25 Gln Ala Gln Ser Met Ile Gln Gln Leu Ala Thr Tyr Cys Ala Arg Asp
 100 105 110
 Val Arg Val Ala Asn Val Ser Ala Ala Glu Asp Ser Val Ser Gln Arg
 115 120 125
 30 Ala Val Leu Met Glu Lys Pro Asp Val Val Val Gly Thr Pro Ser Arg
 130 135 140
 Ile Leu Ser His Leu Gln Gln Asp Ser Leu Lys Leu Arg Asp Ser Leu
 145 150 155 160
 35 Glu Leu Leu Val Val Asp Glu Ala Asp Leu Leu Phe Ser Phe Gly Phe
 165 170 175
 40 Glu Glu Glu Leu Lys Ser Leu Leu Cys His Leu Pro Arg Ile Tyr Gln
 180 185 190
 Ala Phe Leu Met Ser Ala Thr Phe Asn Glu Asp Val Gln Ala Leu Lys
 195 200 205
 45 Glu Leu Ile Leu His Asn Pro Val Thr Leu Lys Leu Gln Glu Ser Gln
 210 215 220
 Leu Pro Gly Pro Asp Gln Leu Gln Gln Phe Gln Val Val Cys Glu Thr
 225 230 235 240
 50 Glu Glu Asp Lys Phe Leu Leu Leu Tyr Ala Leu Leu Lys Leu Ser Leu
 245 250 255
 55 Ile Arg Gly Lys Ser Leu Leu Phe Val Asn Thr Leu Glu Arg Ser Tyr
 260 265 270
 Arg Leu Arg Leu Phe Leu Glu Gln Phe Ser Ile Pro Thr Cys Val Leu
 275 280 285
 60

495

Asn Gly Glu Leu Pro Leu Arg Ser Arg Cys His Ile Ile Ser Gln Phe
 290 295 300
 5 Asn Gln Gly Phe Tyr Asp Cys Val Ile Ala Thr Asp Ala Glu Val Leu
 305 310 315 320
 Gly Ala Pro Val Lys Gly Lys Arg Arg Gly Arg Gly Pro Lys Gly Asp
 325 330 335
 10 Lys Ala Ser Asp Pro Glu Ala Gly Val Ala Arg Gly Ile Asp Phe His
 340 345 350
 His Val Ser Ala Val Leu Asn Phe Asp Leu Pro Pro Thr Pro Glu Ala
 355 360 365
 15 Tyr Ile His Arg Ala Gly Arg Thr Ala Arg Ala Asn Asn Pro Gly Ile
 370 375 380
 20 Val Leu Thr Phe Val Leu Pro Thr Glu Gln Phe His Leu Gly Lys Ile
 385 390 395 400
 Glu Glu Leu Leu Ser Gly Glu Asn Arg Gly Pro Ile Leu Leu Pro Tyr
 405 410 415
 25 Gln Phe Arg Met Glu Glu Ile Glu Gly Phe Arg Tyr Arg Cys Arg Asp
 420 425 430
 Ala Met Arg Ser Val Thr Lys Gln Ala Ile Arg Glu Ala Arg Leu Lys
 435 440 445
 30 Glu Ile Lys Glu Glu Leu Leu His Ser Glu Lys Leu Lys Thr Tyr Phe
 450 455 460
 Glu Asp Asn Pro Arg Asp Leu Gln Leu Leu Arg His Asp Leu Pro Leu
 465 470 475 480
 His Pro Ala Val Val Lys Pro His Leu Gly His Val Pro Asp Tyr Leu
 485 490 495
 40 Val Pro Pro Ala Leu Arg Gly Leu Val Arg Pro His Lys Lys Arg Lys
 500 505 510
 Lys Leu Ser Ser Ser Cys Arg Lys Ala Lys Arg Ala Lys Ser Gln Asn
 515 520 525
 45 Pro Leu Arg Ser Phe Lys His Lys Gly Lys Lys Phe Arg Pro Thr Ala
 530 535 540
 50 Lys Pro Ser Xaa
 545

(2) INFORMATION FOR SEQ ID NO: 250:

55

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 299 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

60

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 250:

496

Met Thr Thr Val Pro Pro Ser Pro Arg Pro Met Ser Arg Pro Ser Glu
 1 5 10 15
 5 Arg Asn Met Arg Arg Pro Arg Gly Pro Ser Pro Leu Pro Ala Ser Pro
 20 25 30
 Arg Asn Ser Thr Pro Asp Glu Pro Asp Val His Phe Ser Lys Lys Phe
 35 40 45
 10 Leu Asn Val Phe Met Ser Gly Arg Ser Arg Ser Ser Ser Ala Glu Ser
 50 55 60
 15 Phe Gly Leu Phe Ser Cys Ile Ile Asn Gly Glu Glu Gln Glu Gln Thr
 65 70 75 80
 His Arg Ala Ile Phe Arg Phe Val Pro Arg His Glu Asp Glu Leu Glu
 85 90 95
 20 Leu Glu Val Asp Asp Pro Leu Leu Val Glu Leu Gln Ala Glu Asp Tyr
 100 105 110
 Trp Tyr Glu Ala Tyr Asn Met Arg Thr Gly Ala Arg Gly Val Phe Pro
 115 120 125
 25 Ala Tyr Tyr Ala Ile Glu Val Thr Lys Glu Pro Glu His Met Ala Ala
 130 135 140
 30 Leu Ala Lys Asn Ser Asp Trp Val Asp Gln Phe Arg Val Lys Phe Leu
 145 150 155 160
 Gly Ser Val Gln Val Pro Tyr His Lys Gly Asn Asp Val Leu Cys Ala
 165 170 175
 35 Ala Met Gln Lys Ile Ala Thr Thr Arg Arg Leu Thr Val His Phe Asn
 180 185 190
 Pro Pro Ser Ser Cys Val Leu Glu Ile Ser Val Arg Gly Val Lys Ile
 195 200 205
 40 Gly Val Lys Ala Asp Asp Ser Gln Glu Ala Lys Gly Asn Lys Cys Ser
 210 215 220
 45 His Phe Phe Gln Leu Lys Asn Ile Ser Phe Cys Gly Tyr His Pro Lys
 225 230 235 240
 Asn Asn Lys Tyr Phe Gly Phe Ile Thr Lys His Pro Ala Asp His Arg
 245 250 255
 50 Phe Ala Cys His Val Phe Val Ser Glu Asp Ser Thr Lys Ala Leu Ala
 260 265 270
 Glu Ser Val Gly Arg Ala Phe Gln Gln Phe Tyr Lys Gln Phe Val Glu
 275 280 285
 55 Tyr Thr Cys Pro Thr Glu Asp Ile Tyr Leu Glu
 290 295
 60

(2) INFORMATION FOR SEQ ID NO: 251:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 40 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 251:

5
 10 Leu Leu Tyr Leu Leu Lys Val Xaa Val Ile Phe Val Phe Ser Ser Ser
 1 5 10 15
 Lys Gly Val Thr Leu Val Ser Met Asn Leu Thr Ser Phe Phe Val Ser
 20 25 30
 15 Ser Val Leu Ala Cys Phe Ser Xaa
 35 40

20 (2) INFORMATION FOR SEQ ID NO: 252:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 594 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 252:

30 Met Pro Ala Ser Ser Leu Glu Ser Arg Ser Phe Leu Leu Ala Lys Lys
 1 5 10 15
 Ser Gly Glu Asn Val Ala Lys Phe Ile Ile Asn Ser Tyr Pro Lys Tyr
 20 25 30
 35 Phe Gln Lys Asp Ile Ala Glu Pro His Ile Pro Cys Leu Met Pro Glu
 35 40 45
 Tyr Phe Glu Pro Gln Ile Lys Asp Ile Ser Glu Ala Ala Leu Lys Glu
 50 55 60
 40 Arg Ile Glu Leu Arg Lys Val Lys Ala Ser Val Asp Met Phe Asp Gln
 65 70 75 80
 Leu Leu Gln Ala Gly Thr Thr Val Ser Leu Glu Thr Thr Asn Ser Leu
 85 90 95
 45 Leu Asp Xaa Leu Cys Tyr Tyr Gly Asp Gln Glu Pro Ser Thr Asp Tyr
 100 105 110
 50 His Phe Gln Gln Thr Gly Gln Ser Glu Ala Leu Glu Glu Asn Asp
 115 120 125
 Glu Thr Ser Arg Arg Lys Ala Gly His Gln Phe Gly Val Thr Trp Arg
 130 135 140
 55 Ala Lys Asn Asn Ala Glu Arg Ile Phe Ser Leu Met Pro Glu Lys Asn
 145 150 155 160
 Glu His Ser Tyr Cys Thr Met Ile Arg Gly Met Val Lys His Arg Ala
 165 170 175
 60